

钱学森

力学手稿

4

钱学森



西安交通大学出版社
XI'AN JIAOTONG UNIVERSITY PRESS

ISBN 978-7-5605-4229-4



9 787560 542294 >

定价：60.00元

{ 钱学森 }

{ 力学手稿 }

④

钱学森



西安交通大学出版社
XI'AN JIAOTONG UNIVERSITY PRESS

图书在版编目(CIP)数据

钱学森力学手稿 4:英文/钱学森著. — 西安:西安交通大学出版社,2012.3

ISBN 978-7-5605-1229-4

I. ①钱… II. ①钱… III. ①钱学森(1911~2009)-力学-手稿-英文 IV. ①O3-53

中国版本图书馆CIP数据核字(2012)第039441号

书 名 钱学森力学手稿 4

著 者 钱学森

责任编辑 毛 帆

出版发行 西安交通大学出版社
(西安市兴庆南路10号 邮政编码710049)

网 址 <http://www.xjtupress.com>

电 话 (029)82668357 82667871(发行中心)

(029)82668315 82669096(总编办)

传 真 (029)82668280

印 刷 中煤地西安地图制印有限公司

开 本 787mm×1092mm 1/16 印张 9.625 字数 231千字

版次印次 2012年3月第1版 2012年3月第1次印刷

书 号 ISBN 978-7-5605-4229-4/C·385

定 价 60.00元

读者购书、书店添货,如发现印装质量问题,请与本社发行中心联系、调换。

订购热线:(029)82665218 (029)82665219

投稿热线:(029)82664954

读者信箱:jdlgy@yahoo.cn

版权所有 侵权必究

出版前言

2011年12月11日是西安交通大学杰出校友钱学森先生的百年诞辰。为缅怀钱学森学长,学习他的科学思想和卓越风范,展示其丰功伟绩和人格魅力,西安交通大学举办了“纪念钱学森诞辰100周年”系列活动:作为制片方之一,参与西部电影集团摄制传记故事片《钱学森》;与中央电视台合作,出品纪录片《实验班的故事——沿着钱学森走过的路》;扩建钱学森生平业绩展馆,向校内外开放;举办钱学森科学与教育思想研讨会;出版发行《钱学森力学手稿》、《钱学森年谱(初编)》、《钱学森第六次产业革命思想探微丛书》等。

钱学森先生在美国深造和工作期间留下大量珍贵手稿,这些手稿真实展示了钱学森先生博大精深的学识、开拓求实的精神和严谨奋进的作风,是钱老勇攀科学高峰和严谨治学的集中体现。这里,我们将部分原稿整理汇集成册,出版《钱学森力学手稿》,作为钱老百年诞辰的献礼。

《钱学森力学手稿》共10卷,包含两部分内容。第一部分是草稿,包括扁壳、球壳和圆柱壳屈曲分析的公式推导和数值演算。在研究圆柱壳轴压屈曲问题时,为了求得圆柱壳体的临界压力,在有关的五百多页草稿中,对多达二十多种可能的屈曲模

态逐一进行公式推演和数值计算,最终才找到满意的并在论文中采用的屈曲模态。仔细观察草稿中的数据列表,每个数字有效位数都长达八位,在手摇机械式计算机作为主要计算工具的年代,这串串数字凝聚着多少现今难以想象的艰辛劳动。

第二部分是手稿,以航空航天工程为核心,涵盖空气动力学、固体力学、火箭技术、工程控制论和物理力学等领域的部分学术论文手稿、打印稿和讲义。

《钱学森力学手稿》是在西安交通大学校领导的大力支持下,由西安交通大学航天航空学院沈亚鹏教授整理完成。图书出版过程中得到了西安交通大学党委宣传部、校友关系发展部、图书馆、航天航空学院等的积极协助,在此深表感谢。

Preliminary Calculation of
Circular Cylinder (Ⅲ)

New Calculation

432

for the circular region,

$$\frac{w_0}{R} = \frac{1}{2} \left(\frac{a}{R} \right)^2 \left\{ 1 - \left(\frac{a}{R} \right)^2 \sin^2 \theta \right\}$$

$$\frac{w}{R} = \frac{1}{2} \left(\frac{a}{R} \right)^2 \left\{ 1 - \left(\frac{a}{R} \right)^2 \sin^2 \theta - f_1 \left[1 - \left(\frac{a}{R} \right)^2 \right]^2 - f_2 \left[1 - \left(\frac{a}{R} \right)^2 \right]^6 \right\}$$

$$\frac{1}{R} \frac{\partial w}{\partial R} = \frac{1}{R} \left\{ -\sin^2 \theta + 2f_1 \left[1 - \left(\frac{a}{R} \right)^2 \right] + 6f_2 \left[1 - \left(\frac{a}{R} \right)^2 \right]^5 \right\}$$

$$\frac{1}{R} \frac{\partial w_0}{\partial R} = \frac{1}{R} \left\{ -\sin^2 \theta \right\}$$

$$\frac{\partial^2 w}{\partial R^2} = \frac{1}{R} \left\{ -\sin^2 \theta + 2f_1 \left[1 - 3 \left(\frac{a}{R} \right)^2 \right] + 6f_2 \left[1 - \left(\frac{a}{R} \right)^2 \right]^4 \left[1 - 11 \left(\frac{a}{R} \right)^2 \right] \right\}$$

$$\frac{\partial^2 w_0}{\partial R^2} = \frac{1}{R} \left\{ -\sin^2 \theta \right\}$$

$$\frac{1}{R^2} \frac{\partial^2 w}{\partial \theta^2} = \frac{1}{R^2} \frac{\partial^2 w_0}{\partial \theta^2} = \frac{1}{R} \left\{ -\cos 2\theta \right\}$$

$$\begin{aligned}
& - \left\{ \frac{1}{2} \frac{\partial^2 \psi}{\partial x^2} \frac{\partial \psi}{\partial x} - \frac{1}{2} \frac{\partial^2 \psi}{\partial x^2} \frac{\partial \psi}{\partial x} \right\} \\
& = \frac{1}{R^2} \left\{ (1 - \cos \theta) \left\{ 2f_1' \left[1 - 2\left(\frac{a}{a_0}\right)^2 \right] + 6f_2' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 6\left(\frac{a}{a_0}\right)^2 \right] \right\} \right. \\
& \quad \left. - \left\{ 4f_1'' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 3\left(\frac{a}{a_0}\right)^2 \right] + 24f_1' f_2' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 7\left(\frac{a}{a_0}\right)^2 \right] + 36f_2'' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 11\left(\frac{a}{a_0}\right)^2 \right] \right\} \right\} \\
& \quad - \left\{ \frac{1}{R^2} \frac{\partial^2 \psi}{\partial x^2} \frac{\partial \psi}{\partial x} - \frac{1}{R^2} \frac{\partial^2 \psi}{\partial x^2} \frac{\partial \psi}{\partial x} \right\} = \frac{1}{R^2} \cos \theta \left\{ 2f_1' \left[1 - 3\left(\frac{a}{a_0}\right)^2 \right] + 6f_2' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 11\left(\frac{a}{a_0}\right)^2 \right] \right\}
\end{aligned}$$

The terms in the particular integral is then, multiplied by R^2

$$\begin{aligned}
& 2f_1' \left[1 - 2\left(\frac{a}{a_0}\right)^2 \right] + 6f_2' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 6\left(\frac{a}{a_0}\right)^2 \right] - 4f_1'' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 3\left(\frac{a}{a_0}\right)^2 \right] \\
& - 24f_1' f_2' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 7\left(\frac{a}{a_0}\right)^2 \right] - 36f_2'' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 11\left(\frac{a}{a_0}\right)^2 \right] \\
& + \cos \theta \left\{ - 2f_1' \left(\frac{a}{a_0}\right)^2 - 30f_2' \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left(\frac{a}{a_0}\right)^2 \right\}
\end{aligned}$$

1	$(\frac{A}{a})^2$	$(\frac{A}{a})^4$	$(\frac{A}{a})^6$	$(\frac{A}{a})^8$	$(\frac{A}{a})^{10}$	$(\frac{A}{a})^{12}$	$(\frac{A}{a})^{14}$	$(\frac{A}{a})^{16}$	$(\frac{A}{a})^{18}$	$(\frac{A}{a})^{20}$
$+2f_1$	$-4f_1$									
$+6f_2$	$-24f_2$	$+36f_2^2$	$-24f_2$	$+6f_2$						
	$-36f_2^2$	$+144f_2^2$	$-216f_2^2$	$+144f_2^2$	$-36f_2^2$					
$-4f_1^2$	$+16f_1^2$	$-12f_1^2$								
$-48f_1f_2$	$+240f_1f_2$	$-480f_1f_2$	$+480f_1f_2$	$-240f_1f_2$	$+48f_1f_2$					
	$+336f_1f_2^2$	$-1680f_1f_2^2$	$+3360f_1f_2^2$	$-3360f_1f_2^2$	$+1680f_1f_2^2$	$-336f_1f_2^2$	χ	$\frac{1}{2}$		
$-36f_2^2$	$+324f_2^2$	$-1296f_2^2$	$+3024f_2^2$	$-4536f_2^2$	$+4536f_2^2$	$-3024f_2^2$	$+1296f_2^2$	$-324f_2^2$	$+36f_2^2$	
	$+396f_2^2$	$-3564f_2^2$	$+14256f_2^2$	$-33264f_2^2$	$+49896f_2^2$	$-49896f_2^2$	$+33264f_2^2$	$-14256f_2^2$	$+3564f_2^2$	$-396f_2^2$
$\frac{1}{16 \cdot 4}$	$\frac{1}{36 \cdot 16}$	$\frac{1}{64 \cdot 36}$	$\frac{1}{100 \cdot 64}$	$\frac{1}{144 \cdot 100}$	$\frac{1}{196 \cdot 144}$	$\frac{1}{256 \cdot 196}$	$\frac{1}{324 \cdot 256}$	$\frac{1}{400 \cdot 324}$	$\frac{1}{484 \cdot 400}$	$\frac{1}{526 \cdot 484}$
	$-2f_1$									
	$-30f_2$	$+120f_2$	$-180f_2$	$+120f_2$	$-30f_2$					
	$\frac{1}{32 \cdot 12}$	$\frac{1}{60 \cdot 32}$	$\frac{1}{96 \cdot 60}$	$\frac{1}{140 \cdot 96}$	$\frac{1}{192 \cdot 140}$					

$$\begin{aligned}
\frac{\partial}{\partial z} = E\left(\frac{a}{R}\right) & \left[\frac{1}{4} f_1 \left(\frac{a}{R}\right)^2 + \frac{1}{32} (f_1 + 3f_2 - 2f_1' - 12f_1'' - 18f_2') \left(\frac{a}{R}\right)^4 + \frac{1}{144} (-f_1' - 15f_2' + 4f_1'' + 72f_2'' + 180f_2''') \left(\frac{a}{R}\right)^6 \right. \\
& + \frac{1}{192} (15f_2' - f_1'' - 90f_1'f_2' - 405f_2'') \left(\frac{a}{R}\right)^8 + \frac{1}{400} (-15f_2' + 120f_1'f_2' + 1080f_2'') \left(\frac{a}{R}\right)^{10} \\
& + \frac{1}{96} (f_2' - 12f_1'f_2' - 252f_2'') \left(\frac{a}{R}\right)^{12} + \frac{1}{184} (-f_2' + 24f_1'f_2' + 1512f_2'') \left(\frac{a}{R}\right)^{14} \\
& + \frac{1}{896} (-3f_1'f_2' - 945f_2'') \left(\frac{a}{R}\right)^{16} + \frac{5}{12} f_1'' \left(\frac{a}{R}\right)^{18} - \frac{9}{80} f_2'' \left(\frac{a}{R}\right)^{20} + \frac{9}{484} f_2'' \left(\frac{a}{R}\right)^{22} - \frac{1}{804} f_2'' \left(\frac{a}{R}\right)^{24} \\
& \left. + \cos\theta \left\{ -\frac{1}{192} (f_1' + 15f_2') \left(\frac{a}{R}\right)^6 + \frac{1}{16} f_1'' \left(\frac{a}{R}\right)^8 - \frac{1}{32} f_2'' \left(\frac{a}{R}\right)^{10} + \frac{1}{112} f_2'' \left(\frac{a}{R}\right)^{12} - \frac{1}{896} f_2'' \left(\frac{a}{R}\right)^{14} + f_2'' \left(\frac{a}{R}\right)^{16} \right\} \right] \\
\frac{1}{R} \frac{\partial}{\partial z} = E\left(\frac{a}{R}\right) & \left[\frac{1}{24} A \left(\frac{a}{R}\right)^2 + \frac{1}{24} B \left(\frac{a}{R}\right)^4 + \frac{1}{24} C \left(\frac{a}{R}\right)^6 + \frac{1}{40} D \left(\frac{a}{R}\right)^8 + \frac{1}{8} E \left(\frac{a}{R}\right)^{10} + \frac{1}{56} F \left(\frac{a}{R}\right)^{12} \right. \\
& + \frac{1}{56} G \left(\frac{a}{R}\right)^{14} + \frac{15}{2} H \left(\frac{a}{R}\right)^{16} - \frac{9}{4} I \left(\frac{a}{R}\right)^{18} + \frac{9}{22} J \left(\frac{a}{R}\right)^{20} - \frac{3}{88} K \left(\frac{a}{R}\right)^{22} \\
& \left. + \cos\theta \left\{ -\frac{6}{192} (f_1' + 15f_2') \left(\frac{a}{R}\right)^4 + \frac{2}{16} f_2'' \left(\frac{a}{R}\right)^6 - \frac{10}{32} f_2'' \left(\frac{a}{R}\right)^8 + \frac{12}{112} f_2'' \left(\frac{a}{R}\right)^{10} - \frac{14}{896} f_2'' \left(\frac{a}{R}\right)^{12} \right. \right. \\
& \left. \left. + 2f_2'' + 4f_2'' \right\} \right]
\end{aligned}$$

$$\frac{1}{n} \frac{\partial \Phi}{\partial \beta^2} = E\left(\frac{q}{R}\right)^2 \cos 2\theta \left\{ \frac{4}{192} (I_1 + 15I_2) \left(\frac{a}{R}\right)^4 - \frac{4}{16} I_2 \left(\frac{a}{R}\right)^6 + \frac{4}{32} I_2 \left(\frac{a}{R}\right)^8 - \frac{4}{112} I_2 \left(\frac{a}{R}\right)^{10} + \frac{4}{896} I_2 \left(\frac{a}{R}\right)^{12} - 4\beta_2 - 4A_2 \left(\frac{a}{R}\right)^2 \right\}$$

$$\begin{aligned} \hat{u} = E\left(\frac{q}{R}\right)^2 & \left[\frac{1}{2} I_0 + \frac{1}{8} A \left(\frac{a}{R}\right)^2 + \frac{1}{24} B \left(\frac{a}{R}\right)^4 + \frac{1}{24} C \left(\frac{a}{R}\right)^6 + \frac{1}{40} D \left(\frac{a}{R}\right)^8 + \frac{1}{56} E \left(\frac{a}{R}\right)^{10} + \frac{1}{56} F \left(\frac{a}{R}\right)^{12} \right. \\ & + \frac{1}{56} G \left(\frac{a}{R}\right)^{14} + \frac{15}{2} H \left(\frac{a}{R}\right)^{16} - \frac{1}{4} I \left(\frac{a}{R}\right)^{18} + \frac{9}{22} J \left(\frac{a}{R}\right)^{20} - \frac{3}{88} K \left(\frac{a}{R}\right)^{22} \\ & \left. + \cos 2\theta \left\{ -\frac{2}{192} (I_1 + 15I_2) \left(\frac{a}{R}\right)^4 + \frac{4}{16} I_2 \left(\frac{a}{R}\right)^6 - \frac{4}{32} I_2 \left(\frac{a}{R}\right)^8 + \frac{4}{112} I_2 \left(\frac{a}{R}\right)^{10} - \frac{4}{896} I_2 \left(\frac{a}{R}\right)^{12} - 2\beta_2 \right\} \right] \end{aligned}$$

$$\begin{aligned} \hat{v} = E\left(\frac{q}{R}\right)^2 & \left[\frac{1}{2} I_0 + \frac{3}{8} A \left(\frac{a}{R}\right)^2 + \frac{5}{24} B \left(\frac{a}{R}\right)^4 + \frac{1}{24} C \left(\frac{a}{R}\right)^6 + \frac{9}{40} D \left(\frac{a}{R}\right)^8 + \frac{11}{8} E \left(\frac{a}{R}\right)^{10} + \frac{13}{56} F \left(\frac{a}{R}\right)^{12} \right. \\ & + \frac{15}{56} G \left(\frac{a}{R}\right)^{14} + \frac{15 \times 13}{2} H \left(\frac{a}{R}\right)^{16} - \frac{9 \times 13}{4} I \left(\frac{a}{R}\right)^{18} + \frac{9 \times 91}{22} J \left(\frac{a}{R}\right)^{20} - \frac{3 \times 23}{88} K \left(\frac{a}{R}\right)^{22} \\ & \left. + \cos 2\theta \left\{ -\frac{30}{192} (I_1 + 15I_2) \left(\frac{a}{R}\right)^4 + \frac{51}{16} I_2 \left(\frac{a}{R}\right)^6 - \frac{90}{32} I_2 \left(\frac{a}{R}\right)^8 + \frac{132}{112} I_2 \left(\frac{a}{R}\right)^{10} - \frac{142}{896} I_2 \left(\frac{a}{R}\right)^{12} + 2\beta_2 + 12A_2 \left(\frac{a}{R}\right)^2 \right\} \right] \end{aligned}$$

$$\hat{w} = E\left(\frac{q}{R}\right)^2 \sin 2\theta \left\{ -\frac{10}{192} (I_1 + 15I_2) \left(\frac{a}{R}\right)^4 + \frac{14}{16} I_2 \left(\frac{a}{R}\right)^6 - \frac{16}{32} I_2 \left(\frac{a}{R}\right)^8 + \frac{12}{112} I_2 \left(\frac{a}{R}\right)^{10} - \frac{24}{896} I_2 \left(\frac{a}{R}\right)^{12} + 2\beta_2 + 6A_2 \left(\frac{a}{R}\right)^2 \right\}$$

$$\begin{aligned}
\tilde{m} - 160 &= E\left(\frac{a}{R}\right)^2 \left[\frac{1}{2}(1-\nu)q_0 + \frac{(1-3\nu)}{8}A\left(\frac{a}{R}\right)^2 + \frac{(1-5\nu)}{24}B\left(\frac{a}{R}\right)^4 + \frac{(1-7\nu)}{24}C\left(\frac{a}{R}\right)^6 + \frac{(1-9\nu)}{40}D\left(\frac{a}{R}\right)^8 + \frac{(1-11\nu)}{8}E\left(\frac{a}{R}\right)^{10} \right. \\
&\quad + \frac{(1-13\nu)}{56}F\left(\frac{a}{R}\right)^{12} \\
&\quad + \frac{(1-15\nu)}{56}G\left(\frac{a}{R}\right)^{14} + \frac{15(1-17\nu)}{2}H\left(\frac{a}{R}\right)^{16} - \frac{9(1-19\nu)}{4}I\left(\frac{a}{R}\right)^{18} + \frac{7(1-21\nu)}{22}J\left(\frac{a}{R}\right)^{20} - \frac{3(1-23\nu)}{88}K\left(\frac{a}{R}\right)^{22} \\
&\quad + \cos 2\theta \left\{ -\frac{(1-15\nu)}{96}(f_1 + 15f_2)\left(\frac{a}{R}\right)^4 + \frac{(1-14\nu)}{4}f_2\left(\frac{a}{R}\right)^6 - \frac{(3-45\nu)}{16}f_2\left(\frac{a}{R}\right)^8 + \frac{(2-33\nu)}{28}f_2\left(\frac{a}{R}\right)^{10} - \frac{(5-91\nu)}{448}f_2\left(\frac{a}{R}\right)^{12} \right. \\
&\quad \left. \left. - 2(1+\nu)f_2 - 12\nu f_2\left(\frac{a}{R}\right)^2 \right\} \right]
\end{aligned}$$

$$\begin{aligned}
\frac{1}{2}\left(\frac{\partial u}{\partial r}\right)^2 - \frac{1}{2}\left(\frac{\partial u_0}{\partial r}\right)^2 &= \left(\frac{a}{R}\right)^2 \left[-f_1 \left[1 - \left(\frac{a}{R}\right)^2 \right] \left(\frac{a}{R}\right)^2 - 3f_2 \left[1 - \left(\frac{a}{R}\right)^2 \right] \left(\frac{a}{R}\right)^4 + 2f_1^2 \left[1 - \left(\frac{a}{R}\right)^2 \right] \left(\frac{a}{R}\right)^6 \right. \\
&\quad \left. + 18f_2^2 \left[1 - \left(\frac{a}{R}\right)^2 \right] \left(\frac{a}{R}\right)^{10} + \cos 2\theta \left\{ f_1 \left[1 - \left(\frac{a}{R}\right)^2 \right] \left(\frac{a}{R}\right)^2 + 3f_2 \left[1 - \left(\frac{a}{R}\right)^2 \right] \left(\frac{a}{R}\right)^4 \right\} \right] \\
&= \left(\frac{a}{R}\right)^2 \left[-A\left(\frac{a}{R}\right)^2 - 8\left(\frac{a}{R}\right)^4 - 2C\left(\frac{a}{R}\right)^6 - 2D\left(\frac{a}{R}\right)^8 - 15E\left(\frac{a}{R}\right)^{10} - 3F\left(\frac{a}{R}\right)^{12} - 4G\left(\frac{a}{R}\right)^{14} - 2160H\left(\frac{a}{R}\right)^{16} \right. \\
&\quad \left. + 810I\left(\frac{a}{R}\right)^{18} - 180J\left(\frac{a}{R}\right)^{20} + 18K\left(\frac{a}{R}\right)^{22} \right. \\
&\quad \left. + \cos 2\theta \left\{ (f_1 + 3f_2)\left(\frac{a}{R}\right)^2 - (f_1 + 15f_2)\left(\frac{a}{R}\right)^4 + 30f_2\left(\frac{a}{R}\right)^6 - 30f_2\left(\frac{a}{R}\right)^8 + 15f_2\left(\frac{a}{R}\right)^{10} - 3f_2\left(\frac{a}{R}\right)^{12} \right\} \right]
\end{aligned}$$

$(\frac{A}{a})^2$	$(\frac{A}{a})^4$	$(\frac{A}{a})^6$	$(\frac{A}{a})^8$	$(\frac{A}{a})^{10}$	$(\frac{A}{a})^{12}$	$(\frac{A}{a})^{14}$	$(\frac{A}{a})^{16}$	$(\frac{A}{a})^{18}$	$(\frac{A}{a})^{20}$	$(\frac{A}{a})^{22}$
$-f_1$	$+f_1$									
$-3f_2$	$+15f_2$	$-30f_2$	$+30f_2$	$-15f_2$	$+3f_2$					
$+2f_1^2$	$-4f_1^2$	$+2f_1^2$								
$+12f_1f_2$	$-72f_1f_2$	$+180f_1f_2$	$-240f_1f_2$	$+180f_1f_2$	$-72f_1f_2$	$+12f_1f_2$				
$+18f_2^2$	$-180f_2^2$	$+610f_2^2$	$-2160f_2^2$	$+3780f_2^2$	$-4536f_2^2$	$+3780f_2^2$	$-2160f_2^2$	$+810f_2^2$	$-180f_2^2$	$+18f_2^2$
$+f_1$	$-f_1$									
$+3f_2$	$-15f_2$	$+30f_2$	$-30f_2$	$+15f_2$	$-3f_2$					

$$\begin{aligned}
\frac{24}{\partial r} = & \left(\frac{a}{R}\right)^2 \left[\frac{1}{2} (1-v) \rho_0 + \frac{3(3-v)}{8} A\left(\frac{a}{a}\right)^2 + \frac{5(5-v)}{24} B\left(\frac{a}{a}\right)^4 + \frac{7(7-v)}{24} C\left(\frac{a}{a}\right)^6 + \frac{9(9-v)}{40} D\left(\frac{a}{a}\right)^8 \right. \\
& + \frac{11(11-v)}{8} E\left(\frac{a}{a}\right)^{10} + \frac{13(13-v)}{56} F\left(\frac{a}{a}\right)^{12} + \frac{15(15-v)}{56} G\left(\frac{a}{a}\right)^{14} + \frac{15(17-v)}{2} H\left(\frac{a}{a}\right)^{16} - \frac{9 \times 19(19-v)}{4} I\left(\frac{a}{a}\right)^{18} \\
& + \frac{9 \times 21(21-v)}{22} J\left(\frac{a}{a}\right)^{20} - \frac{3 \times 23 \cdot 23-v}{88} K\left(\frac{a}{a}\right)^{22} \\
& \left. + \cos 2\theta \left\{ -(\rho_1 + 3\rho_2)\left(\frac{a}{a}\right)^2 + \frac{(95+15v)}{96} (\rho_1 + 15\rho_2)\left(\frac{a}{a}\right)^4 - \frac{(119+14v)}{4} \rho_2\left(\frac{a}{a}\right)^6 + \frac{(477+45v)}{16} \rho_2\left(\frac{a}{a}\right)^8 \right. \right. \\
& \left. \left. - \frac{(418+33v)}{28} \rho_2\left(\frac{a}{a}\right)^{10} + \frac{(1339+91v)}{448} \rho_2\left(\frac{a}{a}\right)^{12} - 5(1+v)\rho_2 - 12v\rho_2\left(\frac{a}{a}\right)^2 \right\} \right]
\end{aligned}$$

$$\begin{aligned}
\frac{11}{R} = & \left(\frac{a}{R}\right)^3 \left[\frac{1}{2} (1-v) \rho_0\left(\frac{a}{a}\right) + \frac{(3-v)}{8} A\left(\frac{a}{a}\right)^3 + \frac{(5-v)}{24} B\left(\frac{a}{a}\right)^5 + \frac{(7-v)}{24} C\left(\frac{a}{a}\right)^7 + \frac{(9-v)}{40} D\left(\frac{a}{a}\right)^9 \right. \\
& + \frac{(11-v)}{8} E\left(\frac{a}{a}\right)^{11} + \frac{(13-v)}{56} F\left(\frac{a}{a}\right)^{13} + \frac{(15-v)}{56} G\left(\frac{a}{a}\right)^{15} + \frac{15(17-v)}{2} H\left(\frac{a}{a}\right)^{17} - \frac{9(19-v)}{4} I\left(\frac{a}{a}\right)^{19} \\
& + \frac{9(21-v)}{22} J\left(\frac{a}{a}\right)^{21} - \frac{3(23-v)}{88} K\left(\frac{a}{a}\right)^{23} \\
& + \cos \theta \left\{ -\frac{1}{3} (\rho_1 + 3\rho_2)\left(\frac{a}{a}\right)^3 + \frac{(119+3v)}{96} (\rho_1 + 15\rho_2)\left(\frac{a}{a}\right)^5 - \frac{(17+2v)}{4} \rho_2\left(\frac{a}{a}\right)^7 + \frac{(53+5v)}{16} \rho_2\left(\frac{a}{a}\right)^9 \right. \\
& \left. \left. - \frac{(38+3v)}{28} \rho_2\left(\frac{a}{a}\right)^{11} + \frac{(103+7v)}{448} \rho_2\left(\frac{a}{a}\right)^{13} - 2(1+v)\rho_2\left(\frac{a}{a}\right)^3 - 4v\rho_2\left(\frac{a}{a}\right)^3 \right\} \right]
\end{aligned}$$

The non-uniform part of $\partial\partial - \gamma\partial\bar{\partial}$ is

$$E\left(\frac{a}{R}\right)^2 \cos 2\theta \left\{ -\frac{(15-v)}{96} (f_1 + 15f_2) \left(\frac{a}{R}\right)^4 + \frac{(14-v)}{4} f_2 \left(\frac{a}{R}\right)^6 - \frac{(45-3v)}{16} f_2 \left(\frac{a}{R}\right)^8 + \frac{(33-2v)}{28} f_2 \left(\frac{a}{R}\right)^{10} - \frac{(91-5v)}{488} f_2 \left(\frac{a}{R}\right)^{12} + 2(1+v) f_2 + 12a_2 \left(\frac{a}{R}\right)^2 \right\}$$

$$\frac{1}{R} \frac{\partial^2}{\partial \theta^2} = \left(\frac{a}{R}\right)^2 \cos 2\theta \left\{ \frac{1}{3} (f_1 + 3f_2) \left(\frac{a}{R}\right)^2 - \frac{(34+2v)}{96} (f_1 + 15f_2) \left(\frac{a}{R}\right)^4 + \frac{(31+v)}{4} f_2 \left(\frac{a}{R}\right)^6 - \frac{(98+2v)}{16} f_2 \left(\frac{a}{R}\right)^8 + \frac{(21+v)}{24} f_2 \left(\frac{a}{R}\right)^{10} - \frac{(194+2v)}{448} f_2 \left(\frac{a}{R}\right)^{12} + 4(1+v) f_2 + 4(3+v) \left(\frac{a}{R}\right)^2 \right\}$$

$$\frac{v}{R} = \left(\frac{a}{R}\right)^3 \sin 2\theta \left\{ \frac{1}{6} (f_1 + 3f_2) \left(\frac{a}{R}\right)^3 - \frac{(17+v)}{96} (f_1 + 15f_2) \left(\frac{a}{R}\right)^5 + \frac{(31+v)}{8} f_2 \left(\frac{a}{R}\right)^7 - \frac{(49+v)}{16} f_2 \left(\frac{a}{R}\right)^9 + \frac{(21+v)}{56} f_2 \left(\frac{a}{R}\right)^{11} - \frac{(97+v)}{448} f_2 \left(\frac{a}{R}\right)^{13} + 2(1+v) f_2 + 2(3+v) \left(\frac{a}{R}\right)^3 \right\}$$

how the non-uniform parts

$$\hat{m}_a = \cos 2\theta \left\{ -\frac{1}{96} f_1 - \frac{15}{448} f_2 - \frac{1}{2} f_3 \right\} - \left\{ \frac{1}{2} - 6g_2 - 4s_2 \right\}$$

$$\hat{\theta}_a = \cos 2\theta \left\{ -\frac{5}{32} f_1 - \frac{305}{448} f_2 + 2f_3 + 12h_2 \right\} - \left\{ 6g_2 - \frac{1}{2} \right\}$$

$$\hat{n}_a = \sin 2\theta \left\{ -\frac{5}{96} f_1 - \frac{135}{448} f_2 + 2f_3 + 6h_2 \right\} \left\{ -\frac{1}{2} - 6g_2 - 2s_2 \right\}$$

$$\left(\frac{u}{R} \right)_a = \cos 2\theta \left\{ -\frac{(13-3v)}{96} f_1 - \frac{43-65v}{448} f_2 - 2(1+v)f_3 - 48h_2 \right\} \left\{ \frac{1}{2}(1+v) + 2(1+v)g_2 + 4s_2 \right\}$$

$$\left(\frac{v}{R} \right)_a = \sin 2\theta \left\{ -\frac{(1+v)}{96} f_1 - \frac{131+35v}{448} f_2 + 2(1+v)f_3 + 2(3+v)h_2 \right\} \left\{ -\frac{1}{2} 2(1+v)g_2 - \frac{1}{2}(1+v) \right\}$$

$$\frac{14.5}{1.248}$$

$$12.5$$

$$-1.648$$

$$\begin{aligned}
p_2 + 0.6666667 S_2 - 0.08333333 &= \eta \left\{ +0.33333333 p_2 + 0 + 0.00173611 f_1 + 0.00558036 f_2 \right\} \\
p_2 + 0 - 0.08333333 &= \eta \left\{ +0.33333333 p_2 + 2\alpha_2 - 0.02604167 f_1 - 0.11346726 f_2 \right\} \\
p_2 + 0.3333333 S_2 + 0.08333333 &= \eta \left\{ -0.33333333 p_2 - \alpha_2 + 0.0088056 f_1 + 0.05022321 f_2 \right\} \\
p_2 + 1.5384615 S_2 + 0.25000 &= \eta \left\{ -p_2 - 2. - 6.153846 \alpha_2 - 0.0447756 f_1 - 0.0150240 f_2 \right\} \\
p_2 + 0 - 0.25000 &= \eta \left\{ +p_2 + 2.5384615 \alpha_2 - 0.00520833 f_1 - 0.12148008 f_2 \right\}
\end{aligned}$$

$$\begin{aligned}
0.6666667 S_2 + 0 &= \eta \left\{ 0 - 2\alpha_2 + 0.0222278 f_1 + 0.11934762 f_2 \right\} \\
0.3333333 S_2 + 0.1666667 &= \eta \left\{ -0.6666667 p_2 - 3\alpha_2 + 0.03472222 f_1 + 0.16369047 f_2 \right\} \\
1.2051282 S_2 + 0.1666667 &= \eta \left\{ -0.6666667 p_2 + 0.5384615 \alpha_2 - 0.05715812 f_1 - 0.065242 f_2 \right\} \\
1.5384615 S_2 + 0.50000 &= \eta \left\{ -2p_2 - 3\alpha_2 - 0.04326923 f_1 + 0.10645604 f_2 \right\}
\end{aligned}$$

$$\begin{aligned}
S_2 + 0 &= \eta \left\{ 0 - 3\alpha_2 + 0.04166667 f_1 + 0.1857143 f_2 \right\} \\
S_2 + 0.50000 &= \eta \left\{ -2p_2 - 9\alpha_2 + 0.10416667 f_1 + 0.1107143 f_2 \right\} \\
S_2 + 0.13829787 &= \eta \left\{ -0.55319149 p_2 + 0.44680851 \alpha_2 - 0.04742908 f_1 - 0.05414133 f_2 \right\} \\
S_2 + 0.325000 &= \eta \left\{ -1.3 p_2 - 1.95 \alpha_2 - 0.028125000 f_1 + 0.06717643 f_2 \right\}
\end{aligned}$$

$$\begin{aligned}
0.50000000 &= \eta \left\{ -2p_2 - 6\alpha_2 + 0.06250000 f_1 + 0.11250000 f_2 \right\} \\
0.3617043 &= \eta \left\{ -1.44680851 p_2 - 9.44680851 \alpha_2 + 0.15159575 f_1 + 0.54521274 f_2 \right\} \\
0.1867043 &= \eta \left\{ -0.74680851 p_2 - 2.39680851 \alpha_2 + 0.01930408 f_1 + 0.12333771 f_2 \right\}
\end{aligned}$$

$$0.25000000 = \gamma \left\{ -b_2 - 3a_2 + 0.03125000f_1 + 0.15625000f_2 \right\}$$

$$0.25000000 = \gamma \left\{ -b_2 - 6.52941176a_2 + 0.10477942f_1 + 0.37683822f_2 \right\}$$

$$0.25000000 = \gamma \left\{ -b_2 - 3.20940171a_2 + 0.02584877f_1 + 0.16515313f_2 \right\}$$

$$3.52941176a_2 = 0.07352942f_1 + 0.22058822f_2$$

$$3.32001005a_2 = 0.07893065f_1 + 0.21168509f_2$$

$$3a_2 = 0.06250000f_1 + 0.18750000f_2$$

$$3a_2 = 0.07132266f_1 + 0.19128113f_2$$

$$0 = 0.00812266f_1 + 0.00378113f_2$$

New Calculation

432

for the circular region,

$$\frac{w_0}{R} = \frac{1}{2} \left(\frac{a}{R}\right)^2 \left\{ 1 - \left(\frac{a}{R}\right)^2 \sin^2 \theta \right\}$$

$$\frac{w}{R} = \frac{1}{2} \left(\frac{a}{R}\right)^2 \left\{ 1 - \left(\frac{a}{R}\right)^2 \sin^2 \theta - \frac{1}{2} \left[1 - \left(\frac{a}{R}\right)^2 \right]^2 - \frac{1}{2} \left[1 - \left(\frac{a}{R}\right)^2 \right]^4 \right\}$$

$$\frac{1}{R} \frac{\partial w}{\partial R} = \frac{1}{R} \left\{ -\sin^2 \theta + 2 \frac{1}{2} \left[1 - \left(\frac{a}{R}\right)^2 \right] + 4 \frac{1}{2} \left[1 - \left(\frac{a}{R}\right)^2 \right]^3 \right\}$$

$$\frac{1}{R} \frac{\partial w_0}{\partial R} = \frac{1}{R} \left\{ -\sin^2 \theta \right\}$$

$$\frac{\partial^2 w}{\partial R^2} = \frac{1}{R} \left\{ -\sin^2 \theta + 2 \frac{1}{2} \left[1 - 3 \left(\frac{a}{R}\right)^2 \right] + 4 \frac{1}{2} \left[1 - \left(\frac{a}{R}\right)^2 \right]^2 \left[1 - 7 \left(\frac{a}{R}\right)^2 \right] \right\}$$

$$\frac{\partial^2 w_0}{\partial R^2} = \frac{1}{R} \left\{ -\sin^2 \theta \right\}$$

$$\frac{1}{R} \frac{\partial^2 w}{\partial \theta^2} = \frac{1}{R} \frac{\partial^2 w_0}{\partial \theta^2} = \frac{1}{R} \left\{ -\cos \theta \right\}$$

$$\begin{aligned}
& - \left\{ \frac{1}{a} \frac{\partial w}{\partial n} \frac{\partial^2 w}{\partial n^2} - \frac{1}{a} \frac{\partial w}{\partial n} \frac{\partial^2 w}{\partial n^2} \right\} \\
& = \frac{1}{R^2} \left[(1 - \cos \theta) \left\{ 2f_1 \left[1 - 2\left(\frac{a}{a_0}\right)^2 \right] + 4f_2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 4\left(\frac{a}{a_0}\right)^2 \right] \right\} \right. \\
& \quad \left. - \left\{ 4f_1^2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 3\left(\frac{a}{a_0}\right)^2 \right] + 8f_1 f_2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[2 - 10\left(\frac{a}{a_0}\right)^2 \right] + 16f_2^2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 7\left(\frac{a}{a_0}\right)^2 \right] \right\} \right] \\
& \quad - \left\{ \frac{1}{a^2} \frac{\partial w}{\partial n^2} \frac{\partial^2 w}{\partial \theta^2} - \frac{1}{a^2} \frac{\partial w}{\partial n^2} \frac{\partial^2 w}{\partial \theta^2} \right\} = \frac{1}{R^2} \cos \theta \left\{ 2f_1 \left[1 - 3\left(\frac{a}{a_0}\right)^2 \right] + 4f_2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 7\left(\frac{a}{a_0}\right)^2 \right] \right\}
\end{aligned}$$

The terms for the particular integral are then, multiplied by R^2

$$\begin{aligned}
& 2f_1 \left[1 - 2\left(\frac{a}{a_0}\right)^2 \right] + 4f_2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 4\left(\frac{a}{a_0}\right)^2 \right] - 4f_1^2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 3\left(\frac{a}{a_0}\right)^2 \right] - 16f_1 f_2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 5\left(\frac{a}{a_0}\right)^2 \right] \\
& - 16f_2^2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left[1 - 7\left(\frac{a}{a_0}\right)^2 \right] \\
& + \cos \theta \left\{ -2f_1 \left(\frac{a}{a_0}\right)^2 - 12f_2 \left[1 - \left(\frac{a}{a_0}\right)^2 \right] \left(\frac{a}{a_0}\right)^2 \right\}
\end{aligned}$$

1	$(\frac{a}{2})^2$	$(\frac{a}{2})^4$	$(\frac{a}{2})^6$	$(\frac{a}{2})^8$	$(\frac{a}{2})^{10}$	$(\frac{a}{2})^{12}$
$+2f_1$	$-4f_1$					
$+4f_2$	$-8f_2$	$+4f_2$				
	$-16f_2$	$+32f_2$	$-16f_2$			
$-4f_1^2$	$+16f_1^2$	$-12f_1^2$				
$-16f_1f_2$	$+48f_1f_2$	$-48f_1f_2$	$+16f_2$			
	$+80f_1f_2$	$-240f_1f_2$	$+240f_1f_2$	$+80f_1f_2$		
$-16f_2^2$	$+80f_2^2$	$-160f_2^2$	$+160f_2^2$	$-80f_2^2$	$+16f_2^2$	
	$+112f_2^2$	$-560f_2^2$	$+1120f_2^2$	$-1120f_2^2$	$+560f_2^2$	$-112f_1$
$\frac{1}{16 \cdot 4}$	$\frac{1}{36 \cdot 16}$	$\frac{1}{64 \cdot 36}$	$\frac{1}{100 \cdot 64}$	$\frac{1}{144 \cdot 100}$	$\frac{1}{196 \cdot 144}$	$\frac{1}{256 \cdot 196}$

0000

$$\frac{\Phi}{R^2} = E\left(\frac{a}{R}\right)^4 \left[\frac{1}{4} \frac{a^2}{R^2} + \frac{1}{32} \left(\frac{1}{2} + 2 \frac{a^2}{R^2} - \frac{1}{2} \frac{a^2}{R^2} - 8 \frac{a^2}{R^2} - 8 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^4 + \frac{1}{144} \left(-\frac{1}{2} - 6 \frac{a^2}{R^2} + 4 \frac{a^2}{R^2} + 32 \frac{a^2}{R^2} + 48 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^6 \right]$$

$$+ \frac{1}{192} \left(3 \frac{a^2}{R^2} - \frac{a^2}{R^2} - 24 \frac{a^2}{R^2} - 60 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^8 + \frac{1}{400} \left(-\frac{a^2}{R^2} + 16 \frac{a^2}{R^2} + 80 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^{10}$$

$$+ \frac{1}{180} \left(\frac{a^2}{R^2} - 15 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^{12} + \frac{1}{49} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^{14} - \frac{1}{448} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^{16}$$

$$+ \cos \theta \left\{ -\frac{1}{192} \left(\frac{a^2}{R^2} + 6 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^6 + \frac{1}{80} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^8 - \frac{1}{480} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^{10} + \frac{1}{R^2} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^{12} + \frac{1}{R^2} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^{14} \right\}$$

$$\frac{1}{R^2} \frac{\Phi}{R^2} = E\left(\frac{a}{R}\right)^4 \left[\frac{1}{2} \frac{a^2}{R^2} + \frac{1}{8} \left(\frac{a^2}{R^2} + 2 \frac{a^2}{R^2} - 2 \frac{a^2}{R^2} - 8 \frac{a^2}{R^2} - 8 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^4 + \frac{1}{40} \left(-\frac{a^2}{R^2} + 16 \frac{a^2}{R^2} + 80 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^6 + \frac{1}{15} \left(\frac{a^2}{R^2} - 15 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^8 + \frac{1}{24} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^{10} - \frac{1}{28} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^{12} + \frac{1}{192} \left(\frac{a^2}{R^2} + 6 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^4 - \frac{1}{480} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^6 \right]$$

$$\frac{1}{R^2} \frac{\Phi}{R^2} = E\left(\frac{a}{R}\right)^2 \cos \theta \left\{ + \frac{1}{192} \left(\frac{a^2}{R^2} + 6 \frac{a^2}{R^2} \right) \left(\frac{a}{R}\right)^4 - \frac{1}{80} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^6 + \frac{1}{480} \frac{a^2}{R^2} \left(\frac{a}{R}\right)^8 - 4 \frac{a^2}{R^2} \left(\frac{a}{R}\right)^{10} - 4 \frac{a^2}{R^2} \left(\frac{a}{R}\right)^{12} \right\}$$

$$\begin{aligned} \tilde{N} = E\left(\frac{a}{R}\right)^2 & \left[\frac{1}{2} a_0 + \frac{1}{8} (f_1' + 2f_2' - 8f_1'f_2' - 8f_2'^2) \left(\frac{a}{R}\right)^2 + \frac{1}{24} (-f_1' - 6f_2' + 4f_1'^2 + 32f_1'f_2' + 48f_2'^2) \left(\frac{a}{R}\right)^4 \right. \\ & + \frac{1}{24} (3f_2' - f_1'^2 - 24f_1'f_2' - 60f_2'^2) \left(\frac{a}{R}\right)^6 + \frac{1}{40} (-f_2' + 16f_1'f_2' + 80f_2'^2) \left(\frac{a}{R}\right)^8 + \frac{1}{15} (f_1'f_2' - 15f_2'^2) \left(\frac{a}{R}\right)^{10} \\ & \left. + \frac{2}{7} f_2'^2 \left(\frac{a}{R}\right)^{12} - \frac{1}{28} f_2'^2 \left(\frac{a}{R}\right)^{14} + \cos 2\theta \left\{ -\frac{1}{96} (f_1' + 6f_2') \left(\frac{a}{R}\right)^4 + \frac{1}{20} f_2' \left(\frac{a}{R}\right)^6 - \frac{1}{80} f_2' \left(\frac{a}{R}\right)^{10} - 2f_2' \right\} \right] \end{aligned}$$

$$\begin{aligned} \tilde{D} = E\left(\frac{a}{R}\right)^2 & \left[\frac{1}{2} a_0 + \frac{3}{8} (f_1' + 2f_2' - 2f_1'^2 - 8f_1'f_2' - 8f_2'^2) \left(\frac{a}{R}\right)^2 + \frac{5}{24} (-f_1' - 6f_2' + 4f_1'^2 + 32f_1'f_2' + 48f_2'^2) \left(\frac{a}{R}\right)^4 \right. \\ & + \frac{1}{24} (3f_2' - f_1'^2 - 24f_1'f_2' - 60f_2'^2) \left(\frac{a}{R}\right)^6 + \frac{1}{40} (-f_2' + 16f_1'f_2' + 80f_2'^2) \left(\frac{a}{R}\right)^8 + \frac{11}{15} (f_1'f_2' - 15f_2'^2) \left(\frac{a}{R}\right)^{10} \\ & \left. + \frac{26}{7} f_2'^2 \left(\frac{a}{R}\right)^{12} - \frac{15}{28} f_2'^2 \left(\frac{a}{R}\right)^{14} + \cos 2\theta \left\{ -\frac{15}{96} (f_1' + 6f_2') \left(\frac{a}{R}\right)^4 + \frac{14}{20} f_2' \left(\frac{a}{R}\right)^6 - \frac{15}{80} f_2' \left(\frac{a}{R}\right)^8 \right. \right. \\ & \left. \left. + 2f_2' + 12f_2' \left(\frac{a}{R}\right)^2 \right\} \right] \end{aligned}$$

$$\tilde{N} = E\left(\frac{a}{R}\right)^2 \cos 2\theta \left\{ -\frac{5}{96} (f_1' + 6f_2') \left(\frac{a}{R}\right)^4 + \frac{1}{40} f_2' \left(\frac{a}{R}\right)^6 - \frac{3}{80} f_2' \left(\frac{a}{R}\right)^8 + 2f_2' + 6f_2' \left(\frac{a}{R}\right)^2 \right\}$$

$$\begin{aligned} \hat{A}_2 - 60 &= E\left(\frac{\partial^2}{\partial a^2}\right) \left[\frac{1}{2}(1-v) \rho_0 + \frac{(1-3v)}{8} (\rho_1 + 2\rho_2 - 2\rho_1^2 - 8\rho_1\rho_2 - 8\rho_2^2) \left(\frac{a}{a_0}\right)^2 + \frac{(1-5v)}{24} (-\rho_1 - 6\rho_2 + 4\rho_1^2 + 32\rho_1\rho_2 + 48\rho_2^2) \left(\frac{a}{a_0}\right)^4 \right. \\ &\quad + \frac{(1-7v)}{24} (3\rho_2^2 - \rho_2^3 - 24\rho_1\rho_2 - 60\rho_2^2) \left(\frac{a}{a_0}\right)^6 + \frac{(1-9v)}{40} (-\rho_2 + 16\rho_1\rho_2 + 80\rho_2^2) \left(\frac{a}{a_0}\right)^8 + \frac{(1-11v)}{15} (\rho_1\rho_2 - 15\rho_2^2) \left(\frac{a}{a_0}\right)^{10} \\ &\quad + \frac{2(1-13v)}{7} \rho_2^2 \left(\frac{a}{a_0}\right)^{12} - \frac{(1-15v)}{28} \rho_2^3 \left(\frac{a}{a_0}\right)^{14} + \cos 2\theta \left\{ -\frac{(1-15v)}{96} (\rho_1 + 6\rho_2) \left(\frac{a}{a_0}\right)^4 + \frac{(1-14v)}{20} \rho_1 \left(\frac{a}{a_0}\right)^6 - \frac{(1-15v)}{80} \rho_2 \left(\frac{a}{a_0}\right)^8 \right. \\ &\quad \left. \left. - 2(1+v)\rho_2 - 18v\rho_2 \left(\frac{a}{a_0}\right)^2 \right\} \right] \end{aligned}$$

$$\begin{aligned} \frac{1}{2} \left(\frac{\partial^2 W}{\partial a^2} \right)^2 - \frac{1}{2} \left(\frac{\partial^2 W}{\partial a^2} \right)^2 &= \frac{1}{2} \left(\frac{a}{a_0} \right)^2 \left[(\cos 2\theta - 1) \left\{ 2\rho_1 \left[1 - \left(\frac{a}{a_0} \right)^2 \right] + 4\rho_2 \left[1 - \left(\frac{a}{a_0} \right)^2 \right]^3 \right\} \right. \\ &\quad \left. + 4\rho_1^2 \left[1 - \left(\frac{a}{a_0} \right)^2 \right]^2 + 16\rho_1\rho_2 \left[1 - \left(\frac{a}{a_0} \right)^2 \right]^4 + 16\rho_2^2 \left[1 - \left(\frac{a}{a_0} \right)^2 \right]^6 \right] \left(\frac{a}{a_0} \right)^2 \\ &= \left(\frac{a}{a_0} \right)^2 \left[-\rho_1 \left[1 - \left(\frac{a}{a_0} \right)^2 \right] \left(\frac{a}{a_0} \right)^2 - 2\rho_2 \left[1 - \left(\frac{a}{a_0} \right)^2 \right] \left(\frac{a}{a_0} \right)^2 + 2\rho_1^2 \left[1 - \left(\frac{a}{a_0} \right)^2 \right] \left(\frac{a}{a_0} \right)^2 + 8\rho_1\rho_2 \left[1 - \left(\frac{a}{a_0} \right)^2 \right]^4 + 8\rho_2^2 \left[1 - \left(\frac{a}{a_0} \right)^2 \right]^6 \right. \\ &\quad \left. + \cos 2\theta \left\{ \rho_1 \left[1 - \left(\frac{a}{a_0} \right)^2 \right] \left(\frac{a}{a_0} \right)^2 + 2\rho_2 \left[1 - \left(\frac{a}{a_0} \right)^2 \right] \left(\frac{a}{a_0} \right)^2 \right\} \right] \end{aligned}$$

$$\begin{aligned} &= \left(\frac{a}{a_0} \right)^2 \left[-(\rho_1 + 2\rho_2 - 2\rho_1^2 - 8\rho_1\rho_2 - 8\rho_2^2) \left(\frac{a}{a_0} \right)^2 - (-\rho_1 - 6\rho_2 + 4\rho_1^2 + 32\rho_1\rho_2 + 48\rho_2^2) \left(\frac{a}{a_0} \right)^4 \right. \\ &\quad \left. - 2(3\rho_2^2 - \rho_2^3 - 24\rho_1\rho_2 - 60\rho_2^2) \left(\frac{a}{a_0} \right)^6 - 9(-\rho_2 + 16\rho_1\rho_2 + 80\rho_2^2) \left(\frac{a}{a_0} \right)^8 - 8(\rho_1\rho_2 - 15\rho_2^2) \left(\frac{a}{a_0} \right)^{10} \right. \\ &\quad \left. - 48\rho_2^2 \left(\frac{a}{a_0} \right)^{12} + 8\rho_2^3 \left(\frac{a}{a_0} \right)^{14} + \cos 2\theta \left\{ (\rho_1 + 2\rho_2) \left(\frac{a}{a_0} \right)^2 - (\rho_1 + 6\rho_2) \left(\frac{a}{a_0} \right)^4 + 64\rho_1 \left(\frac{a}{a_0} \right)^6 - 2\rho_2 \left(\frac{a}{a_0} \right)^8 \right\} \right] \end{aligned}$$

$$\begin{aligned}
 \frac{\partial \mathcal{L}}{\partial \mathbf{a}} = & \left(\frac{\mathbf{a}}{R} \right)^3 \left[\frac{1}{2} (1-v) \rho_0 + \frac{3(3-v)}{8} (\rho_1 + 2\rho_2 - 2\rho_1^2 - 8\rho_1\rho_2 - 8\rho_2^2) \left(\frac{\mathbf{a}}{a} \right)^2 + \frac{5(5-v)}{24} (-\rho_1 - 6\rho_2 + 4\rho_1^2 + 32\rho_1\rho_2 + 48\rho_2^2) \left(\frac{\mathbf{a}}{a} \right)^4 \right. \\
 & + \frac{7(7-v)}{14} (3\rho_2 - \rho_2^2 - 24\rho_1\rho_2 - 60\rho_2^2) \left(\frac{\mathbf{a}}{a} \right)^6 + \frac{9(9-v)}{40} (-\rho_2 + 16\rho_1\rho_2 + 80\rho_2^2) \left(\frac{\mathbf{a}}{a} \right)^8 + \frac{11(11-v)}{15} (\rho_1\rho_2 - 15\rho_2^2) \left(\frac{\mathbf{a}}{a} \right)^{10} \\
 & + \frac{26(13-v)}{7} \rho_2^2 \left(\frac{\mathbf{a}}{a} \right)^{12} - \frac{15(15-v)}{24} \rho_2^3 \left(\frac{\mathbf{a}}{a} \right)^{14} + \cos \theta \left\{ -(\rho_1 + 2\rho_2) \left(\frac{\mathbf{a}}{a} \right)^2 + \frac{(95+15v)}{96} (\rho_1 + 6\rho_2) \left(\frac{\mathbf{a}}{a} \right)^4 - \frac{(119+14v)}{24} \rho_2 \left(\frac{\mathbf{a}}{a} \right)^6 \right. \\
 & \left. + \frac{(159+15v)}{80} \rho_2^2 \left(\frac{\mathbf{a}}{a} \right)^8 - 2(1+v) \rho_2 - 12v \rho_2 \left(\frac{\mathbf{a}}{a} \right)^2 \right\} \Bigg]
 \end{aligned}$$

$$\begin{aligned}
 \frac{\partial \mathcal{L}}{\partial \mathbf{b}} = & \left(\frac{\mathbf{b}}{R} \right)^3 \left[\frac{1}{2} (1-v) \rho_0 \left(\frac{\mathbf{b}}{a} \right) + \frac{(3-v)}{8} (\rho_1 + 2\rho_2 - 2\rho_1^2 - 8\rho_1\rho_2 - 8\rho_2^2) \left(\frac{\mathbf{b}}{a} \right)^3 + \frac{(5-v)}{24} (-\rho_1 - 6\rho_2 + 4\rho_1^2 + 32\rho_1\rho_2 + 48\rho_2^2) \left(\frac{\mathbf{b}}{a} \right)^5 \right. \\
 & + \frac{(7-v)}{24} (3\rho_2 - \rho_2^2 - 24\rho_1\rho_2 - 60\rho_2^2) \left(\frac{\mathbf{b}}{a} \right)^7 + \frac{(9-v)}{40} (-\rho_2 + 16\rho_1\rho_2 + 80\rho_2^2) \left(\frac{\mathbf{b}}{a} \right)^9 + \frac{(11-v)}{15} (\rho_1\rho_2 - 15\rho_2^2) \left(\frac{\mathbf{b}}{a} \right)^{11} \\
 & + \frac{2(13-v)}{7} \rho_2^2 \left(\frac{\mathbf{b}}{a} \right)^{13} - \frac{(15-v)}{24} \rho_2^3 \left(\frac{\mathbf{b}}{a} \right)^{15} + \cos \theta \left\{ -\frac{1}{3} (\rho_1 + 2\rho_2) \left(\frac{\mathbf{b}}{a} \right)^3 + \frac{(19+3v)}{96} (\rho_1 + 6\rho_2) \left(\frac{\mathbf{b}}{a} \right)^5 - \frac{(17+2v)}{20} \rho_2 \left(\frac{\mathbf{b}}{a} \right)^7 \right. \\
 & \left. + \frac{(53+5v)}{240} \rho_2^2 \left(\frac{\mathbf{b}}{a} \right)^9 - 2(1+v) \rho_2 \left(\frac{\mathbf{b}}{a} \right) - 4v \rho_2 \left(\frac{\mathbf{b}}{a} \right)^3 \right\} \Bigg]
 \end{aligned}$$

Non-uniform part of $\hat{\theta}\hat{\theta} - v\hat{\theta}$ is

$$E\left(\frac{a}{R}\right)^2 \cos 2\theta \left\{ -\frac{(15-v)}{96} (f_1 + 6f_2) \left(\frac{a}{\lambda}\right)^4 + \frac{1+v}{20} f_2 \left(\frac{a}{\lambda}\right)^6 - \frac{(45-3v)}{240} f_2 \left(\frac{a}{\lambda}\right)^8 + 2(1+v)f_2 + 12\lambda_2 \left(\frac{a}{\lambda}\right)^2 \right\}$$

$$\frac{1}{R} \frac{\partial v}{\partial \theta} = \left(\frac{a}{R}\right)^2 \cos 2\theta \left\{ \frac{1}{3} (f_1 + 2f_2) \left(\frac{a}{\lambda}\right)^2 - \frac{(34+2v)}{96} (f_1 + 6f_2) \left(\frac{a}{\lambda}\right)^4 + \frac{(31+v)}{20} f_2 \left(\frac{a}{\lambda}\right)^6 - \frac{(98+2v)}{240} f_2 \left(\frac{a}{\lambda}\right)^8 + 4(1+v)f_2 + 4(3+v)\lambda_2 \left(\frac{a}{\lambda}\right)^2 \right\}$$

$$\frac{v}{R} = \left(\frac{a}{R}\right)^3 \sin 2\theta \left\{ \frac{1}{6} (f_1 + 3f_2) \left(\frac{a}{\lambda}\right)^3 - \frac{(11+v)}{96} (f_1 + 6f_2) \left(\frac{a}{\lambda}\right)^5 + \frac{(31+v)}{40} f_2 \left(\frac{a}{\lambda}\right)^7 - \frac{(49+v)}{240} f_2 \left(\frac{a}{\lambda}\right)^9 + 2(1+v)f_2 \left(\frac{a}{\lambda}\right) + 2(3+v)\lambda_2 \left(\frac{a}{\lambda}\right)^3 \right\}$$

$$\hat{R}\hat{R}_a = \cos 2\theta \left\{ -\frac{1}{96} f_1 - \frac{1}{40} f_2 - 2f_2 \right\}$$

$$\hat{\theta}\hat{\theta}_a = \cos 2\theta \left\{ -\frac{5}{32} f_1 - \frac{13}{40} f_2 + 2f_2 + 12\lambda_2 \right\}$$

$$\hat{R}\hat{\theta}_a = \sin 2\theta \left\{ -\frac{5}{96} f_1 - \frac{3}{40} f_2 + 2f_2 + 6\lambda_2 \right\}$$

$$\left(\frac{u}{R}\right)_a = \cos 2\theta \left\{ -\frac{(13-3v)}{96} f_1 - \frac{26-26v}{140} f_2 - 2(1+v)f_2 - 12v\lambda_2 \right\}$$

$$\left(\frac{v}{R}\right)_a = \sin 2\theta \left\{ -\frac{(11+v)}{96} f_1 - \frac{38+13v}{140} f_2 + 9(1+v)f_2 + 2(3+v)\lambda_2 \right\}$$

440

$$\frac{1}{2} - 6q_2 - 4s_2 = \eta \left\{ -\frac{1}{96} f_1 - \frac{1}{40} f_2 - 2b_2 \right\}$$

$$6q_2 - \frac{1}{2} = \eta \left\{ -\frac{5}{32} f_1 - \frac{17}{40} f_2 + 2b_2 + 12a_2 \right\}$$

$$\frac{1}{2} + 6q_2 + 2s_2 = \eta \left\{ +\frac{5}{96} f_1 + \frac{7}{40} f_2 - 2b_2 - 4a_2 \right\}$$

$$\frac{1}{2}(1+v) + 2(1+v)q_2 + 4s_2 = \eta \left\{ -\frac{(15-3v)}{96} f_1 - \frac{26(1-v)}{240} f_2 - 2(1+v)b_2 - 4v a_2 \right\}$$

$$2(1+v)q_2 - \frac{1}{2}(1+v) = \eta \left\{ -\frac{(1+v)}{96} f_1 - \frac{38+15v}{240} f_2 + 2(1+v)b_2 + 2(3+v)a_2 \right\}$$

$$\begin{array}{r} 17 \\ 2576 \\ \hline 41 \\ 6240 \end{array}$$

$$q_2 + 2.6666667s_2 - 0.08333333 = \eta \left\{ +0.3333333f_2 + 0 + 0.00173611f_1 + 0.004166667a_2 \right\}$$

$$f_2 \quad 0 \quad -0.08333333 = \eta \left\{ +0.3333333f_2 + 2a_2 - 0.02604167f_1 - 0.02583333a_2 \right\}$$

$$q_2 + 0.3333333s_2 + 0.08333333 = \eta \left\{ -0.3333333f_2 - a_2 + 0.05866056f_1 + 0.02916667a_2 \right\}$$

$$q_2 + 1.53846154s_2 + 0.25000000 = \eta \left\{ -b_2 - 0.46153846a_2 - 0.04843750f_1 - 0.029166667a_2 \right\}$$

$$f_2 + 0 \quad -0.25000000 = \eta \left\{ +b_2 + 2.53846154a_2 - 0.01520833f_1 - 0.06520833a_2 \right\}$$

$$0.6666667s_2 + 0 = \eta \left\{ 0 \quad -2a_2 + 0.01772222f_1 + 0.07500000a_2 \right\}$$

$$0.3333333s_2 + 0.1666667 = \eta \left\{ -0.6666667f_2 - 3a_2 + 0.03472222f_1 + 0.10000000f_2 \right\}$$

$$1.20512821s_2 + 0.1666667 = \eta \left\{ -0.6666667f_2 + 0.53846154a_2 - 0.05715812f_1 - 0.058333333f_2 \right\}$$

$$1.53846154s_2 + 0.50000000 = \eta \left\{ -2b_2 - 3a_2 - 0.04326923f_1 + 0.03653846f_2 \right\}$$

$$\begin{aligned}
 s_2 + 0 &= \eta \left\{ 0 - 3\lambda_2 + 0.04166667 f_1 + 0.11250000 f_2 \right\} \\
 s_2 + 0.50000 &= \eta \left\{ -2p_2 - 9\lambda_2 + 0.10416667 f_1 + 0.30000000 f_2 \right\} \\
 s_2 + 0.13829287 &= \eta \left\{ -0.55319149 p_2 + 0.44680851 \lambda_2 - 0.04742908 f_1 - 0.04840425 f_2 \right\} \\
 s_2 + 0.3250000 &= \eta \left\{ -1.3 p_2 - 1.95 \lambda_2 - 0.02812500 f_1 + 0.02375000 f_2 \right\}
 \end{aligned}$$

$$\begin{aligned}
 0.5000000 &= \eta \left\{ -2p_2 - 6\lambda_2 + 0.06250000 f_1 + 0.18750000 f_2 \right\} \\
 0.36170213 &= \eta \left\{ -1.44680851 p_2 - 9.44680851 \lambda_2 + 0.15159575 f_1 + 0.34840425 f_2 \right\} \\
 0.18670213 &= \eta \left\{ -0.74680851 p_2 - 2.39680851 \lambda_2 + 0.01930408 f_1 + 0.07215425 f_2 \right\}
 \end{aligned}$$

$$\begin{aligned}
 0.2500000 &= \eta \left\{ -p_2 - 3\lambda_2 + 0.03125000 f_1 + 0.09375000 f_2 \right\} \\
 0.2500000 &= \eta \left\{ -p_2 - 6.52941176 \lambda_2 + 0.10472742 f_1 + 0.24080852 f_2 \right\} \\
 0.2500000 &= \eta \left\{ -p_2 - 3.20940171 \lambda_2 + 0.02584877 f_1 + 0.09661680 f_2 \right\}
 \end{aligned}$$

$$\begin{aligned}
 3.52941176 \lambda_2 &= 0.07352942 f_1 + 0.14705882 f_2 \\
 3.32001005 \lambda_2 &= 0.07893065 f_1 + 0.14419202 f_2
 \end{aligned}$$

$$\begin{aligned}
 3\lambda_2 &= 0.06250000 f_1 + 0.12500000 f_2 \\
 3\lambda_2 &= 0.07132266 f_1 + 0.13029360 f_2
 \end{aligned}$$

$$0 = 0.00882266 f_1 + 0.00529360 f_2$$

$$f_2 = -\frac{5}{3} f_1$$

failure!!!

$$\left(\frac{w}{R}\right)_0 = \frac{1}{2} \left(\frac{a}{R}\right)^2 \left\{ 1 - \left(\frac{a}{R}\right)^2 \sin^2 \theta \right\}$$

a)

$$\left(\frac{w}{R}\right) = \frac{1}{2} \left(\frac{a}{R}\right)^2 \left\{ 1 - \left(\frac{a}{R}\right)^2 \sin^2 \theta - \frac{1}{4} \left[1 - \left(\frac{a}{R}\right)^2 \right]^2 \right\}$$

$$\frac{1}{R} \frac{\partial w}{\partial R} = \frac{1}{2} \frac{1}{R} \left\{ -2 \sin^2 \theta + 12 \frac{1}{4} \left[1 - \left(\frac{a}{R}\right)^2 \right]^2 \right\}$$

$$\frac{1}{R} \frac{\partial w_0}{\partial R} = \frac{1}{2} \frac{1}{R} \left\{ -2 \sin^2 \theta \right\}$$

$$\frac{\partial^2 w}{\partial R^2} = \frac{1}{2} \frac{1}{R} \left\{ -2 \sin^2 \theta + 12 \frac{1}{4} \left[1 - \left(\frac{a}{R}\right)^2 \right]^2 - 120 \frac{1}{4} \left[1 - \left(\frac{a}{R}\right)^2 \right] \left(\frac{a}{R}\right)^2 \right\}$$

$$= \frac{1}{2} \frac{1}{R} \left\{ -2 \sin^2 \theta - 12 \frac{1}{4} \left[1 - \left(\frac{a}{R}\right)^2 \right]^2 \left[1 - \left(\frac{a}{R}\right)^2 - 10 \left(\frac{a}{R}\right)^2 \right] \right\}$$

$$= \frac{1}{2} \frac{1}{R} \left\{ -2 \sin^2 \theta + 12 \frac{1}{4} \left[1 - \left(\frac{a}{R}\right)^2 \right] \left[1 - 11 \left(\frac{a}{R}\right)^2 \right] \right\}$$

$$\frac{\partial^2 w_0}{\partial R^2} = \frac{1}{2} \frac{1}{R} \left\{ -2 \sin^2 \theta \right\}$$

$$\frac{1}{R^2} \frac{\partial^2 w}{\partial \theta^2} = \frac{1}{R^2} \frac{\partial^2 w_0}{\partial \theta^2} = \frac{1}{R} (-\cos 2\theta)$$

$$- \left\{ \frac{1}{r} \frac{\partial \omega}{\partial r} \frac{\partial^2 \omega}{\partial r^2} - \frac{1}{r} \frac{\partial \omega_r}{\partial r} \frac{\partial^2 \omega_r}{\partial r^2} \right\}$$

8)

$$= \frac{1}{R^2} (\sin^2 \theta)^2 - \frac{1}{R^2} \left\{ \sin^2 \theta - 6 f_4 \left[1 - \left(\frac{r}{a} \right)^2 \right]^5 \right\} \left\{ \sin^2 \theta - 6 f_4 \left[1 - \left(\frac{r}{a} \right)^2 \right]^4 \left[1 - 11 \left(\frac{r}{a} \right)^2 \right] \right\}$$

$$= \frac{1}{R^2} \left\{ \underline{(1 - \cos 2\theta) \cdot 6 f_4 \left[1 - \left(\frac{r}{a} \right)^2 \right]^4 \left[1 - 6 \left(\frac{r}{a} \right)^2 \right] - 30 f_4^2 \left[1 - \left(\frac{r}{a} \right)^2 \right]^4 \left[1 - 11 \left(\frac{r}{a} \right)^2 \right]} \right\}$$

$$- \left\{ \frac{1}{r^2} \frac{\partial^2 \omega}{\partial r^2} \frac{\partial^2 \omega}{\partial \theta^2} - \frac{1}{r^2} \frac{\partial^2 \omega_r}{\partial r^2} \frac{\partial^2 \omega_r}{\partial \theta^2} \right\}$$

$$= \frac{1}{R^2} \cos^2 \theta \left\{ \underline{6 f_4 \left[1 - \left(\frac{r}{a} \right)^2 \right]^4 \left[1 - 11 \left(\frac{r}{a} \right)^2 \right]} \right\}$$

The non-uniform term in particular integral must be taken as

$$\cos \theta \left[-6 f_4 \left[1 - \left(\frac{r}{a} \right)^2 \right]^4 5 \left(\frac{r}{a} \right)^2 \right] = - \left[30 f_4 \left[1 - \left(\frac{r}{a} \right)^2 \right]^4 \left(\frac{r}{a} \right)^2 \right] \cos \theta$$

$$= -30 f_4 \cos \theta \left\{ \left(\frac{r}{a} \right)^2 - 4 \left(\frac{r}{a} \right)^4 + 6 \left(\frac{r}{a} \right)^6 - 4 \left(\frac{r}{a} \right)^8 + \left(\frac{r}{a} \right)^{10} \right\}$$

$$\frac{\Phi}{R^2} = -30 f_4 \cos \theta \left\{ \frac{1}{32 \cdot 12} \left(\frac{r}{a} \right)^6 - \frac{4}{60 \cdot 32} \left(\frac{r}{a} \right)^8 + \frac{6}{96 \cdot 60} \left(\frac{r}{a} \right)^{10} - \frac{4}{140 \cdot 96} \left(\frac{r}{a} \right)^{12} + \frac{1}{192 \cdot 140} \left(\frac{r}{a} \right)^{14} \right\} E \left(\frac{r}{R} \right)^2$$

$$\frac{1}{r} \frac{\partial^2 \Phi}{\partial r^2} = -30 f_4 \cos 2\theta \left\{ \frac{1}{64} \left(\frac{r}{a}\right)^4 - \frac{1}{60} \left(\frac{r}{a}\right)^6 + \frac{1}{96} \left(\frac{r}{a}\right)^8 - \frac{1}{240} \left(\frac{r}{a}\right)^{10} \right. \\ \left. + \frac{1}{1920} \left(\frac{r}{a}\right)^{12} \right\} E \left(\frac{a}{R}\right)^2 \quad c)$$

$$\frac{1}{r^2} \frac{\partial^2 \Phi}{\partial \theta^2} = +30 f_4 \cos 2\theta \left\{ \frac{1}{96} \left(\frac{r}{a}\right)^4 - \frac{1}{120} \left(\frac{r}{a}\right)^6 + \frac{1}{240} \left(\frac{r}{a}\right)^8 - \frac{1}{840} \left(\frac{r}{a}\right)^{10} \right. \\ \left. + \frac{1}{48 \times 140} \left(\frac{r}{a}\right)^{12} \right\} E \left(\frac{a}{R}\right)^2$$

$$\hat{r}_r = -30 f_4 \cos 2\theta \left\{ \frac{1}{192} \left(\frac{r}{a}\right)^4 - \frac{1}{120} \left(\frac{r}{a}\right)^6 + \frac{1}{160} \left(\frac{r}{a}\right)^8 - \frac{1}{420} \left(\frac{r}{a}\right)^{10} \right. \\ \left. + \frac{1}{192 \cdot 14} \left(\frac{r}{a}\right)^{12} \right\} E \left(\frac{a}{R}\right)^2$$

$$\hat{\theta}\theta = -30 f_4 \cos 2\theta \left\{ \frac{5}{64} \left(\frac{r}{a}\right)^4 - \frac{7}{60} \left(\frac{r}{a}\right)^6 + \frac{9}{96} \left(\frac{r}{a}\right)^8 - \frac{11}{240} \left(\frac{r}{a}\right)^{10} + \frac{13}{1920} \left(\frac{r}{a}\right)^{12} \right\} E \left(\frac{a}{R}\right)^2$$

$$\hat{r}\theta = -30 f_4 \sin 2\theta \left\{ \frac{5}{32 \cdot 6} \left(\frac{r}{a}\right)^4 - \frac{7}{60 \cdot 8} \left(\frac{r}{a}\right)^6 + \frac{9}{96 \cdot 5} \left(\frac{r}{a}\right)^8 - \frac{11}{140 \cdot 12} \left(\frac{r}{a}\right)^{10} \right. \\ \left. + \frac{13}{192 \times 70} \left(\frac{r}{a}\right)^{12} \right\} E \left(\frac{a}{R}\right)^2$$

$$\hat{r}_r - r \hat{\theta}\theta = -30 f_4 \cos 2\theta \left\{ \frac{(1-15\nu)}{192} \left(\frac{r}{a}\right)^4 - \frac{(1-14\nu)}{120} \left(\frac{r}{a}\right)^6 + \frac{(1-15\nu)}{160} \left(\frac{r}{a}\right)^8 - \frac{(2-33\nu)}{840} \left(\frac{r}{a}\right)^{10} \right. \\ \left. + \frac{(5-91\nu)}{13440} \left(\frac{r}{a}\right)^{12} \right\} E \left(\frac{a}{R}\right)^2$$

$$\frac{1}{2} \left(\frac{\partial w}{\partial r}\right)^2 - \frac{1}{2} \left(\frac{\partial w}{\partial r}\right)^2 = \frac{1}{2} \left(\frac{a}{R}\right)^2 \left\{ - (1 - \cos 2\theta) 6 f_4 \left[1 - \left(\frac{a}{R}\right)^2\right]^5 + 36 f_4^2 \left[1 - \left(\frac{a}{R}\right)^2\right]^{10} \right\} \\ = \frac{1}{2} \left(\frac{a}{R}\right)^2 \left\{ \cos 2\theta \cdot 6 f_4 \left[1 - \left(\frac{a}{R}\right)^2\right]^5 \left(\frac{a}{R}\right)^2 + \dots \right\}$$

The non-uniform part of $\frac{1}{2} \left(\frac{\partial u}{\partial r} \right)^2 - \frac{1}{2} \left(\frac{\partial v}{\partial r} \right)^2$

a)

$$3f_4 \cos \theta \left\{ \left(\frac{a}{r} \right)^2 - 5 \left(\frac{a}{r} \right)^4 + 10 \left(\frac{a}{r} \right)^6 - 10 \left(\frac{a}{r} \right)^8 + 5 \left(\frac{a}{r} \right)^{10} - \left(\frac{a}{r} \right)^{12} \right\} \left(\frac{a}{r} \right)^2$$

$$\frac{\partial u}{\partial r} = -30f_4 \cos \theta \left\{ \frac{1}{10} \left(\frac{a}{r} \right)^2 - \frac{(15+15v)}{192} \left(\frac{a}{r} \right)^4 + \frac{(119+14v)}{120} \left(\frac{a}{r} \right)^6 - \frac{(159+15v)}{160} \left(\frac{a}{r} \right)^8 \right. \\ \left. + \frac{(418+33v)}{840} \left(\frac{a}{r} \right)^{10} - \frac{(1359+91v)}{13440} \left(\frac{a}{r} \right)^{12} \right\} \left(\frac{a}{r} \right)^2$$

$$\frac{u}{r} = -30f_4 \cos \theta \left\{ \frac{1}{30} \left(\frac{a}{r} \right)^3 - \frac{(19+3v)}{192} \left(\frac{a}{r} \right)^5 + \frac{(17+2v)}{120} \left(\frac{a}{r} \right)^7 - \frac{(53+5v)}{480} \left(\frac{a}{r} \right)^9 \right. \\ \left. + \frac{(38+3v)}{840} \left(\frac{a}{r} \right)^{11} - \frac{(103+7v)}{13440} \left(\frac{a}{r} \right)^{13} \right\} \left(\frac{a}{r} \right)^3$$

$$\frac{v}{r} = -30f_4 \cos \theta \left\{ \frac{1}{30} \left(\frac{a}{r} \right)^3 - \frac{(19+3v)}{192} \left(\frac{a}{r} \right)^5 + \frac{(17+2v)}{120} \left(\frac{a}{r} \right)^7 - \frac{(53+5v)}{480} \left(\frac{a}{r} \right)^9 \right. \\ \left. + \frac{(38+3v)}{840} \left(\frac{a}{r} \right)^{11} - \frac{(103+7v)}{13440} \left(\frac{a}{r} \right)^{13} \right\} \left(\frac{a}{r} \right)^2$$

$$\frac{1}{E} (\bar{\sigma} - \bar{\sigma}_r) = -30f_4 \cos \theta \left\{ \frac{(15-v)}{192} \left(\frac{a}{r} \right)^4 - \frac{(14-v)}{120} \left(\frac{a}{r} \right)^6 + \frac{(15-v)}{160} \left(\frac{a}{r} \right)^8 - \frac{(33-2v)}{840} \left(\frac{a}{r} \right)^{10} \right. \\ \left. + \frac{(91-5v)}{13440} \left(\frac{a}{r} \right)^{12} \right\} \left(\frac{a}{r} \right)^2$$

$$\frac{\partial v}{\partial \theta} = -30f_4 \cos \theta \left\{ -\frac{1}{30} \left(\frac{a}{r} \right)^2 + \frac{(34+2v)}{192} \left(\frac{a}{r} \right)^4 - \frac{(31+v)}{120} \left(\frac{a}{r} \right)^6 + \frac{(49+v)}{240} \left(\frac{a}{r} \right)^8 \right. \\ \left. - \frac{(71+v)}{840} \left(\frac{a}{r} \right)^{10} + \frac{(97+v)}{6720} \left(\frac{a}{r} \right)^{12} \right\} \left(\frac{a}{r} \right)^2$$

$$\frac{\sigma}{k} = -30f_4 \sin 2\theta \left\{ -\frac{1}{60} \left(\frac{a}{a}\right)^3 + \frac{(17+v)}{192} \left(\frac{a}{a}\right)^5 - \frac{(31+v)}{240} \left(\frac{a}{a}\right)^7 + \frac{(49+v)}{480} \left(\frac{a}{a}\right)^9 \right\} \\ - \frac{(71+v)}{1680} \left(\frac{a}{a}\right)^{11} + \frac{(97+v)}{13440} \left(\frac{a}{a}\right)^{13} \left\{ \left(\frac{a}{a}\right)^2 \right\}$$

$$\frac{1}{2} - 6q_2 - 4s_2 = \eta \left\{ -2p_2 - 0.03348214 f_4 \right\}$$

$$6q_2 - \frac{1}{2} = \eta \left\{ +2p_2 + 12s_2 - 0.27455357 f_4 \right\}$$

$$-\frac{1}{2} - 6q_2 - 2s_2 = \eta \left\{ +2p_2 + 6s_2 - 0.68080357 f_4 \right\}$$

$$\frac{1}{2}(1+v) + 2(1+v)q_2 + 4s_2 = \eta \left\{ -2(1+v)p_2 - 4v s_2 - 0.04479764 f_4 \right\}$$

$$2(1+v)q_2 - \frac{1}{2}(1+v) = \eta \left\{ +2(1+v)p_2 + 2(3+v)s_2 - 0.31584822 f_4 \right\}$$

$$q_2 + 1.53846154 s_2 - 0.0833333 = \eta \left\{ +0.333333 p_2 + 0 + 0.005580356 f_4 \right\}$$

$$q_2 - 0.0833333 = \eta \left\{ +0.333333 p_2 + 2s_2 - 0.045258928 f_4 \right\}$$

$$q_2 + 0.333333 s_2 + 0.0833333 = \eta \left\{ -0.333333 p_2 - 2s_2 + 0.113467262 f_4 \right\}$$

$$q_2 + 1.53846154 s_2 + 0.250000 = \eta \left\{ -p_2 - 0.461538462 s_2 - 0.017221701 f_4 \right\}$$

$$q_2 - 0.250000 = \eta \left\{ +p_2 + 2.53846154 s_2 - 0.12142857 f_4 \right\}$$

$$0.66666667 S_2 = \eta \left\{ 11'05' - 2\alpha_2 + 0.05133929 f_4 \right\} \quad f)$$

$$0.3333333 S_2 + 0.1666667 = \eta \left\{ -0.6666667 \beta_2 - 3\alpha_2 + 0.15922619 f_4 \right\}$$

$$1.20512821 S_2 + 0.1666667 = \eta \left\{ -0.6666667 \beta_2 + 0.53846154 \alpha_2 - 0.13069597 f_4 \right\}$$

$$1.536 + 0.154 S_2 + 0.50773 = \eta \left\{ -2\beta_2 - 3\alpha_2 + 0.10425137 f_4 \right\}$$

$$S_2 + 0 = \eta \left\{ 0 - 3\alpha_2 + 0.077001935 f_4 \right\}$$

$$S_2 + 0.5000 = \eta \left\{ -2\beta_2 - 9\alpha_2 + 0.47767857 f_4 \right\}$$

$$S_2 + 0.13827787 = \eta \left\{ -0.55319149 \beta_2 + 0.44680851 \alpha_2 - 0.10844985 f_4 \right\}$$

$$S_2 + 0.325000 = \eta \left\{ -1.30 \beta_2 - 1.95 \alpha_2 + 0.06776339 f_4 \right\}$$

$$0.50000000 = \eta \left\{ -2\beta_2 - 6\alpha_2 + 0.40066963 f_4 \right\}$$

$$0.36170213 = \eta \left\{ -1.44680851 \beta_2 - 9.44680851 \alpha_2 + 0.58612042 f_4 \right\}$$

$$0.18170213 = \eta \left\{ -0.74680851 \beta_2 - 2.39680851 \alpha_2 + 0.17621324 f_4 \right\}$$

$$0.25000000 = \eta \left\{ -\beta_2 - 3\alpha_2 + 0.10033482 f_4 \right\}$$

$$0.250000 = \eta \left\{ -\beta_2 - 6.52941175 \alpha_2 + 0.40511818 f_4 \right\}$$

$$0.250000 = \eta \left\{ -\beta_2 - 3.20940171 \alpha_2 + 0.23595505 f_4 \right\}$$

$$3.52941175 \lambda_2 = 0.20478336 f_4$$

$$0.174065856 f_4 \text{ g)}$$

$$3.31001005 \lambda_2 = 0.16916313 f_4$$

JOURNAL OF THE AERONAUTICAL SCIENCES

and Publications Office, London, Pa.
Editorial Board and Executive Committee
1. R. A. B. B. B. B.
A. B. C. D. E. F. G. H. I. J. K. L. M. N. O. P. Q. R. S. T. U. V. W. X. Y. Z.
New York, N. Y.
A. B. C. D. E. F. G. H. I. J. K. L. M. N. O. P. Q. R. S. T. U. V. W. X. Y. Z.
Editorial Board and Executive Committee

Published by the American Society of Mechanical Engineers
at the Society's Office, New York, N. Y.

Published by the American Society of Mechanical Engineers
at the Society's Office, New York, N. Y.

$$\frac{w}{R} = \frac{f}{2} \left(\frac{a}{R} \right)^2 \left[1 - \left(\frac{x}{a} \right)^2 - \frac{f}{4} (1 + \cos \frac{\pi x}{a}) (1 + \cos \frac{\lambda \pi y}{a}) \right]$$

45

$$\frac{w_0}{R} = \frac{f}{2} \left(\frac{a}{R} \right)^2 \left[1 - \left(\frac{x}{a} \right)^2 \right]$$

$$R \frac{\partial^2 w}{\partial x^2} = \left[-1 + \frac{f}{8} \pi^2 \cos \frac{\pi x}{a} (1 + \cos \frac{\lambda \pi y}{a}) \right] \quad R \frac{\partial^2 w_0}{\partial x^2} = -1$$

$$R \frac{\partial^2 w}{\partial y^2} = \left[+ \frac{f}{8} \lambda^2 \pi^2 (1 + \cos \frac{\pi x}{a}) \cos \frac{\lambda \pi y}{a} \right]$$

$$R \frac{\partial^2 w}{\partial x \partial y} = \left[- \frac{f}{8} \lambda \pi^2 \sin \frac{\pi x}{a} \sin \frac{\lambda \pi y}{a} \right]$$

$$\nabla^4 F = \pi^2 \frac{E}{R^2} \left(\frac{f \lambda^2}{8} \right) \left[\frac{f \pi^2}{8} \frac{1}{4} (1 - \cos \frac{2\pi x}{a}) (1 - \cos \frac{2\pi \lambda y}{a}) \right.$$

$$\left. + (1 + \cos \frac{\pi x}{a}) (\cos \frac{\pi \lambda y}{a}) - \frac{f \pi^2}{8} \frac{1}{4} (1 + 2 \cos \frac{\pi x}{a} + \cos \frac{2\pi x}{a}) (1 + 2 \cos \frac{\pi \lambda y}{a} + \cos \frac{2\pi \lambda y}{a}) \right]$$

$$= \frac{E}{R^2} \left(\frac{f \lambda^2}{8} \right) \left[\cos \frac{\pi \lambda y}{a} + \cos \frac{\pi x}{a} \cos \frac{\pi \lambda y}{a} \right.$$

$$\left. + \frac{f \pi^2}{32} \left(1 - \cos \frac{2\pi x}{a} \right) \cos \frac{2\pi \lambda y}{a} + \cos \frac{2\pi x}{a} \cos \frac{2\pi \lambda y}{a} \right.$$

$$\left. - 1 - 2 \cos \frac{\pi x}{a} - \cos \frac{2\pi x}{a} - 2 \cos \frac{\pi \lambda y}{a} - \frac{1}{4} \cos \frac{\pi x}{a} \cos \frac{\pi \lambda y}{a} - 2 \cos \frac{2\pi x}{a} \cos \frac{\pi \lambda y}{a} \right]$$

$$- \cos \frac{2\pi \lambda y}{a} - 2 \cos \frac{\pi x}{a} \cos \frac{2\pi \lambda y}{a} - \cos \frac{2\pi x}{a} \cos \frac{2\pi \lambda y}{a} \left. \right]$$

$$= \frac{E}{R^2} \left(\frac{f \lambda^2}{8} \right) \left[- \frac{f \pi^2}{16} \cos \frac{\pi x}{a} + \left(1 - \frac{f \pi^2}{16} \right) \cos \frac{\pi \lambda y}{a} + \left(1 - \frac{f \pi^2}{8} \right) \cos \frac{\pi x}{a} \cos \frac{\pi \lambda y}{a} \right.$$

$$\left. - \frac{f \pi^2}{16} \left[\cos \frac{2\pi x}{a} + \cos \frac{2\pi \lambda y}{a} + \cos \frac{2\pi x}{a} \cos \frac{\pi \lambda y}{a} + \cos \frac{\pi x}{a} \cos \frac{2\pi \lambda y}{a} \right] \right]$$

$$\begin{aligned}
 F = E \left(\frac{a}{R} \right)^2 \left(\frac{1+\lambda^2}{8} \right) & \left[-\frac{1}{16} \frac{\cos \frac{\pi x}{a}}{\left(\frac{\pi}{a} \right)^2} + \frac{1}{\lambda^4} \left(1 - \frac{1}{16} \right) \frac{\cos \frac{2\pi x}{a}}{\left(\frac{\pi}{a} \right)^2} + \frac{1}{(1+\lambda^2)^2} \left(1 - \frac{1}{8} \right) \frac{\cos \frac{4\pi x}{a}}{\left(\frac{\pi}{a} \right)^2} \right. \\
 & - \frac{1}{16} \left\{ \frac{1}{16} \frac{\cos \frac{2\pi x}{a}}{\left(\frac{\pi}{a} \right)^2} + \frac{1}{16\lambda^2} \frac{\cos \frac{2\pi x}{a}}{\left(\frac{\pi}{a} \right)^2} + \frac{1}{(1+4\lambda^2)^2} \frac{\cos \frac{2\pi x}{a}}{\left(\frac{\pi}{a} \right)^2} + \frac{1}{(4+\lambda^2)^2} \frac{\cos \frac{2\pi x}{a}}{\left(\frac{\pi}{a} \right)^2} \right\} \\
 & + \frac{1}{\left(\frac{\pi}{a} \right)^2} \left\{ a_1 \cosh \frac{\pi x}{a} + b_1 \left(\frac{2\pi x}{a} \right) \sinh \frac{2\pi x}{a} \right\} \cos \frac{\pi x}{a} \\
 & + \frac{1}{\left(\frac{2\pi}{a} \right)^2} \left\{ a_2 \cosh \left(\frac{2\pi x}{a} \right) + b_2 \left(\frac{2\pi x}{a} \right) \sinh \frac{2\pi x}{a} \right\} \cos \frac{2\pi x}{a} \left. \right] + \frac{\sigma}{2} x^2
 \end{aligned}$$

$$\begin{aligned}
 \frac{\sigma}{E} = \left(\frac{a}{R} \right)^2 \left(\frac{1+\lambda^2}{8} \right) & \left[-\left\{ a_1 \cosh \frac{\pi x}{a} + b_1 \left(\frac{2\pi x}{a} \right) \sinh \frac{2\pi x}{a} \right\} \cos \frac{\pi x}{a} - \left\{ a_2 \cosh \frac{2\pi x}{a} + b_2 \left(\frac{2\pi x}{a} \right) \sinh \frac{2\pi x}{a} \right\} \cos \frac{2\pi x}{a} \right. \\
 & + \frac{1}{16} \frac{\cos \frac{\pi x}{a}}{\left(\frac{\pi}{a} \right)^2} \left(\frac{1}{8} - 1 \right) \cos \frac{\pi x}{a} \frac{\pi x}{a} + \frac{1}{16} \frac{1}{4} \frac{1}{16} \frac{2\pi x}{a} + \frac{1}{(1+4\lambda^2)^2} \cos \frac{\pi x}{a} \frac{2\pi x}{a} \\
 & \left. + \frac{1}{(4+\lambda^2)^2} \cos \frac{2\pi x}{a} \frac{2\pi x}{a} \right\} \left. \right] + \frac{\sigma}{E}
 \end{aligned}$$

$$a_1 \cosh \pi + \pi b_1 \sinh \pi = \frac{1}{16} + \frac{1}{(1+\lambda^2)^2} \left(\frac{1}{8} - 1 \right) + \frac{1}{(1+\lambda^2)^2} \frac{1}{16}$$

$$(a_1 + b_1) \sinh \pi + \pi b_1 \cosh \pi = 0$$

$$a_2 \cosh 2\pi + 2\pi b_2 \sinh 2\pi = \frac{1}{16} \left[\frac{1}{4} + \frac{1}{(4+\lambda^2)^2} \right]$$

$$(a_2 + b_2) \sinh 2\pi + 2\pi b_2 \cosh 2\pi = 0$$

$$\frac{q_1^2}{E} = \left(\frac{a}{R}\right)^2 \left(\frac{b^2}{8}\right)^2 \left[\left\{ \frac{b^2}{16} + \frac{1}{(1+b^2)^2} \left(\frac{b^2}{8} - 1 \right) \cos \frac{\pi b^2}{a} + \frac{1}{(1+4b^2)^2} \frac{b^2}{16} \cos \frac{2\pi b^2}{a} - a_1 \cos \frac{\pi b^2}{a} - b_1 \left(\frac{\pi b^2}{a} \right) \sinh \frac{\pi b^2}{a} \int_0^{\pi/2} \cos \frac{\pi x}{a} \right. \right. \\ \left. \left. + \left[\frac{b^2}{16} \frac{1}{4} + \frac{b^2}{16} \frac{4}{(4+b^2)^2} \cos \frac{\pi b^2}{a} - a_2 \cos \frac{2\pi b^2}{a} - b_2 \left(\frac{2\pi b^2}{a} \right) \sinh \frac{2\pi b^2}{a} \right] \cos \frac{2\pi x}{a} \right\} - \frac{\pi}{E} \right]$$

$$\frac{1}{4E^2} \int_0^{\pi/2} q_1^2 dx = \frac{1}{2} \left(\frac{a}{R}\right)^4 \left(\frac{b^2}{8}\right)^2 \left[\left\{ \frac{b^2}{16} + \frac{1}{(1+b^2)^2} \left(\frac{b^2}{8} - 1 \right) \cos \frac{\pi b^2}{a} + \frac{1}{(1+4b^2)^2} \frac{b^2}{16} \cos \frac{2\pi b^2}{a} - \left[a_1 \cos \frac{\pi b^2}{a} + b_1 \left(\frac{\pi b^2}{a} \right) \sinh \frac{\pi b^2}{a} \right] \right. \right. \\ \left. \left. + \frac{1}{2} \left(\frac{a}{R}\right)^4 \left(\frac{b^2}{8}\right)^2 \right\} \left[\frac{b^2}{16} \frac{1}{4} + \frac{b^2}{16} \frac{4}{(4+b^2)^2} \cos \frac{\pi b^2}{a} - \left[a_2 \cos \frac{2\pi b^2}{a} + b_2 \left(\frac{2\pi b^2}{a} \right) \sinh \frac{2\pi b^2}{a} \right] \right] + \left(\frac{\pi}{E} \right)^2 \right]$$

$$\frac{1}{4bE^2} \int_0^{\pi/2} \int_0^{\pi/2} q_1^2 dx dy = \left(\frac{a}{R}\right)^4 \left(\frac{b^2}{8}\right)^2 \left[\frac{1}{2} \left(\frac{b^2}{16} \right)^2 + \frac{1}{4} \frac{1}{(1+b^2)^4} \left(\frac{b^2}{8} - 1 \right)^2 + \frac{1}{4} \frac{1}{(1+4b^2)^4} \left(\frac{b^2}{16} \right)^2 + \frac{1}{4} \frac{1}{(4+b^2)^4} \left(\frac{b^2}{4} \right)^2 \right. \\ \left. - \left(\frac{a}{R}\right)^4 \left(\frac{b^2}{8}\right)^2 \left[\frac{b^2}{16} \frac{1}{\pi} \int_0^{\pi} (a_1 \cosh u + b_1 u \sinh u) du + \frac{1}{(1+b^2)^2} \left(\frac{b^2}{8} - 1 \right) \frac{1}{\pi} \int_0^{\pi} \cos u (a_1 \cosh u + b_1 u \sinh u) du \right. \right. \\ \left. \left. + \frac{1}{(1+4b^2)^2} \frac{b^2}{16} \frac{1}{\pi} \int_0^{\pi} \cos 2u (a_2 \cosh u + b_2 u \sinh u) du + \frac{b^2}{64} \frac{1}{\pi} \int_0^{\pi} (a_2 \cosh 2u + b_2 (2u) \sinh 2u) du \right] \right. \\ \left. + \frac{b^2}{4(4+b^2)^2} \frac{1}{\pi} \int_0^{\pi} \cos u (a_2 \cosh 2u + b_2 2u \sinh 2u) du \right] \\ \left. + \left(\frac{a}{R}\right)^4 \left(\frac{b^2}{8}\right)^2 \left[\frac{1}{2} \frac{1}{\pi} \int_0^{\pi} (a_1 \cosh u + b_1 u \sinh u)^2 du + \frac{1}{2\pi} \int_0^{\pi} (a_2 \cosh 2u + b_2 2u \sinh 2u)^2 du \right] \right]$$

We have the following integrals:

454

$$\frac{1}{\pi} \int_0^\pi (x \cosh u + \beta u \sinh u) du = (\alpha - \beta) \frac{\sinh \pi}{\pi} + \beta \cosh \pi$$

$$\frac{1}{\pi} \int_0^\pi \cos u (\alpha \cosh u + \beta u \sinh u) du = -\alpha \frac{\sinh \pi}{\pi} - \beta \cosh \pi$$

$$\frac{1}{\pi} \int_0^\pi \cos 2u (\alpha \cosh u + \beta u \sinh u) du = \frac{\alpha}{5} \frac{\sinh \pi}{\pi} + \beta \left(\frac{1}{5} \cosh \pi + \frac{3}{25} \frac{\sinh \pi}{\pi} \right)$$

$$\frac{1}{\pi} \int_0^\pi (\gamma \cosh 2u + \delta 2u \sinh 2u) du = (\gamma - \delta) \frac{\sinh 2\pi}{2\pi} + \delta \cosh 2\pi$$

$$\frac{1}{\pi} \int_0^\pi \cos u (\gamma \cosh 2u + \delta 2u \sinh 2u) du = -\frac{\gamma}{5} \frac{\sinh 2\pi}{2\pi} + \delta \left(\frac{4}{5} \cosh 2\pi + \frac{12}{25} \frac{\sinh 2\pi}{2\pi} \right)$$

$$\frac{1}{\pi} \int_0^\pi \left\{ \alpha \cosh u + \beta u \sinh u \right\}^2 du$$

$$= \frac{\alpha^2}{2} \left(\frac{\sinh 2\pi}{2\pi} + 1 \right) + \frac{\alpha\beta}{2} \left(\cosh 2\pi - \frac{\sinh 2\pi}{2\pi} \right) + \frac{\beta^2}{2} \left\{ \left(\frac{2\pi^2+1}{2} \right) \frac{\sinh 2\pi}{2\pi} - \frac{1}{2} \cosh 2\pi - \frac{\pi^2}{3} \right\}$$

$$\frac{1}{\pi} \int_0^\pi \left\{ \gamma \cosh 2u + \delta 2u \sinh 2u \right\}^2 du$$

$$= \frac{\gamma^2}{2} \left(\frac{\sinh 4\pi}{4\pi} + 1 \right) + \frac{\gamma\delta}{2} \left(\cosh 4\pi - \frac{\sinh 4\pi}{4\pi} \right) + \frac{\delta^2}{2} \left\{ \left(\frac{8\pi^2+1}{2} \right) \frac{\sinh 4\pi}{4\pi} - \frac{1}{2} \cosh 4\pi - \frac{4\pi^2}{3} \right\}$$

$$\frac{1}{\pi} \int_0^\pi \sin u \sinh u \, du = \frac{1}{2} \frac{\sinh \pi}{\pi}$$

$$\frac{1}{\pi} \int_0^\pi \sin u \cdot u \cosh u \, du = \frac{1}{2} \left(\cosh \pi - \frac{\sinh \pi}{\pi} \right)$$

$$\frac{1}{\pi} \int_0^\pi \sin 2u \cdot \sinh u \, du = -\frac{2}{5} \left(\frac{\sinh \pi}{\pi} \right)$$

$$\frac{1}{\pi} \int_0^\pi \sin u \sinh 2u \, du = \frac{2}{5} \left(\frac{\sinh 2\pi}{2\pi} \right)$$

$$\frac{1}{\pi} \int_0^\pi 2u \cdot \sin u \cosh 2u \, du = \frac{2}{5} \cosh 2\pi - \frac{16}{25} \frac{\sinh 2\pi}{2\pi}$$

$$\frac{1}{\pi} \int_0^\pi u \cdot \sin 2u \cosh u \, du = -\frac{2}{5} \cosh \pi + \frac{6}{25\pi} \frac{\sinh \pi}{\pi}$$

$$\frac{1}{\pi} \int_0^\pi (\alpha \sinh u + \beta u \cosh u)^2 \, du$$

$$= \frac{\alpha^2}{2} \left(\frac{\sinh 2\pi}{2\pi} - 1 \right) + \frac{\alpha\beta}{2} \left(\cosh 2\pi - \frac{\sinh 2\pi}{2\pi} \right) + \frac{\beta^2}{2} \left(\frac{2\pi^2+1}{2} \frac{\sinh 2\pi}{2\pi} - \frac{1}{2} \cosh 2\pi + \frac{\pi^2}{3} \right)$$

$$\frac{1}{\pi} \int_0^\pi (\gamma \sinh 2u + \delta u \cosh 2u)^2 \, du$$

$$= \frac{\gamma^2}{2} \left(\frac{\sinh 4\pi}{4\pi} - 1 \right) + \frac{\gamma\delta}{2} \left(\cosh 4\pi - \frac{\sinh 4\pi}{4\pi} \right) + \frac{\delta^2}{2} \left(\frac{8\pi^2+1}{2} \frac{\sinh 4\pi}{4\pi} - \frac{1}{2} \cosh 4\pi + \frac{4\pi^2}{3} \right)$$

Therefore

$$\begin{aligned}
 \frac{1}{abE^2} \int_0^a \int_0^b y^2 dx dy &= \left(\frac{a}{b}\right)^2 \left(\frac{b^2}{8}\right)^2 \left[\frac{1}{2} \left(\frac{b^2}{16}\right)^2 + \frac{1}{4(1+\lambda^2)^2} \left(\frac{b^2}{8}\right)^2 + \frac{1}{2} \left(\frac{b^2}{64}\right)^2 + \frac{1}{4(1+\lambda^2)^2} \left(\frac{b^2}{4}\right)^2 \right] \\
 &- \left\{ \frac{b^2}{16} \left[(a_1 - b_1) \frac{\sinh \pi}{\pi} + b_1 \cosh \pi \right] + \frac{1}{(1+\lambda^2)^2} \left(\frac{b^2}{8} - 1 \right) \left[-a_1 \frac{\sinh \pi}{\pi} - b_1 \cosh \pi \right] \right. \\
 &+ \frac{1}{(1+4\lambda^2)^2} \left[a_1 \frac{1}{5} \frac{\sinh \pi}{\pi} + b_1 \left(\frac{1}{5} \cosh \pi + \frac{3}{25} \frac{\sinh \pi}{\pi} \right) \right] + \frac{b^2}{64} \left[(a_2 - b_2) \frac{\sinh 2\pi}{2\pi} + b_2 \cosh 2\pi \right] \\
 &+ \frac{(b^2 \pi^2)}{4(4+\lambda^2)^2} \left[-\frac{4}{5} a_2 \frac{\sinh \pi}{2\pi} + b_2 \left(-\frac{4}{5} \cosh \pi + \frac{12}{25} \frac{\sinh 2\pi}{2\pi} \right) \right] \Bigg\} \\
 &+ \frac{1}{4} a_1^2 \left(\frac{\sinh 2\pi}{2\pi} + 1 \right) + \frac{a_1 b_1}{4} \left(\cosh 2\pi - \frac{\sinh \pi}{\pi} \right) + \frac{b_1^2}{4} \left(\frac{2\pi^2 + 1}{2} \frac{\sinh \pi}{2\pi} - \frac{1}{2} \cosh 2\pi - \frac{\pi^2}{3} \right) \\
 &+ \frac{1}{4} a_2^2 \left(\frac{\sinh 4\pi}{4\pi} + 1 \right) + \frac{a_2 b_2}{4} \left(\cosh 4\pi - \frac{\sinh 2\pi}{2\pi} \right) + \frac{b_2^2}{4} \left(\frac{8\pi^2 + 1}{2} \frac{\sinh 4\pi}{4\pi} - \frac{1}{2} \cosh 4\pi - \frac{4\pi^2}{3} \right) \Bigg]
 \end{aligned}$$

$$\begin{aligned}
\frac{\sigma_x}{E} = & \frac{1}{R} \left(\frac{a^2}{8} \right) \left(\frac{b^2}{8} \right) \left[\left\{ (a_1 + 2b_1) \cosh \frac{\pi \lambda y}{a} + c_1 \left(\frac{2\pi y}{a} \right) \sinh \frac{\pi \lambda y}{a} \right\} \cos \frac{\pi x}{a} + \left\{ (a_2 + 2b_2) \cosh \frac{2\pi \lambda y}{a} + b_2 \left(\frac{2\pi \lambda y}{a} \right) \sinh \frac{2\pi \lambda y}{a} \right\} \cos \frac{2\pi x}{a} \right. \\
& + \frac{1}{\lambda^4} \left(\frac{\pi^2}{16} - 1 \right) \cos \frac{\pi \lambda y}{a} + \frac{1}{144} \left(\frac{\pi^2}{16} - 1 \right) \left(\frac{\pi^2}{8} - 1 \right) \cos \frac{\pi x}{a} \cos \frac{\pi \lambda y}{a} + \frac{\pi^2}{16} \left\{ \frac{1}{4\lambda^4} \cos \frac{2\pi \lambda y}{a} + \frac{b_1}{(1+4\lambda^2)^2} \cos \frac{\pi x}{a} \cos \frac{2\pi \lambda y}{a} \right. \\
& \left. \left. + \frac{1}{(4+\lambda^2)^2} \cos \frac{2\pi x}{a} \cos \frac{\pi \lambda y}{a} \right\} \right]
\end{aligned}$$

$$\begin{aligned}
= & \lambda^2 \left(\frac{a^2}{8} \right)^2 \left(\frac{b^2}{8} \right)^2 \left[\left\{ \frac{1}{\lambda^4} \left(\frac{\pi^2}{16} - 1 \right) \cos^2 \frac{\pi x}{a} + \frac{\pi^2}{144 \lambda^4} \cos \frac{2\pi \lambda y}{a} \right\} \right. \\
& + \left\{ \frac{1}{(1+\lambda^2)^2} \left(\frac{\pi^2}{8} - 1 \right) \cos \frac{\pi \lambda y}{a} + \frac{\pi^2}{4(1+4\lambda^2)^2} \cos \frac{2\pi \lambda y}{a} + (a_1 + 2b_1) \cosh \frac{\pi \lambda y}{a} + b_1 \left(\frac{\pi \lambda y}{a} \right) \sinh \frac{\pi \lambda y}{a} \right\} \cos \frac{\pi x}{a} \\
& \left. + \left\{ \frac{\pi^2}{16(4+\lambda^2)^2} \cos \frac{\pi \lambda y}{a} + (a_2 + 2b_2) \cosh \frac{2\pi \lambda y}{a} + b_2 \left(\frac{2\pi \lambda y}{a} \right) \sinh \frac{2\pi \lambda y}{a} \right\} \cos \frac{2\pi x}{a} \right]
\end{aligned}$$

$$\begin{aligned}
\frac{1}{abE^2} \int_0^a \int_0^b \sigma_x^2 dx dy &= \lambda^4 \left(\frac{a}{b}\right)^4 \left(\frac{b^2}{8}\right)^2 \left[\frac{1}{2} \frac{1}{\lambda^2} \left(\frac{b^2}{16} - 1\right)^2 + \frac{1}{4} \frac{1}{(1+\lambda^2)^4} \left(\frac{b^2}{8} - 1\right)^2 + \frac{1}{4(1+4\lambda^2)^4} \left(\frac{b^2}{4}\right)^2 \right. \\
&\quad \left. + \frac{1}{4(4+\lambda^2)^4} \left(\frac{b^2}{16}\right)^2 \right] \\
&+ \frac{1}{(1+\lambda^2)^2} \left(\frac{b^2}{8} - 1\right) \left\{ - (a_1 + 2b_1) \frac{b^2}{16} - b_1 \cosh \pi \right\} + \frac{b^2}{4(1+4\lambda^2)^2} \left\{ \frac{a_1 + 2b_1}{5} \frac{\sinh \pi}{\pi} + b_1 \left(\frac{1}{5} \cosh \pi + \frac{2}{25} \frac{\sinh \pi}{\pi} \right) \right\} \\
&+ \frac{b^2}{16(4+\lambda^2)^2} \left\{ - \frac{4}{5} (a_2 + 2b_2) \frac{\sinh \pi}{2\pi} + b_2 \left(- \frac{4}{5} \cosh 2\pi + \frac{12}{25} \frac{\sinh 2\pi}{2\pi} \right) \right\} \\
&+ \frac{1}{4} (a_1 + 2b_1)^2 \left(\frac{\sinh 2\pi}{2\pi} + 1 \right) + \frac{(a_1 + 2b_1)^2}{4} \left(\cosh 2\pi - \frac{\sinh 2\pi}{2\pi} \right) + \frac{b_1^2}{4} \left(\frac{2\pi^2}{2} \frac{\sinh 2\pi}{2\pi} - \frac{1}{2} \cosh 2\pi - \frac{\pi}{3} \right) \\
&+ \frac{1}{4} (a_2 + 2b_2)^2 \left(\frac{\sinh 4\pi}{4\pi} + 1 \right) + \frac{(a_2 + 2b_2)^2}{4} \left(\cosh 4\pi - \frac{\sinh 4\pi}{4\pi} \right) + \frac{b_2^2}{4} \left(\frac{8\pi^2}{2} \frac{\sinh 4\pi}{4\pi} - \frac{1}{2} \cosh 4\pi - \frac{4\pi}{3} \right) \Bigg]
\end{aligned}$$

$$\begin{aligned}
\frac{E^2}{E} &= \lambda \left(\frac{a}{R} \right)^2 \left(\frac{1+k^2}{8} \right) \left[\left\{ (a_1 + b_1) \sin \frac{\pi x}{a} \sin \frac{\pi y}{a} + b_1 \left(\frac{1-k^2}{8} \right) \cos \frac{\pi x}{a} \right\} \sin \frac{\pi y}{a} + \left\{ (a_2 + b_2) \sin \frac{2\pi x}{a} + b_2 \left(\frac{1-k^2}{8} \right) \cos \frac{2\pi x}{a} \right\} \sin \frac{2\pi y}{a} \right. \\
&\quad \left. + \frac{1}{(1+k^2)^2} \left(\frac{1-k^2}{8} - 1 \right) \sin \frac{\pi x}{a} \sin \frac{\pi y}{a} + \frac{1-k^2}{8} \frac{1}{(1+k^2)^2} \sin \frac{\pi x}{a} \sin \frac{2\pi y}{a} + \frac{1-k^2}{8} \frac{1}{(4+k^2)^2} \sin \frac{2\pi x}{a} \sin \frac{\pi y}{a} \right] \\
&= \lambda \left(\frac{a}{R} \right)^2 \left(\frac{1+k^2}{8} \right) \left[\left\{ \frac{1}{(1+k^2)^2} \left(\frac{1-k^2}{8} - 1 \right) \sin \frac{\pi x}{a} + \frac{1}{(4+k^2)^2} \sin \frac{2\pi x}{a} + \frac{1-k^2}{8} \sin \frac{2\pi x}{a} + (a_1 + b_1) \sin \frac{\pi x}{a} + b_1 \left(\frac{1-k^2}{8} \right) \cos \frac{\pi x}{a} \right\} \sin \frac{\pi y}{a} \right. \\
&\quad \left. + \left\{ \frac{1}{(4+k^2)^2} \left(\frac{1-k^2}{8} \right) \sin \frac{\pi x}{a} + (a_2 + b_2) \sin \frac{2\pi x}{a} + b_2 \left(\frac{1-k^2}{8} \right) \cos \frac{2\pi x}{a} \right\} \sin \frac{2\pi y}{a} \right]
\end{aligned}$$

$$\begin{aligned}
\frac{1}{abE^2} \int_0^a \int_0^b \tau_{xy}^2 dy dx &= \lambda^2 \left(\frac{a}{b} \right)^2 \left(\frac{b^2}{8} \right)^2 \left[\frac{1}{1+\lambda^2} \left(\frac{b^2}{8} - 1 \right)^2 + \frac{1}{4(1+\lambda^2)^2} \left(\frac{b^2}{8} \right)^2 + \frac{1}{4(4+\lambda^2)^2} \left(\frac{b^2}{8} \right)^2 \right. \\
&+ \left. \frac{1}{(1+\lambda^2)^2} \left(\frac{b^2}{8} - 1 \right) \left\{ \frac{1}{2}(a_1 + b_1) \frac{\sinh \pi}{\pi} + \frac{1}{2} \left(\cosh \pi - \frac{\sinh \pi}{\pi} \right) \right\} + \frac{1}{(1+\lambda^2)^2} \frac{b^2}{8} \left\{ -\frac{2}{5}(a_1 + b_1) \frac{\sinh \pi}{\pi} + b_1 \left(-\frac{2}{5} \cosh \pi + \frac{4}{25\pi} \frac{\sinh \pi}{\pi} \right) \right\} \right. \\
&+ \left. \frac{1}{(4+\lambda^2)^2} \left(\frac{b^2}{8} \right) \left\{ \frac{2}{5}(a_2 + b_2) \frac{\sinh 2\pi}{2\pi} + c_2 \left(\frac{2}{5} \cosh 2\pi - \frac{4}{25} \frac{\sinh 2\pi}{2\pi} \right) \right\} \right. \\
&+ \left. \frac{(a_1 + b_1)^2}{4} \left(\frac{\sinh 2\pi}{2\pi} - 1 \right) + \frac{(a_1 + b_1)b_1}{4} \left(\frac{\sinh \pi}{2\pi} - \frac{\sinh \pi}{2\pi} \right) + \frac{b_1^2}{4} \left(\frac{2\pi^2 + 1}{2} \frac{\sinh 2\pi}{2\pi} - \frac{1}{2} \cosh 2\pi + \frac{\pi^2}{3} \right) \right. \\
&+ \left. \frac{(a_2 + b_2)^2}{4} \left(\frac{\sinh 4\pi}{4\pi} - 1 \right) + \frac{(a_2 + b_2)c_2}{4} \left(\cosh 4\pi - \frac{\sinh 4\pi}{4\pi} \right) + \frac{b_2^2}{4} \left(\frac{8\pi^2 + 1}{2} \frac{\sinh 4\pi}{4\pi} - \frac{1}{2} \cosh 4\pi + \frac{4\pi^2}{3} \right) \right]
\end{aligned}$$

$$\begin{aligned}
F_1 &= (H\pi^2)^2 \left\{ \frac{1}{512} \lambda^4 + \frac{1}{8192} \lambda^4 + \frac{1}{256} \frac{\lambda^4}{(1+\lambda^2)^4} + \frac{\lambda^4}{64(1+4\lambda^2)^4} + \frac{\lambda^4}{1024(4+\lambda^2)^4} \right. \\
&\quad + \frac{1}{512} + \frac{1}{8192} + \frac{1}{256} \frac{1}{(1+\lambda^2)^2} + \frac{1}{1024(1+4\lambda^2)^2} + \frac{1}{64(4+\lambda^2)^2} + \frac{2\lambda^2}{256(1+4\lambda^2)} + \frac{2\lambda^2}{256(4+\lambda^2)} \left. \right\} \\
&\quad - (H\pi^2) \left\{ \frac{1}{16} \lambda^4 + \frac{\lambda^4}{16(1+\lambda^2)^4} + \frac{1}{16(1+\lambda^2)^6} + \frac{2\lambda^2}{16(1+\lambda^2)^2} + \left\{ \frac{1}{2\lambda^4} + \frac{\lambda^4}{4(1+\lambda^2)^4} + \frac{1}{4(1+\lambda^2)^6} + \frac{2\lambda^2}{4(1+\lambda^2)^4} \right\} \right. \\
&= (H\pi^2)^2 \left\{ \frac{17}{8192} (1+\frac{1}{\lambda^2}) + \frac{1}{256} \frac{1}{(1+\lambda^2)^2} + \frac{1}{1024(1+4\lambda^2)^2} + \frac{1}{1024(4+\lambda^2)^2} \right\} \\
&\quad - (H\pi^2) \left\{ \frac{1}{16} \lambda^4 + \frac{1}{16(1+\lambda^2)^2} + \frac{1}{16(1+\lambda^2)^4} + \frac{1}{2\lambda^4} + \frac{1}{4(1+\lambda^2)^4} + \frac{1}{4(1+\lambda^2)^6} \right\}
\end{aligned}$$

$$a, \frac{\sinh \pi}{\pi}$$

$$- \frac{\lambda^4}{(1+\lambda^2)^2} \left(\frac{f\pi^2}{8} - 1 \right) + \frac{\lambda^4}{20(1+4\lambda^2)^2} (f\pi^2) - \frac{f\pi^2}{16} + \frac{1}{(1+\lambda^2)^2} \left(\frac{f\pi^2}{8} - 1 \right) \\ - \frac{1}{80(1+4\lambda^2)^2} (f\pi^2) + \frac{\lambda^2}{(1+\lambda^2)^2} \left(\frac{f\pi^2}{8} - 1 \right) - \frac{\lambda^2 (f\pi^2)}{20(1+4\lambda^2)^2} = g_1(\lambda)$$

$$b, \frac{\sinh \pi}{\pi}$$

$$- \frac{2\lambda^4}{(1+\lambda^2)^2} \left(\frac{f\pi^2}{8} - 1 \right) + \frac{13}{25} \frac{\lambda^4}{4(1+4\lambda^2)^2} (f\pi^2) + \frac{f\pi^2}{16} - \frac{3}{25} \frac{1}{16(1+4\lambda^2)^2} (f\pi^2) \\ - \frac{3}{25} \frac{\lambda^2 f\pi^2}{2(1+4\lambda^2)^2} = g_2(\lambda)$$

$$b, \cosh \pi$$

$$- \frac{1}{(1+\lambda^2)^2} \left(\frac{f\pi^2}{8} - 1 \right) - \frac{\lambda^4}{20(1+4\lambda^2)^2} - \frac{f\pi^2}{16} + \frac{1}{(1+\lambda^2)^2} \left(\frac{f\pi^2}{8} - 1 \right) - \frac{f\pi^2}{80(1+4\lambda^2)^2} \\ + \frac{1}{(1+\lambda^2)^2} - \frac{\lambda^2}{10(1+4\lambda^2)^2} \left(\frac{f\pi^2}{8} \right) = g_3(\lambda)$$

$$a_2, \frac{\sinh 2\pi}{2\pi}$$

$$- \frac{\lambda^4 (f\pi^2)}{20(4+\lambda^2)^2} - \frac{f\pi^2}{64} + \frac{f\pi^2}{5(4+\lambda^2)^2} + \frac{\lambda^2 (f\pi^2)}{10(4+\lambda^2)^2} = g_3(\lambda)$$

$$\underline{b_2 \frac{\sinh 2\pi}{2\pi}}$$

463

$$- \frac{7\lambda^2}{25 \times 4(4+\lambda^2)^2} (f\pi^2) + \frac{f\pi^2}{64} - \frac{12}{100} \frac{4f\pi^2}{(4+\lambda^2)^2} - \frac{3 \times 2\lambda^2}{25 \times 4(4+\lambda^2)^2} (f\pi^2) = g_4(\lambda)$$

$$b_2 \cosh 2\pi$$

$$- \frac{\lambda^4(f\pi^2)}{20(4+\lambda^2)^2} - \frac{f\pi^2}{64} + \frac{(f\pi^2)}{5(4+\lambda^2)^2} + \frac{4\lambda^2(f\pi^2)}{40(4+\lambda^2)^2} = g_3(\lambda)$$

$$\cosh \pi a_1 + \pi \sinh \pi b_1 = \left\{ \frac{1}{16} + \frac{1}{8(1+\lambda^2)^2} + \frac{1}{16(1+4\lambda^2)^2} \right\} f\pi^2 - \frac{1}{(1+\lambda^2)^2}$$

$$\sinh \pi a_1 + (\sinh \pi + \pi \cosh \pi) b_1 = 0$$

$$b_1 = - \frac{\frac{\sinh \pi}{\pi}}{\frac{\sinh 2\pi}{2\pi} + 1} \left[\left\{ \frac{1}{16} + \frac{1}{8(1+\lambda^2)^2} + \frac{1}{16(1+4\lambda^2)^2} \right\} f\pi^2 - \frac{H_2(\lambda)}{(1+\lambda^2)^2} \right]$$

$$a_1 = + \frac{\frac{\cosh \pi}{\pi} + 1}{\frac{\sinh 2\pi}{2\pi} + 1} \left[\frac{1}{5} + \frac{1}{8(1+\lambda^2)^2} + \frac{1}{5(1+4\lambda^2)^2} \right] f\pi^2 - \frac{1}{1+\lambda^2}$$

$$a_2 = + \frac{\frac{\sinh 2\pi}{2\pi} + \cosh 2\pi}{\frac{\sinh 4\pi}{4\pi} + 1} \left[\frac{1}{64} + \frac{H_3(\lambda)}{4(4+\lambda^2)^2} \right] f\pi^2$$

$$b_2 = - \frac{\frac{\sinh 2\pi}{2\pi}}{\frac{\sinh 4\pi}{4\pi} + 1} \left[\frac{1}{64} + \frac{1}{4(4+\lambda^2)^2} \right] f\pi^2$$

Thus

164

$$\begin{aligned}
 F_2 &= -[H_1(\pi^2) - H_2] \left[-\frac{\sinh \pi}{\pi} g_1 \left(\frac{\sinh \pi}{\pi} + \cosh \pi \right) \right. \\
 &\quad \left. + \left(\frac{\sinh \pi}{\pi} \right)^2 g_2 + \frac{\sinh \pi}{\pi} \cdot \cosh \pi g_3 \right] \frac{1}{\frac{\sinh 2\pi}{2\pi} + 1} \\
 &\quad - [H_3(\pi^2)] \left[-g_3 \frac{\sinh 2\pi}{2\pi} \left(\frac{\sinh 2\pi}{2\pi} + \cosh 2\pi \right) + \left(\frac{\sinh 2\pi}{2\pi} \right)^2 g_4 + g_3 \frac{\sinh 2\pi}{2\pi} \cosh 2\pi \right] \\
 &\quad \cdot \frac{1}{\frac{\sinh 4\pi}{4\pi} + 1} \\
 &= -\frac{\left(\frac{\sinh \pi}{\pi} \right)^2}{\frac{\sinh 2\pi}{2\pi} + 1} [H_1(\pi^2) - H_2] [g_2 - g_1] \\
 &\quad - \frac{\left(\frac{\sinh 2\pi}{2\pi} \right)^2}{\frac{\sinh 4\pi}{4\pi} + 1} H_3(\pi^2)^2 [g_4 - g_3]
 \end{aligned}$$

$$\begin{aligned}
 g_2 - g_1 &= -\frac{\lambda^2}{1+\lambda^2} \left(\frac{\pi^2}{8} - 1 \right) + \frac{1}{25(1+4\lambda^2)^2} \left(\frac{\pi^2}{8} - 1 \right) + \frac{1}{8} \lambda^2 - \frac{1}{1+\lambda^2} \left(\frac{\pi^2}{8} - 1 \right) \\
 &\quad + \frac{1}{200(1+4\lambda^2)^2} \lambda^2 - \frac{\lambda^2}{1+\lambda^2} \left(\frac{\pi^2}{8} - 1 \right) + \frac{\lambda^2}{25(1+4\lambda^2)^2} \lambda^2 \\
 &= \left(\frac{\pi^2}{8} - 1 \right) \left(\frac{\lambda^2}{(1+\lambda^2)^2} - 1 \right) + \frac{1}{8} \lambda^2 + \lambda^2 \left(\frac{1}{200} - \frac{\lambda^2}{25(1+4\lambda^2)^2} \right) \\
 &= \lambda^2 \left\{ \frac{1}{200} + \frac{\lambda^2}{8(1+\lambda^2)^2} - \frac{\lambda^2}{25(1+4\lambda^2)^2} \right\} + \left\{ 1 - \frac{\lambda^2}{(1+\lambda^2)^2} \right\}
 \end{aligned}$$

$$f_4 - f_3 = -\frac{\lambda^4}{50(4+\lambda^2)^2} + \frac{1}{32} - \frac{8}{25(4+\lambda^2)^2} - \frac{8\lambda^2}{50(4+\lambda^2)^2}$$

$$= \frac{1}{32} - \frac{1}{50} = \frac{9}{800}$$

465

$$H_1(\lambda) = \frac{1}{8} \left\{ \frac{1}{2} + \frac{1}{(1+\lambda^2)^2} + \frac{1}{2(1+4\lambda^2)^2} \right\}$$

$$H_2(\lambda) = \frac{1}{(1+\lambda^2)^2}$$

$$H_3(\lambda) = \frac{1}{8} \left\{ \frac{1}{16} + \frac{1}{(4+\lambda^2)^2} \right\}$$

$$H_4(\lambda) = \frac{1}{200} + \frac{\lambda^2}{8(1+\lambda^2)^2} - \frac{\lambda^2}{25(1+4\lambda^2)^2}$$

$$H_5(\lambda) = 1 - \frac{\lambda^2}{(1+\lambda^2)^2}$$

$$\bar{r}_2 = - \frac{\left(\frac{\sin \frac{1}{2}\pi}{\frac{1}{2}} \right)^2}{\frac{\sin \frac{1}{2}\pi}{\frac{1}{2}} + 1} \left[H_1(-\pi^2) - t_2 \left[r_4^{-1/2} + t_2 \right] \right]$$

$$= \frac{9}{800} \frac{\left(\frac{\sin \frac{1}{2}\pi}{2\pi} \right)^2}{\frac{\sin \frac{1}{2}\pi}{4\pi} + 1} H_3(-\pi^2)^2$$

$$F_3 = [H_1(\lambda^2) - H_2]^2 \times \frac{1}{\left(\frac{\sinh 2\pi}{2\pi} + 1\right)^2}$$

466

$$\left[\frac{1}{4} \left(\frac{\sinh \pi}{\pi} + \cosh \pi \right)^2 \left\{ (1+\lambda^2)^2 \frac{\sinh 2\pi}{2\pi} + (1-\lambda^2)^2 \right\} \right. \\ \left. - \frac{1}{4} \frac{\sinh \pi}{\pi} \left(\frac{\sinh \pi}{\pi} + \cosh \pi \right) \left\{ (3\lambda^4 + 2\lambda^2 - 1) \frac{\sinh 2\pi}{2\pi} + (1+\lambda^2)^2 \cosh 2\pi - 4(1-\lambda^2)\lambda^2 \right\} \right. \\ \left. + \frac{1}{4} \left(\frac{\sinh \pi}{\pi} \right)^2 \left\{ \left[\pi^2 (1+\lambda^2)^2 + \frac{1}{2} (5\lambda^4 + 2\lambda^2 + 1) \right] \frac{\sinh 2\pi}{2\pi} + \frac{1}{2} (3\lambda^4 + 2\lambda^2 - 1) \cosh 2\pi \right. \right. \\ \left. \left. - \left[\frac{\pi^2}{3} (1-\lambda^2)^2 + 2(1-2\lambda^4) \right] \right\} \right]$$

$$+ H_3^2(\lambda^2)^2 \times \frac{1}{\left(\frac{\sinh 4\pi}{4\pi} + 1\right)^2}$$

$$\left[\frac{1}{4} \left(\frac{\sinh 2\pi}{2\pi} + \cosh 2\pi \right)^2 \left\{ (1+\lambda^2)^2 \frac{\sinh 4\pi}{4\pi} + (1-\lambda^2)^2 \right\} \right. \\ \left. - \frac{1}{4} \frac{\sinh 2\pi}{2\pi} \left(\frac{\sinh 2\pi}{2\pi} + \cosh 2\pi \right) \left\{ (3\lambda^4 + 2\lambda^2 - 1) \frac{\sinh 4\pi}{4\pi} + (1+\lambda^2)^2 \cosh 4\pi - 4(1-\lambda^2)\lambda^2 \right\} \right. \\ \left. + \frac{1}{4} \left(\frac{\sinh 2\pi}{2\pi} \right)^2 \left\{ \left[4\pi^2 (1+\lambda^2)^2 + \frac{1}{2} (5\lambda^4 + 2\lambda^2 + 1) \right] \frac{\sinh 4\pi}{4\pi} + \frac{1}{2} (3\lambda^4 + 2\lambda^2 - 1) \cosh 4\pi \right. \right. \\ \left. \left. - \left[\frac{4\pi^2}{3} (1-\lambda^2)^2 + 2(1-2\lambda^4) \right] \right\} \right]$$

$$\frac{1}{12} \frac{1}{ab} t^2 \int_0^a \int_0^b \left(\frac{\partial^2 \psi}{\partial x^2} - \frac{\partial^2 \psi}{\partial y^2} \right)^2 dx dy = \frac{1}{12} \left(\frac{t}{R} \right)^2 \left(\frac{t\pi^2}{8} \right)^2 \frac{3}{4}$$

$$\frac{1}{12} \frac{1}{ab} t^2 \int_0^a \int_0^b \left(\frac{\partial^2 \psi}{\partial y^2} \right)^2 dx dy = \frac{1}{12} \left(\frac{t}{R} \right)^2 \left(\frac{t\pi^2 \lambda^2}{8} \right)^2 \frac{3}{4}$$

$$\frac{1}{12} \frac{1}{ab} t^2 \int_0^a \int_0^b \left(\frac{\partial^2 \psi}{\partial x \partial y} \right)^2 dx dy = \frac{1}{12} \left(\frac{t}{R} \right)^2 \left(\frac{t\pi^2 \lambda}{8} \right)^2 \frac{1}{4}$$

x 2 !

The binding energy $/(E ab) t(\frac{1}{2})$

$$= \frac{1}{12} \left(\frac{t}{R} \right)^2 \left(\frac{t\pi^2}{8} \right)^2 \pi^4 \left[\frac{3}{4}(1+\lambda^4) + \frac{1}{2}\lambda^2 \right]$$

$$= \left(\frac{t}{R} \right)^2 \left(\frac{t\pi^2}{8} \right)^2 \pi^4 \left[\frac{1}{16}(1+\lambda^4) + \frac{1}{24}\lambda^2 \right]$$

$$\frac{1}{2} \left(\frac{\partial \psi}{\partial y} \right)^2 = \frac{1}{2} \left[\frac{t\lambda\pi}{8} (1 + \cos \frac{\pi y}{a}) \sin \frac{\lambda \pi x}{\lambda} \right]^2 \left(\frac{t}{R} \right)^2$$

$$= \frac{t^2}{R^2} \frac{t\lambda^2}{8} \left[\frac{1}{16} + \frac{1}{4} \left(3 + \cos \frac{\pi y}{a} + \cos \frac{2\pi y}{a} \right) \left(1 - \cos \frac{2\pi \lambda x}{\lambda} \right) \right]$$

$$\frac{\partial V}{\partial y} = \left(\frac{t}{R} \right)^2 \left(\frac{t\lambda^2}{8} \right) \left[-\frac{3}{4} \frac{t\pi^2}{16} + \dots \right] - \frac{\sigma}{E}$$

$$\left(\frac{V}{b} \right)_{y=b} = \left(\frac{t}{R} \right)^2 \left(\frac{t\lambda^2}{8} \right) \left[-\frac{3}{4} \frac{t\pi^2}{16} + \dots \right] - \frac{\sigma}{E}$$

$$2 \times \frac{\Delta f^2}{E_{\text{obt}}} = - \frac{\sigma}{E} \left(\frac{a}{R}\right)^2 \left(\frac{f\lambda^2}{g}\right) \frac{3}{32} (4\pi^2) - 2\left(\frac{\sigma}{E}\right)^2$$

$$= - \left(\frac{a}{R}\right)^2 \left(\frac{f}{g}\right)^2 \lambda^2 \frac{3}{4} \pi^2 \frac{\sigma}{E} - 2\left(\frac{\sigma}{E}\right)^2$$

for limiting case of $\lambda \ll 1$

$$\frac{3}{2} \pi^2 \frac{\sigma}{E} = \frac{1}{\lambda^2} \left(\frac{a}{R}\right)^2 \left\{ \frac{17}{2048} \pi^2 f^2 - \frac{3}{16} \pi^2 f + 1 \right\} + \frac{1}{g} \pi^2 \frac{\left(\frac{f}{g}\right)^2}{\left(\frac{a}{R}\right)^2} \frac{1}{\lambda^2}$$

$$\lambda^2 K = f^2 \left\{ \frac{17}{3072} \pi^2 f^2 - \frac{1}{8} f + \frac{2}{3\pi} \right\} + \frac{1}{12} \frac{\pi^2}{f^2}$$

$$= \frac{\pi^2}{f^2} \left\{ \frac{17}{718} \left(\frac{f}{g}\right)^2 + \frac{1}{12} \right\} - \frac{1}{4} \left(\frac{f}{g}\right) + \frac{2}{3} \frac{f}{\pi^2}$$

$$= 2 \left\{ \frac{17}{1152} \left(\frac{f}{g}\right)^2 + \frac{1}{18} \right\} - \frac{1}{4} \left(\frac{f}{g}\right)$$

$$\left(\frac{1}{64} - \frac{17}{1152}\right) \left(\frac{f}{g}\right)^2 = \frac{1}{18}$$

$$\left(\frac{f}{g}\right)^2 = \frac{1}{18} \times 1152 \quad \left(\frac{f}{g}\right)^2 = 64$$

$$\frac{w}{R} = \frac{1}{2} \left(\frac{a}{R} \right)^2 \left[1 - \left(\frac{x}{a} \right)^2 - \frac{f}{4} (1 + \cos \frac{\pi x}{a}) (1 + \cos \frac{\pi y}{b}) \right]$$

469
X

$$\frac{w}{R} = \frac{1}{2} \left(\frac{a}{R} \right)^2 \left[1 - \left(\frac{x}{a} \right)^2 \right]$$

$$\sigma_x = E \left\{ \frac{1}{2} \left(\frac{\partial w}{\partial x} \right)^2 - \frac{1}{2} \left(\frac{\partial w}{\partial x} \right)^2 \right\}$$

$$\sigma_y = E \left\{ \frac{\partial w}{\partial y} + \frac{1}{2} \left(\frac{\partial w}{\partial y} \right)^2 \right\}$$

$$\tau_{xy} = E \left\{ \frac{1}{2} \frac{\partial w}{\partial x} + \frac{1}{2} \left(\frac{\partial w}{\partial x} \right) \left(\frac{\partial w}{\partial y} \right) \right\}$$

By using the equilibrium equation $\frac{\partial \tau_{xy}}{\partial x} + \frac{\partial \sigma_y}{\partial y} = 0$, we have

$$\begin{aligned} \frac{1}{2} \frac{\partial^2 w}{\partial x^2} + \frac{\partial^2 w}{\partial y^2} &= - \left\{ \frac{1}{2} \frac{\partial^2 w}{\partial x^2} \frac{\partial w}{\partial y} + \frac{1}{2} \frac{\partial w}{\partial x} \frac{\partial^2 w}{\partial x \partial y} + \frac{\partial w}{\partial y} \frac{\partial^2 w}{\partial y^2} \right\} \\ &= - \left\{ \frac{1}{2} \frac{\partial^2 w}{\partial x^2} \left(\frac{\partial^2 w}{\partial y^2} + 2 \frac{\partial^2 w}{\partial y^2} \right) + \frac{1}{2} \frac{\partial w}{\partial x} \frac{\partial^2 w}{\partial y^2} \right\} \end{aligned}$$

We have

$$\frac{\partial w}{\partial x} = \left(\frac{a}{R} \right) \left[- \left(\frac{x}{a} \right) + \frac{f}{8} \pi \sin \frac{\pi x}{a} (1 + \cos \frac{\pi y}{b}) \right]$$

$$\frac{\partial w}{\partial y} = \left(\frac{a}{R} \right) \left[\frac{f}{8} \pi \left(\frac{a}{b} \right) (1 + \cos \frac{\pi x}{a}) \sin \frac{\pi y}{b} \right]$$

$$\frac{\partial^2 w}{\partial x^2} = \frac{1}{R} \left[-1 + \frac{f}{8} \pi^2 \cos \frac{\pi x}{a} (1 + \cos \frac{\pi y}{b}) \right]$$

$$\frac{\partial^2 w}{\partial y^2} = \frac{1}{R} \left[\frac{f}{8} \pi^2 \left(\frac{a}{b} \right)^2 (1 + \cos \frac{\pi x}{a}) \cos \frac{\pi y}{b} \right]$$

$$\frac{\partial^2 w}{\partial x \partial y} = \frac{1}{R} \left[- \frac{f}{8} \pi^2 \left(\frac{a}{b} \right) \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} \right]$$

$$R\left(\frac{\partial^2 \psi}{\partial x^2} + 2\frac{\partial^2 \psi}{\partial y^2}\right) = -\left(\frac{a}{R}\right) \left[\frac{f}{8} \pi \left(\frac{a}{b}\right)^2 (1 + \cos \frac{\pi x}{a}) \sin \frac{\pi y}{b} \right] \left\{ \frac{f}{8} \pi^2 \cos \frac{\pi x}{a} (1 + \cos \frac{\pi x}{a}) + \frac{f}{8} \pi^2 \left(\frac{a}{b}\right)^2 (1 + \cos \frac{\pi x}{a}) \cos \frac{\pi x}{a} - 1 \right\}$$

$$- \left[\frac{f}{8} \pi \sin \frac{\pi x}{a} (1 + \cos \frac{\pi x}{a}) \left(\frac{a}{b}\right) \left\{ -\frac{f}{8} \pi \left(\frac{a}{b}\right) \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} \right\} \right]$$

$$= -\left(\frac{a}{R}\right) \left[\left(\frac{f}{8}\right)^2 \pi^3 \left(\frac{a}{b}\right)^2 \frac{1}{4} (\chi + 2 \cos \frac{\pi x}{a} : \cos \frac{\pi x}{a})^2 \left(\sin \frac{\pi x}{a} + \sin \frac{2\pi x}{a} \right) \right]$$

$$+ \left(\frac{f}{8}\right)^2 \pi^3 \left(\frac{a}{b}\right)^3 \frac{1}{4} (3 + 4 \cos \frac{\pi x}{a} : \cos \frac{\pi x}{a}) \sin \frac{2\pi x}{a} - \frac{f}{8} \pi \left(\frac{a}{b}\right) (1 + \cos \frac{\pi x}{a}) \sin \frac{\pi x}{a}$$

$$- \left(\frac{f}{8}\right)^2 \pi^3 \left(\frac{a}{b}\right)^2 \frac{1}{4} (1 - \cos \frac{2\pi x}{a}) \left(2 \sin \frac{\pi x}{a} + \sin \frac{2\pi x}{a} \right) + \frac{f}{8} \pi \left(\frac{a}{b}\right) \left(\frac{a}{b}\right) \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} \right]$$

$$= -\left(\frac{a}{R}\right) \left(\frac{f}{8}\right) \pi \left(\frac{a}{b}\right) \left[\frac{f}{4} \left(\frac{a}{b}\right) \pi^2 \left(4 \cos \frac{\pi x}{a} \sin \frac{\pi x}{a} + 4 \cos \frac{2\pi x}{a} \sin \frac{\pi x}{a} + 2 \cos \frac{\pi x}{a} \sin \frac{2\pi x}{a} + 2 \cos \frac{2\pi x}{a} \sin \frac{2\pi x}{a} \right) \right. \\ \left. + \frac{f}{4} \left(\frac{a}{b}\right) \pi^2 \left(\frac{a}{b}\right)^2 \left(3 \sin \frac{2\pi x}{a} + 4 \cos \frac{\pi x}{a} \sin \frac{2\pi x}{a} + \cos \frac{2\pi x}{a} \sin \frac{2\pi x}{a} \right) \right. \\ \left. - \left\{ 1 + \cos \frac{\pi x}{a} - \left(\frac{a}{b}\right) \sin \frac{\pi x}{a} \right\} \sin \frac{\pi y}{b} \right]$$

$$= -\left(\frac{a}{R}\right) \left(\frac{f}{8}\right) \pi \left(\frac{a}{b}\right) \left[\frac{f}{4} \left(\frac{a}{b}\right) \pi^2 \left\{ 3 \left(\frac{a}{b}\right)^2 \sin \frac{2\pi x}{b} + 4 \cos \frac{\pi x}{a} \sin \frac{\pi x}{a} + 4 \cos \frac{2\pi x}{a} \sin \frac{\pi x}{a} + (2 + 4 \left(\frac{a}{b}\right)^2) \cos \frac{\pi x}{a} \sin \frac{2\pi x}{b} \right. \right. \\ \left. \left. + (2 + \left(\frac{a}{b}\right)^2) \cos \frac{2\pi x}{a} \sin \frac{2\pi x}{b} \right\} \right. \\ \left. - \left\{ \sin \frac{\pi x}{b} + \cos \frac{\pi x}{a} \sin \frac{\pi x}{b} - \left(\frac{a}{b}\right) \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} \right\} \right]$$

4/10

Consider

$$\mathcal{R} \left(\frac{d^2 \chi}{dx^2} + \omega^2 \frac{d^2 \chi}{dy^2} \right) = \left(\frac{\pi}{a} \right)^2 \sin \frac{\pi x}{a} \sin \frac{\pi y}{b}$$

Let

$$v = \chi \sin \frac{\pi y}{b}$$

$$\mathcal{R} \left[\frac{d^2 \chi}{dx^2} - 2 \left(\frac{\pi}{b} \right)^2 \chi \right] = \left(\frac{\pi}{a} \right)^2 \sin \frac{\pi x}{a}$$

Let

$$\chi = A \cos \frac{\pi x}{a} + B \sin \frac{\pi x}{a}$$

$$\frac{d^2 \chi}{dx^2} = - \left(\frac{\pi}{a} \right)^2 A \cos \frac{\pi x}{a} + \left(\frac{\pi}{a} \right)^2 B \sin \frac{\pi x}{a}$$

$$\frac{d^2 \chi}{dx^2} = - \left(\frac{\pi}{a} \right)^2 \left[A - 2 \left(\frac{\pi}{b} \right)^2 \cos \frac{\pi x}{a} - \left(\frac{\pi}{a} \right)^2 B \sin \frac{\pi x}{a} \right]$$

$$\mathcal{R} \left[\left\{ - \left(\frac{\pi}{a} \right)^2 (A - 2B) - 2 \left(\frac{\pi}{b} \right)^2 A \right\} \cos \frac{\pi x}{a} - \left(\frac{\pi}{a} \right)^2 B + 2 \left(\frac{\pi}{b} \right)^2 B \right] \sin \frac{\pi x}{a} = \left(\frac{\pi}{a} \right)^2 \sin \frac{\pi x}{a}$$

$$\therefore B = - \frac{1}{\left(\frac{\pi}{a} \right)^2 + 2 \left(\frac{\pi}{b} \right)^2} \frac{1}{2}$$

$$\left[\left(\frac{\pi}{a} \right)^2 + 2 \left(\frac{\pi}{b} \right)^2 \right] A = 2 \left(\frac{\pi}{a} \right)^2 \cdot 0,$$

$$A = \frac{2 \left(\frac{\pi}{a} \right)^2}{\left(\frac{\pi}{a} \right)^2 + 2 \left(\frac{\pi}{b} \right)^2} B = - \frac{2 \left(\frac{\pi}{a} \right)^2}{\left[\left(\frac{\pi}{a} \right)^2 + 2 \left(\frac{\pi}{b} \right)^2 \right]^2} \frac{1}{2}$$

The particular integral.

$$\begin{aligned} \frac{v}{R} = & + \left(\frac{a}{R}\right) \left(\frac{1}{8}\right) \pi \left(\frac{a}{b}\right) \frac{1}{R^2} \left[\frac{1}{4} \left(\frac{1}{8}\right) \pi^2 \left\{ \frac{3 \left(\frac{1}{8}\right)}{2 \cdot \left(\frac{1}{8}\right)} = \sin \frac{2\pi x}{b} + \frac{4}{\left(\frac{1}{8}\right)^2 + 2 \left(\frac{1}{8}\right)^2} \cos \frac{2\pi x}{b} \sin \frac{\pi x}{b} + \frac{1}{\left(\frac{1}{8}\right)^2 + 2 \left(\frac{1}{8}\right)^2} \cos \frac{2\pi x}{b} \sin \frac{\pi x}{b} \right. \right. \\ & + \frac{2 + 4 \left(\frac{1}{8}\right)^2}{\left(\frac{1}{8}\right)^2 + 2 \left(\frac{1}{8}\right)^2} \cos \frac{\pi x}{a} \sin \frac{\pi x}{b} + \frac{2 + \left(\frac{1}{8}\right)^2}{\left(\frac{1}{8}\right)^2 + 2 \left(\frac{1}{8}\right)^2} \cos \frac{2\pi x}{a} \sin \frac{2\pi x}{b} \left. \right\} \\ & - \left\{ \frac{1}{2 \left(\frac{1}{8}\right)^2} \sin \frac{\pi x}{b} + \frac{1 \left(\frac{1}{8}\right)}{\left[\left(\frac{1}{8}\right)^2 + 2 \left(\frac{1}{8}\right)^2\right]} \cos \frac{\pi x}{a} \sin \frac{\pi x}{b} - \frac{2 \left(\frac{1}{8}\right)^2}{\left[\left(\frac{1}{8}\right)^2 + 2 \left(\frac{1}{8}\right)^2\right]} \cos \frac{2\pi x}{a} \sin \frac{\pi x}{b} \right. \\ & \left. \left. - \frac{1}{\left(\frac{1}{8}\right)^2 + 2 \left(\frac{1}{8}\right)^2} \left(\frac{1}{8}\right) \sin \left(\frac{\pi x}{a}\right) \sin \frac{\pi x}{b} \right\} \right] \end{aligned}$$

$$\begin{aligned} \frac{v}{R} = & \left(\frac{a}{R}\right) \left(\frac{1}{8}\right) \pi \lambda \left[\frac{1}{4} \left(\frac{1}{8}\right) \right] \left\{ \frac{3}{8} \sin \frac{2\pi x}{b} + \frac{4}{(1+2\lambda^2)} \cos \frac{2\pi x}{a} \sin \frac{\pi x}{b} + \frac{4}{(4+2\lambda^2)} \cos \frac{2\pi x}{a} \sin \frac{\pi x}{b} \right. \\ & + \frac{2+4\lambda^2}{(1+8\lambda^2)} \cos \frac{2\pi x}{a} \sin \frac{2\pi x}{b} + \frac{2+\lambda^2}{4+8\lambda^2} \cos \frac{2\pi x}{a} \sin \frac{2\pi x}{b} \left. \right\} \\ & - \frac{1}{\pi} \left\{ \frac{1}{2\lambda^2} \sin \frac{\pi x}{b} + \frac{1}{(1+2\lambda^2)} \cos \frac{\pi x}{a} \sin \frac{\pi x}{b} - \frac{1}{(1+2\lambda^2)} \left(\frac{1}{8}\right) \sin \left(\frac{\pi x}{a}\right) \sin \frac{\pi x}{b} \right\} \\ & + \frac{1}{8} a_0 \left(\frac{\pi x}{b}\right) + \frac{1}{4} a_1 \cos \left(\frac{\sqrt{2}\pi x}{a}\right) \sin \frac{\pi x}{b} \left. \right] \end{aligned}$$

Add the complementary function.

$$i \frac{\partial^2 v}{\partial x^2} + \dots \frac{\partial^2 v}{\partial x^2}, \quad A_0 \left(\frac{\pi x}{b} \right) + A_1 \cosh \frac{\sqrt{2} \pi x}{b} \sin \frac{\pi x}{b}$$

$$\begin{aligned} \frac{\partial v}{\partial y} = & \left(\frac{a}{R} \right)^2 \left(\frac{f}{g} \right) \lambda^2 \left[\frac{f \lambda^2}{32} \left\{ \frac{3}{4} \cos \frac{2\pi x}{b} + \frac{b}{(1+\lambda^2)} \cos \frac{\pi x}{a} \cos \frac{\pi x}{b} + \frac{b}{(4+9\lambda^2)} \cos \frac{2\pi x}{a} \cos \frac{\pi x}{b} \right. \right. \\ & + \frac{4(1+2\lambda^2)}{(1+8\lambda^2)} \cos \frac{\pi x}{a} \cos \frac{2\pi x}{b} + \frac{2+\lambda^2}{9(2+3\lambda^2)} \cos \frac{2\pi x}{a} \cos \frac{2\pi x}{b} \Big\} \\ & - \left\{ \frac{1}{2\lambda^2} \cos \frac{\pi x}{b} + \frac{1}{(1+\lambda^2)^2} \cos \frac{\pi x}{a} \cos \frac{\pi x}{b} - \frac{1}{(1+\lambda^2)} \left(\frac{\pi x}{a} \right) \sin \left(\frac{\pi x}{a} \right) \cos \frac{\pi x}{b} \right\} \\ & \left. + a_0 + a_1 \cosh \frac{\sqrt{2} \lambda \pi x}{a} \cos \frac{\pi x}{b} \right] \end{aligned}$$

$$\begin{aligned} \left(\frac{\partial v}{\partial y} \right)_{y=\pm b} = & \left(\frac{a}{R} \right)^2 \left(\frac{f}{g} \right) \lambda^2 \left[\frac{f \lambda^2}{32} \left\{ \frac{3}{4} - \frac{b}{(4+9\lambda^2)} \cos \frac{\pi x}{a} - \frac{b}{(4+9\lambda^2)} \cos \frac{2\pi x}{a} + \frac{4(1+2\lambda^2)}{1+8\lambda^2} \cos \frac{\pi x}{a} \right. \right. \\ & + \frac{2+\lambda^2}{9(2+3\lambda^2)} \cos \frac{2\pi x}{a} \Big\} + \left\{ \frac{1}{\lambda^2} + \frac{1}{(1+\lambda^2)^2} \cos \frac{\pi x}{a} - \frac{1}{(1+\lambda^2)} \left(\frac{\pi x}{a} \right) \sin \left(\frac{\pi x}{a} \right) \right\} \\ & \left. + a_0 - a_1 \cosh \frac{\sqrt{2} \lambda \pi x}{a} \right] \end{aligned}$$

$$\text{Average stress} = \left(\frac{a}{R}\right)^2 \left(\frac{1}{8}\right) \lambda^2 \left[\frac{3}{128} f \lambda^2 + \frac{1}{2\lambda^2} + a_0 \right] = - \frac{Q}{E}$$

the decrease in potential

$$\frac{\Delta \phi_0}{abEt} = \left[\left(\frac{a}{R}\right)^2 \left(\frac{1}{8}\right) \lambda^2 \right] a_0^2 \left[\frac{3}{128} f \lambda^2 + \frac{1}{2\lambda^2} + a_0 \right]$$

$$\left| \frac{\Delta \phi_0}{abEt} = + \frac{Q}{E} \left\{ \frac{5}{E} + \left(\frac{a}{R}\right)^2 \left(\frac{1}{8}\right) \lambda^2 \left(\frac{3}{128} f \lambda^2 + \frac{1}{2\lambda^2} \right) \right\} \right| \quad \text{Decrease in 'denture'}$$

$$\frac{V}{R} = \left(\frac{a}{R}\right)^3 \left(\frac{1}{8}\right) \pi \lambda \left[\frac{R}{32} \left\{ \frac{3}{8} \sin \frac{2\pi}{b} + \frac{1}{(1+\lambda^2)} \cos \frac{\pi}{a} \sin \frac{\pi}{b} + \frac{2}{(2+\lambda^2)} \cos \frac{2\pi}{a} \sin \frac{\pi}{b} \right\} \right.$$

$$\left. + \frac{2(1+\lambda^2)}{(1+8\lambda^2)} \cos \frac{\pi}{a} \sin \frac{2\pi}{b} + \frac{2\lambda^2}{4(1+\lambda^2)} \cos \frac{2\pi}{a} \sin \frac{2\pi}{b} \right\}$$

$$- \frac{1}{8} \left[\frac{1}{2\lambda^2} \sin \frac{\pi}{b} + \frac{1}{(1+\lambda^2)^2} \cos \frac{\pi}{a} \sin \frac{\pi}{b} - \frac{1}{(1+\lambda^2)} \left(\frac{\pi}{a}\right) \left(\sin \frac{\pi}{a}\right) \sin \frac{\pi}{b} \right]$$

$$- \left(\frac{3}{128} f + \frac{1}{2\lambda^2} \right) \left(\frac{\pi}{b} \right) + \frac{1}{R} \cos \sqrt{\frac{2}{\lambda}} \frac{\lambda \pi}{a} \sin \frac{\pi}{b} \Big] = - \frac{Q}{E} \left(\frac{1}{R} \right)$$

474

$$\begin{aligned}
 \frac{\partial \psi}{\partial x} = & \left(\frac{b}{a}\right)^2 \left(\frac{a}{b}\right) \lambda \left[\frac{15}{32} \left\{ -\frac{b}{(1+2\lambda^2)} \sin \frac{2\pi x}{a} \sin \frac{\pi y}{b} - \frac{b}{(2+\lambda^2)} \sin \frac{2\pi x}{a} \sin \frac{\pi y}{b} - \frac{2(1+2\lambda^2)}{(1+8\lambda^2)} \sin \frac{\pi x}{a} \sin \frac{2\pi y}{b} \right. \right. \\
 & - \frac{2+4\lambda^2}{2(1+2\lambda^2)} \sin \frac{2\pi x}{a} \sin \frac{2\pi y}{b} \left. \left. + \left\{ \frac{14}{(1+2\lambda^2)} \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} + \frac{1}{(1+2\lambda^2)} \sin \left(\frac{\pi x}{a}\right) \sin \frac{\pi y}{b} \right. \right. \right. \\
 & \left. \left. + \frac{1}{(1+2\lambda^2)} \left(\frac{\pi x}{a}\right) \cos \left(\frac{\pi y}{b}\right) \sin \frac{\pi x}{b} \right\} \right] \\
 & + \sqrt{2} \lambda a_1 \sinh \left[\frac{\sqrt{2} \lambda \pi x}{a} \sin \frac{\pi y}{b} \right]
 \end{aligned}$$

$$\left(\frac{\partial \psi}{\partial x}\right) = 0 \quad \text{when} \quad x = \pm a,$$

$$\frac{1}{(1+2\lambda^2)} \pi = \sqrt{2} \lambda a_1 \sinh(\sqrt{2} \lambda \pi)$$

$$a_1 = \frac{\pi}{(1+2\lambda^2) \sqrt{2} \lambda \sinh(\sqrt{2} \lambda \pi)}$$

$$\begin{aligned}
 \frac{\partial^4}{\partial y^4} &= \left(\frac{q}{R}\right)^2 \left(\frac{f}{8}\right) \lambda^2 \left[\frac{f \pi^2}{32} \left\{ \frac{3}{4} \cos^2 \frac{\pi y}{b} + \frac{4}{(1+2\lambda^2)} \cos \frac{\pi y}{a} \cos^2 \frac{\pi y}{b} + \frac{2}{(2+\lambda^2)} \cos^2 \frac{\pi y}{a} \cos^2 \frac{\pi y}{b} \right. \right. \\
 &+ \left. \frac{4(1+2\lambda^2)}{(1+\lambda^2)} \cos \frac{\pi y}{a} \cos^2 \frac{\pi y}{b} + \frac{2+\lambda^2}{2(1+2\lambda^2)} \cos^2 \frac{\pi y}{a} \cos^2 \frac{\pi y}{b} \right\} \\
 &- \left\{ \frac{1}{2\lambda^2} \cos^2 \frac{\pi y}{b} + \frac{1}{(1+2\lambda^2)^2} \cos^2 \frac{\pi y}{a} \cos^2 \frac{\pi y}{b} - \frac{1}{(1+2\lambda^2)} \left(\frac{\pi y}{a}\right) \sin \left(\frac{\pi y}{a}\right) \cos^2 \frac{\pi y}{b} \right\} \\
 &- \left(\frac{3}{128} f \pi^2 + \frac{1}{2\lambda^2} \right) + a_1 \cos \left(\frac{\sqrt{2} \lambda \pi y}{a} \right) \cos^2 \frac{\pi y}{b} \Big] - \frac{\sigma}{E}
 \end{aligned}$$

$$\frac{1}{2} \left(\frac{\partial^4 w}{\partial y^4} \right) = \left(\frac{q}{R} \right)^2 \left(\frac{f}{8} \right) \lambda^2 \left[\frac{3}{64} f \pi^2 + \frac{1}{16} f \pi^2 \cos^2 \frac{\pi y}{a} + \frac{1}{64} f \pi^2 \cos^2 \frac{\pi y}{b} - \frac{3}{64} f \pi^2 \cos^2 \frac{\pi y}{b} - \frac{1}{64} f \pi^2 \cos^2 \frac{\pi y}{a} \cos^2 \frac{\pi y}{b} \right]$$

$$\begin{aligned}
 \frac{q_y}{E} &= \left(\frac{q}{R}\right)^2 \frac{f}{8} \lambda^2 \left[\left(\frac{3}{128} f \pi^2 - \frac{1}{\lambda^2} \right) + \left(\frac{1}{16} f \pi^2 \cos^2 \frac{\pi y}{a} + \frac{1}{64} f \pi^2 \cos^2 \frac{\pi y}{b} \right) \right. \\
 &+ \left\{ \frac{1}{8(1+2\lambda^2)} f \pi^2 \cos^2 \frac{\pi y}{a} + \frac{1}{16(2+\lambda^2)} f \pi^2 \cos^2 \frac{\pi y}{a} - \frac{1}{2\lambda^2} - \frac{1}{(1+2\lambda^2)^2} \cos^2 \frac{\pi y}{a} + \frac{1}{(1+2\lambda^2)} \frac{\pi y}{a} \sin \frac{\pi y}{a} + q_1 \cos h \frac{\sqrt{2} \lambda \pi y}{a} \right\} \cos^2 \frac{\pi y}{b} \\
 &+ \left\{ -\frac{3}{128} f \pi^2 + \frac{1-4\lambda^2}{16(1+\lambda^2)} f \pi^2 \cos^2 \frac{\pi y}{a} + \frac{1-\lambda^2}{64(1+2\lambda^2)} f \pi^2 \cos^2 \frac{\pi y}{a} \right\} \cos^2 \frac{\pi y}{b} \Big] - \frac{\sigma}{E}
 \end{aligned}$$

$$\frac{1}{a} \int_0^a \left(\frac{\pi x}{a}\right) \sin \frac{\pi x}{a} \cos \frac{\pi x}{a} dx = \frac{1}{\pi a} \int_0^{2\pi} \theta \sin \theta \cos \theta d\theta = \frac{1}{8\pi} \left[\sin \theta - \cos \theta \right]_0^{2\pi} = -\frac{1}{8\pi} 2\pi = -\frac{1}{4}$$

$$\begin{aligned} \frac{1}{a} \int_0^a \cos \frac{\pi x}{a} \cosh(\sqrt{2}x) \frac{\pi x}{a} dx &= \frac{1}{2\pi} \int_0^a \left[\cosh \frac{\pi x}{a} (\sqrt{2}x + i) + \cosh \frac{\pi x}{a} (\sqrt{2}x - i) \right] d\left(\frac{\pi x}{a}\right) \\ &= \frac{1}{2\pi} \int \frac{1}{\sqrt{2}x + i} \sinh \frac{\pi x}{a} (\sqrt{2}x + i) + \frac{1}{\sqrt{2}x - i} \sinh \frac{\pi x}{a} (\sqrt{2}x - i) dx = -\frac{1}{\pi} \frac{\sqrt{2}x}{2x^2 + 1} \sinh \sqrt{2}x \pi \end{aligned}$$

$$\begin{aligned} \frac{1}{a} \int_0^a \left(\frac{\pi x}{a}\right) \sin \frac{\pi x}{a} \cos \frac{2\pi x}{a} dx &= \frac{1}{2\pi} \int_0^{2\pi} \left(\frac{\pi x}{a}\right) \left[\sin \frac{3\pi x}{a} - \sin \frac{\pi x}{a} \right] d\left(\frac{\pi x}{a}\right) \\ &= \frac{1}{2\pi} \left[\frac{1}{9} (\sin \theta - \theta \cos \theta) \right]_0^{3\pi} - \left[\sin \theta - \theta \cos \theta \right]_0^{\pi} = \frac{1}{2} \left(\frac{1}{3} - 1 \right) = -\frac{1}{3} \end{aligned}$$

$$\frac{1}{a} \int_0^a \cos \frac{2\pi x}{a} \cosh(\sqrt{2}x) \frac{\pi x}{a} dx = \frac{1}{\pi} \frac{\sqrt{2}x \sinh \sqrt{2}x \pi}{2x^2 + 4}$$

$$\frac{1}{a} \int_0^a \frac{\pi x}{a} \sin \frac{\pi x}{a} dx = 1$$

$$\frac{1}{a} \int_0^a \cosh \sqrt{2}x \frac{\pi x}{a} dx = \frac{\sinh \sqrt{2}x \pi}{\sqrt{2}x \pi}$$

$$\begin{aligned} \frac{1}{a} \int_0^a \left(\frac{\pi x}{a}\right)^2 \sin \frac{\pi x}{a} \cos \frac{\pi x}{a} dx &= \frac{1}{2\pi} \int_0^{2\pi} \left(\frac{\pi x}{a}\right)^2 \left[\sin \frac{\pi x}{a} \cos \frac{\pi x}{a} \right] d\left(\frac{\pi x}{a}\right) = \frac{1}{2\pi} \left[\frac{\pi^3}{3} - \frac{1}{2} \{ 2\theta \cos \theta + (6^2 - 2) \sin \theta \} \right]_0^{2\pi} \\ &= \frac{\pi^3}{6} - \frac{1}{16\pi} (4\pi) = \frac{\pi^3}{6} - \frac{1}{4} \end{aligned}$$

$$\begin{aligned}
& \frac{1}{a} \int_0^a \left(\frac{\pi x}{a} \right) \cosh \left(\sqrt{2} \lambda \right) \frac{\pi x}{a} dx = \frac{1}{2\pi i} \int_0^a \left[\left(\frac{\pi x}{a} \right) \sinh(\sqrt{2} \lambda + i) - \left(\frac{\pi x}{a} \right) \sinh(\sqrt{2} \lambda - i) \right] d \left(\frac{\pi x}{a} \right) \\
&= \frac{1}{2\pi i} \left[\frac{1}{(\sqrt{2} \lambda + i)^2} \left[\left(\frac{\pi x}{a} \right) (\sqrt{2} \lambda + i) \cosh \frac{\pi x}{a} (\sqrt{2} \lambda + i) - \sinh \frac{\pi x}{a} (\sqrt{2} \lambda + i) \right] \right. \\
&\quad \left. - \frac{1}{(\sqrt{2} \lambda - i)^2} \left[\left(\frac{\pi x}{a} \right) (\sqrt{2} \lambda - i) \cosh \frac{\pi x}{a} (\sqrt{2} \lambda - i) - \sinh \frac{\pi x}{a} (\sqrt{2} \lambda - i) \right] \right] \int_0^a \\
&= \frac{1}{2\pi i} \left[\frac{\pi x}{a} \left\{ \frac{\cosh \frac{\pi x}{a} (\sqrt{2} \lambda + i)}{\sqrt{2} \lambda + i} - \frac{\cosh \frac{\pi x}{a} (\sqrt{2} \lambda - i)}{\sqrt{2} \lambda - i} \right\} - \left\{ \frac{\sinh \frac{\pi x}{a} (\sqrt{2} \lambda + i)}{(2\lambda^2 - 1) + 2\sqrt{2} \lambda i} - \frac{\sinh \frac{\pi x}{a} (\sqrt{2} \lambda - i)}{(2\lambda^2 - 1) - 2\sqrt{2} \lambda i} \right\} \right] \\
&= \frac{\cosh \sqrt{2} \lambda \pi}{2\lambda^2 + 1} - \frac{2\sqrt{2} \lambda \sinh \sqrt{2} \lambda \pi}{\pi [(2\lambda^2 - 1) + 8\lambda^2]} = \frac{\cosh \sqrt{2} \lambda \pi}{2\lambda^2 + 1} - \frac{2\sqrt{2} \lambda \sinh \sqrt{2} \lambda \pi}{\pi (2\lambda^2 + 1)^2}
\end{aligned}$$

$$\frac{1}{a} \int_0^a \cosh^2(\sqrt{2} \lambda) \frac{\pi x}{a} dx = \frac{1}{2a} \int_0^a [1 + \cosh(2\sqrt{2} \lambda) \frac{\pi x}{a}] dx = \frac{1}{2} + \frac{1}{\sqrt{2} \pi} \sinh 2\sqrt{2} \lambda \pi$$

428

$$\begin{aligned}
& \frac{1}{9E^2 a b} \int_0^a \int_0^b \sigma_y^2 dx dy = \frac{1}{2} \left(\frac{a}{E} \right)^2 - \frac{1}{12} \frac{a^3}{E} \left[\left(\frac{3}{128} f_0^2 - \frac{1}{24} \right) \right. \\
& \quad \left. + \left(\frac{a}{E} \right) \left(\frac{f_0^2}{8} \right)^2 \left[\frac{1}{2} \left(\frac{3}{128} f_0^2 - \frac{1}{24} \right)^2 + \frac{1}{4} \left\{ \left(\frac{f_0}{16} \right)^2 + \left(\frac{f_0^2}{64} \right)^2 \right\} \right] \right. \\
& \quad \left. + \frac{1}{8} \left\{ 2 \left(\frac{3}{128} f_0^2 \right)^2 + \left(\frac{1-4\lambda^2}{16(1+f\lambda^2)} f_0 \right)^2 + \left(\frac{f_0^2}{8(1+\lambda^2)} - \frac{1}{1+2\lambda^2} \right)^2 + \left(\frac{f_0^2 \pi^2}{16(2+\lambda^2)} + 2 \left(\frac{1}{24} \right)^2 \right) \right\} \right. \\
& \quad \left. + \frac{1}{40} \left[2 \int_0^a \left(\frac{f_0^2}{8(1+\lambda^2)} - \frac{1}{(1+2\lambda^2)} \right) \left(\frac{1}{1+2\lambda^2} \right)^{\frac{\pi x}{a}} \sin \frac{\pi x}{a} + a_1 \cosh \frac{\sqrt{2} \lambda \pi x}{a} \right] \cos \frac{\pi x}{a} dx \right. \\
& \quad \left. + 2 \int_0^a \frac{f_0^2}{16(2+\lambda^2)} \left(\frac{1}{(1+2\lambda^2)} \right)^{\frac{\pi x}{a}} \cos \frac{\pi x}{a} + a_1 \cosh \frac{\sqrt{2} \lambda \pi x}{a} \right] \cos \frac{2\pi x}{a} dx \\
& \quad \left. - \frac{1}{24} \int_0^a 2 \left(\frac{1}{(1+2\lambda^2)} \right)^{\frac{\pi x}{a}} \sin \frac{\pi x}{a} + a_1 \cosh \frac{\sqrt{2} \lambda \pi x}{a} \right] dx \\
& \quad \left. + \frac{1}{E} \int_0^a \left(\frac{1}{(1+2\lambda^2)} \right)^{\frac{\pi x}{a}} \sin \frac{\pi x}{a} + a_1 \cosh \frac{\sqrt{2} \lambda \pi x}{a} \right]^2 dx \Bigg]
\end{aligned}$$

$$\begin{aligned}
\frac{1}{2E_{ab}} \int_0^a \int_0^a \phi_{ab}^2 dx dy &= \frac{1}{2} \left(\frac{a^2}{b^2} \right) + \frac{1}{2} \left(\frac{a^2}{b^2} \right) + \frac{1}{2} \left(\frac{a^2}{b^2} \right) - \frac{3}{128} \left(\frac{a^2}{b^2} \right) \\
&+ \left(\frac{a}{b} \right)^4 \left(\frac{1}{8} \right) \left(\frac{a^2}{b^2} \right)^2 \left[\frac{1}{8} \left(\frac{3}{16} - \frac{1}{4} \right) \frac{1}{a^2} + \frac{1}{1536} \left(\frac{a^2}{b^2} \right)^2 + \frac{1}{2048} \left(\frac{a^2}{b^2} \right)^2 + \frac{1}{32768} \left(\frac{a^2}{b^2} \right)^2 + \frac{1}{512} \left(\frac{a^2}{b^2} \right)^2 \right] \\
&- \frac{1}{32} \frac{1}{(1+2a^2)^2} \left(\frac{a^2}{b^2} \right) + \frac{1}{2048} \frac{1}{(2+a^2)^2} \left(\frac{a^2}{b^2} \right) + \frac{1}{2} \left(\frac{1}{8(1+2a^2)} - \frac{1}{(1+a^2)^2} \right) \left[-\frac{1}{6(1+2a^2)} \right] \\
&- \frac{1}{(1+2a^2)^2} \left\{ + \frac{1}{2} \frac{1}{16(1+2a^2)} \left\{ -\frac{1}{3(1+2a^2)} + \frac{1}{2} \frac{1}{(1+2a^2)(2+a^2)} \right\} - \frac{1}{64} \frac{1}{(1+2a^2)} - \frac{1}{64} \frac{1}{2a^2(1+2a^2)} \right. \\
&\left. + \frac{1}{4} \frac{1}{(1+2a^2)^2} \left(\frac{\pi^2}{6} - \frac{1}{4} \right) + \frac{1}{2} \frac{1}{(1+2a^2)^2} \frac{\pi}{\sqrt{2}} \frac{1}{\sqrt{2}} \right\}
\end{aligned}$$

$$\begin{aligned}
\frac{Q_x}{E} &= \frac{1}{2} \left(\frac{a}{b} \right)^2 - \frac{1}{2} \left(\frac{a}{b} \right)^2 = \left(\frac{a}{b} \right)^2 \left(\frac{1}{8} \right) \left[- \left(\frac{1}{a} \right) \sin \frac{\pi x}{a} \left(1 + \cos \frac{\pi x}{b} \right) + \left(\frac{1}{b} \right) \frac{1}{8} \left(1 - \cos \frac{2\pi x}{a} \right) \left(3 + 4 \cos \frac{\pi x}{b} + \cos \frac{2\pi x}{b} \right) \right] \\
&= \left(\frac{a}{b} \right)^2 \left(\frac{1}{8} \right) \left[- \left(\frac{1}{a} \right) \sin \frac{\pi x}{a} - \left(\frac{1}{a} \right) \sin \frac{\pi x}{a} \cos \frac{\pi x}{b} + \frac{1}{84} \left\{ 3 + 4 \cos \frac{\pi x}{b} + \cos \frac{2\pi x}{b} - 3 \cos \frac{2\pi x}{a} - 4 \cos \frac{2\pi x}{a} \cos \frac{\pi x}{b} \right. \right. \\
&\quad \left. \left. - \cos \frac{2\pi x}{a} \cos \frac{2\pi x}{b} \right\} \right]
\end{aligned}$$

$$\begin{aligned}
&= \left(\frac{a}{b} \right)^2 \left(\frac{1}{8} \right) \left[\left\{ - \left(\frac{1}{a} \right) \sin \frac{\pi x}{a} + \frac{3}{64} \frac{\pi^2}{a} - \frac{3}{64} \frac{\pi^2}{a} \cos \frac{2\pi x}{a} \right\} \right. \\
&\quad + \left\{ - \left(\frac{1}{a} \right) \sin \frac{\pi x}{a} + \frac{1}{16} \frac{\pi^2}{a} - \frac{1}{16} \frac{\pi^2}{a} \cos \frac{2\pi x}{a} \right\} \cos \frac{\pi x}{b} \\
&\quad \left. + \left\{ \frac{1}{64} \frac{\pi^2}{a} - \frac{1}{64} \frac{\pi^2}{a} \cos \frac{2\pi x}{a} \right\} \cos \frac{2\pi x}{b} \right]
\end{aligned}$$

$$\begin{aligned}
 \frac{1}{2E^2ab} \int_0^a \int_0^b \sigma_x^2 dy dx &= \left(\frac{a}{R}\right)^4 \left(\frac{b}{g}\right)^2 \left[\frac{3}{4} \left(\frac{3}{64}\right)^2 (4\pi)^2 + \frac{1}{a} \frac{3}{64} (4\pi)^2 \int_0^a \left(1 - \frac{2\pi x}{a} - 1\right) \frac{2\pi}{a} \sin \frac{\pi x}{a} dx + \frac{3}{4} \int_0^a \frac{2\pi}{a} \sin \frac{\pi x}{a} dx \right. \\
 &+ \left. \frac{3}{8} \left(\frac{1}{16}\right)^2 - \frac{1}{2a} \left(\frac{1}{16}\right) \int_0^a \left(1 - \cos \frac{2\pi x}{a}\right) \frac{2\pi}{a} \sin \frac{\pi x}{a} dx + \frac{1}{8a} \left(\frac{1}{64}\right)^2 3 \right] \\
 &= \left(\frac{a}{R}\right)^4 \left(\frac{b}{g}\right)^2 \left[\frac{25}{16384} (4\pi)^2 + \frac{3}{64} (4\pi)^2 \left\{ -\frac{1}{3} - 1 \right\} + \frac{3}{4} \left\{ \frac{\pi^2}{6} - \frac{1}{4} \right\} - \frac{1}{32} \left\{ 1 + \frac{1}{3} \right\} + \frac{3}{16384} (4\pi)^2 \right] \\
 &= \left(\frac{a}{R}\right)^4 \left(\frac{b}{g}\right)^2 \left[\frac{105}{32768} (4\pi)^2 - \frac{5}{98} (4\pi)^2 + \frac{3}{2} \left(\frac{\pi^2}{12} - \frac{1}{8} \right) \right]
 \end{aligned}$$

$$\begin{aligned}
 \frac{1}{2} \frac{\partial \omega}{\partial x} \frac{\partial \pi}{\partial y} &= \left(\frac{a}{R}\right)^2 \left(-\frac{1}{g} \pi \lambda\right) \left[-\frac{1}{2} \left(\frac{1}{a}\right) \left(1 + \cos \frac{\pi x}{a}\right) \sin \frac{\pi x}{b} + \left(\frac{1}{16}\right) \left(\sin \frac{\pi x}{a} + \frac{1}{2} \sin \frac{2\pi x}{a}\right) \sin \frac{\pi x}{b} + \frac{1}{2} \sin \frac{2\pi x}{a} \sin \frac{\pi x}{b} \right] \\
 \frac{1}{2} \frac{\partial y}{\partial x} &= \left(\frac{a}{R}\right)^2 \left(\frac{b}{g}\right) \lambda \left[\frac{1}{2} \left(\frac{2\pi}{a}\right) \sin \frac{\pi x}{b} - \frac{1}{2} \left(\frac{1}{a}\right) \cos \frac{\pi x}{a} \sin \frac{\pi x}{b} + \left(\frac{1}{16}\right) \left\{ \sin \frac{\pi x}{a} \sin \frac{\pi x}{b} + \frac{1}{2} \sin \frac{2\pi x}{a} \sin \frac{\pi x}{b} \right. \right. \\
 &+ \left. \frac{1}{2} \sin \frac{2\pi x}{a} \sin \frac{2\pi x}{b} + \frac{1}{4} \sin \frac{2\pi x}{a} \sin \frac{2\pi x}{b} \right\} \\
 &+ \frac{1+\lambda^2}{(1+2\lambda^2)^2} \sin \frac{\pi x}{a} \sin \frac{\pi x}{b} + \frac{1}{2(1+2\lambda^2)} \left(\frac{2\pi}{a}\right) \cos \frac{\pi x}{a} \sin \frac{\pi x}{b} + \frac{1}{2} \sqrt{2} \lambda a \sinh \frac{\sqrt{2} \lambda \pi x}{a} \sin \frac{\pi x}{b} \\
 &+ \frac{(4\pi^2)}{64} \left\{ -\frac{4}{(1+2\lambda^2)} \sin \frac{\pi x}{a} \sin \frac{\pi x}{b} - \frac{4}{(1+2\lambda^2)} \sin \frac{2\pi x}{a} \sin \frac{\pi x}{b} - \frac{2(1+2\lambda^2)}{(1+8\lambda^2)} \sin \frac{\pi x}{a} \sin \frac{2\pi x}{b} \right. \\
 &\left. \left. - \frac{2(4\lambda^2)}{2(1+2\lambda^2)} \sin \frac{2\pi x}{a} \sin \frac{2\pi x}{b} \right\} \right]
 \end{aligned}$$

||

$$\begin{aligned}
\frac{T_{xy}}{E} &= \left(\frac{a}{h}\right)^2 \left(\frac{1+\lambda}{8}\right) \left[\left\{ \frac{1}{2} \left(\frac{\pi x}{a}\right) - \frac{1}{2} \left(\frac{\pi x}{a}\right) \cos \frac{\pi x}{a} + \frac{1}{16} \sin \frac{\pi x}{a} + \frac{1+\lambda^2}{32} \sin \frac{2\pi x}{a} + \frac{1+\lambda^2}{2(1+\lambda^2)^2} \sin \frac{\pi x}{a} + \frac{1+\lambda^2}{2(1+\lambda^2)} \left(\frac{\pi x}{a}\right) \cos \frac{\pi x}{a} \right. \right. \\
&\quad \left. \left. + \frac{1}{2} \sqrt{2} \lambda a, \sinh \frac{\sqrt{2} \lambda \pi x}{a} - \frac{1}{16} \frac{\lambda^2}{(1+\lambda^2)^2} \sin \frac{\pi x}{a} - \frac{1}{16} \frac{\lambda^2}{(2+\lambda^2)} \sin \frac{2\pi x}{a} \right\} \sin \frac{\pi x}{b} \right. \\
&\quad \left. + \left\{ \frac{1}{32} \frac{\lambda^2}{\sin \frac{\pi x}{a}} + \frac{1}{64} \sin \frac{2\pi x}{a} - \frac{1}{32} \frac{\lambda^2 (1+\lambda^2)}{(1+\lambda^2)^2} \sin \frac{\pi x}{a} - \frac{1}{128} \frac{2+\lambda^2}{1+\lambda^2} \sin \frac{2\pi x}{a} \right\} \sin \frac{2\pi x}{b} \right] \\
&= \left(\frac{a}{h}\right)^2 \left(\frac{1+\lambda}{8}\right) \left[\left\{ -\frac{1}{2} \left(\frac{\pi x}{a}\right) - \frac{\lambda^2}{(1+\lambda^2)} \left(\frac{\pi x}{a}\right) \cos \frac{\pi x}{a} + \frac{1}{8} \frac{\lambda^2}{(1+\lambda^2)^2} \sin \frac{\pi x}{a} + \frac{1}{32} \frac{\lambda^2}{(2+\lambda^2)} \sin \frac{2\pi x}{a} + \frac{1+\lambda^2}{(1+\lambda^2)^2} \sin \frac{\pi x}{a} \right. \right. \\
&\quad \left. \left. + \frac{1}{2} \sqrt{2} \lambda a, \sinh \frac{\sqrt{2} \lambda \pi x}{a} \right\} \sin \frac{\pi x}{b} \right. \\
&\quad \left. + \left\{ \frac{1}{16} \frac{3\lambda^2}{(1+\lambda^2)} \sin \frac{\pi x}{a} + \frac{1}{128} \frac{\lambda^2}{(1+\lambda^2)^2} \sin \frac{2\pi x}{a} \right\} \sin \frac{2\pi x}{b} \right]
\end{aligned}$$

$$\begin{aligned}
&= \left(\frac{a}{h}\right)^2 \left(\frac{1+\lambda}{8}\right) \left[\left\{ \left[\frac{1}{8} \frac{\lambda^2}{(1+\lambda^2)} + \frac{1+\lambda^2}{(1+\lambda^2)^2} \right] \sin \frac{\pi x}{a} + \frac{1}{32} \frac{\lambda^2}{(2+\lambda^2)} \sin \frac{2\pi x}{a} + \frac{1}{2} \sqrt{2} \lambda a, \sinh \frac{\sqrt{2} \lambda \pi x}{a} \right. \right. \\
&\quad \left. \left. - \frac{1}{2} \left(\frac{\pi x}{a}\right) - \frac{\lambda^2}{(1+\lambda^2)} \left(\frac{\pi x}{a}\right) \cos \frac{\pi x}{a} \right\} \sin \frac{\pi x}{b} \right. \\
&\quad \left. + \left\{ \frac{1}{16} \frac{3\lambda^2}{(1+\lambda^2)} \sin \frac{\pi x}{a} + \frac{1}{128} \frac{3\lambda^2}{(1+\lambda^2)^2} \sin \frac{2\pi x}{a} \right\} \sin \frac{2\pi x}{b} \right]
\end{aligned}$$

$$\begin{aligned}
\frac{1}{E^{1/2}} \int_0^a \int_0^b u_y^2 dx dy &= \left(\frac{a}{b} \right)^2 \left[\frac{1}{4} \left\{ \frac{a^2}{8} \frac{\lambda^2}{(1+\lambda^2)} + \frac{1+\lambda^2}{(1+\lambda^2)^2} \right\}^2 + \frac{1}{4} \left(\frac{a^2}{32} \right)^2 \left(\frac{\lambda^2}{2+\lambda^2} \right)^2 \right. \\
&+ \frac{1}{4} \left(\frac{a^2}{16} \right)^2 \left(\frac{3\lambda^2}{1+\lambda^2} \right)^2 + \frac{1}{4} \left(\frac{a^2}{16} \right)^2 \left(\frac{3\lambda^2}{1+\lambda^2} \right)^2 + \frac{1}{4} \left(\frac{a^2}{128} \right)^2 \left(\frac{3\lambda^2}{1+\lambda^2} \right)^2 \\
&+ \left[\frac{a^2}{8} \frac{\lambda^2}{(1+\lambda^2)} + \frac{1+\lambda^2}{(1+\lambda^2)^2} \right] \frac{1}{a} \int_0^a \sin \frac{\lambda x}{2} \left\{ \frac{1}{2} \sqrt{2} \lambda a \sinh \frac{\sqrt{2} \lambda x}{a} - \frac{1}{2} \frac{\pi x}{a} - \frac{\lambda^2}{(1+\lambda^2)} \left(\frac{\pi x}{a} \right) \cos \frac{\pi x}{a} \right\} dx \\
&+ \frac{a^2}{32} \frac{\lambda^2}{(2+\lambda^2)} \frac{1}{a} \int_0^a \sin \frac{2\pi x}{a} \left\{ \frac{1}{2} \sqrt{2} \lambda a \sinh \frac{\sqrt{2} \lambda x}{a} - \frac{1}{2} \frac{\pi x}{a} - \frac{\lambda^2}{(1+\lambda^2)} \left(\frac{\pi x}{a} \right) \cos \frac{\pi x}{a} \right\}^2 dx \\
&+ \frac{1}{2} \frac{1}{a} \int_0^a \left\{ \frac{1}{2} \sqrt{2} \lambda a \sinh \frac{\sqrt{2} \lambda x}{a} - \frac{1}{2} \frac{\pi x}{a} - \frac{\lambda^2}{(1+\lambda^2)} \left(\frac{\pi x}{a} \right) \cos \frac{\pi x}{a} \right\}^2 dx
\end{aligned}$$

$$\begin{aligned}
\frac{1}{a} \int_0^a \sin \frac{\pi x}{a} \sinh(\sqrt{2} \lambda x) \left(\frac{\pi x}{a} \right) dx &= \frac{1}{2\pi i} \int_0^a \left[\cosh(\sqrt{2} \lambda + i) - \cosh(\sqrt{2} \lambda - i) \right] dx \\
&= \frac{1}{2\pi i} \left[\frac{1}{\sqrt{2} \lambda + i} \sinh \theta (\sqrt{2} \lambda + i) - \frac{1}{\sqrt{2} \lambda - i} \sinh \theta (\sqrt{2} \lambda - i) \right]_0^a = + \frac{1}{\pi} \frac{1}{(1+\lambda^2)} \sinh(\sqrt{2} \lambda \pi) \\
\frac{1}{a} \int_0^a \left(\frac{\pi x}{a} \right) \sin \frac{\pi x}{a} dx &= \frac{1}{\pi} \left[\sin \theta - \theta \cos \theta \right]_0^a = 1 \\
\frac{1}{a} \int_0^a \left(\frac{\pi x}{a} \right) \cos \frac{\pi x}{a} dx &= \frac{1}{\pi} \left[\sin \theta - \theta \cos \theta \right]_0^a = -\frac{1}{4}
\end{aligned}$$

$$\frac{\Delta \varphi}{abtE} = -\left(\frac{a}{R}\right)^2 \frac{(4\pi)^2}{64} \left(\frac{3}{2}\pi^2 \frac{\sigma}{E}\right)$$

$$\frac{t^2}{12ab} \int_0^a \int_0^b \left(\frac{\partial^2 w}{\partial x^2} - \frac{\partial^2 w_0}{\partial x^2} \right)^2 dx dy = \frac{1}{12} \left(\frac{t}{R}\right)^2 \left(\frac{4\pi^2}{2}\right)^2 \frac{3}{4}$$

$$\frac{t^2}{12ab} \int_0^a \int_0^b \left(\frac{\partial^2 w}{\partial y^2} \right)^2 dx dy = \frac{1}{12} \left(\frac{t}{R}\right)^2 \left(\frac{4\pi^2 k^2}{2}\right)^2 \frac{3}{4}$$

$$\frac{t^2}{12ab} \int_0^a \int_0^b \left(\frac{\partial^2 w}{\partial x \partial y} \right)^2 dx dy = \frac{1}{12} \left(\frac{t}{R}\right)^2 \left(\frac{4\pi^2 k}{2}\right)^2 \frac{1}{4}$$

The part of external energy is independent of α, β, γ

$$= \left(\frac{q}{R}\right)^4 \frac{(f\lambda)^2}{64} \left[(f\pi)^2 \left\{ \frac{1}{32} + \frac{1}{16(1+\lambda^2)^4} + \frac{1}{4(1+\lambda^2)^6} + \frac{1}{64(1+4\lambda^2)^6} + \frac{1}{512} + \frac{1}{32\lambda^6} + \frac{1}{16(1+\lambda^2)^6} + \frac{\lambda^6}{512\lambda^6} + \right. \right. \\ \left. \left. + \frac{\lambda^{12}}{64(4+\lambda^2)^6} + \frac{\lambda^{14}}{4(1+\lambda^2)^6} + \frac{2\lambda^{12}\nu}{16(1+\lambda^2)^6} + \frac{2\lambda^{12}\nu}{16(4+\lambda^2)^6} + \frac{2\lambda^{12}\nu}{16(1+4\lambda^2)^6} \right\} \right]$$

$$- (f\pi)^2 \left\{ \frac{1}{4(1+\lambda^2)^6} + \frac{1}{4\lambda^6} + \frac{\lambda^6}{4(1+\lambda^2)^6} + \frac{2\lambda^6}{4(1+\lambda^2)^6} \right\} \\ + \left\{ -\frac{1}{4(1+\lambda^2)^6} + \frac{1}{2\lambda^6} + \frac{\lambda^6}{4(1+\lambda^2)^6} + \frac{2\lambda^6}{4(1+\lambda^2)^6} \right\}$$

$$= \left(\frac{q}{R}\right)^4 \frac{(f\lambda)^2}{64} \left[(f\pi)^2 \left\{ \frac{17}{512} + \frac{1}{32\lambda^6} + \frac{1}{16(1+\lambda^2)^2} + \frac{1}{64(4+\lambda^2)^2} + \frac{1}{64(1+4\lambda^2)^2} \right\} \right. \\ \left. - (f\pi)^2 \left\{ \frac{1}{4\lambda^6} + \frac{1}{4(1+\lambda^2)^2} \right\} + \left\{ \frac{1}{2\lambda^6} + \frac{1}{4(1+\lambda^2)^2} \right\} \right]$$

The coefficient of $\left\{ \frac{a_2}{64} \frac{(4\lambda^2)^2}{25} \frac{\sin 2\pi}{25} \right\} \left(\frac{e}{\lambda}\right)^4$ in $(A_1 + A_2 + 2A_3)$

454

$$\frac{(f x^2)}{1} = -\frac{1}{4} - \frac{1}{4(1+\lambda^2)^2} - \frac{1}{20(1+4\lambda^2)^2} + \frac{1}{4} + \frac{\lambda^4}{4(1+\lambda^2)^2} + \frac{\lambda^4}{5(1+4\lambda^2)^2} \\ - \frac{2\lambda^2}{4(1+\lambda^2)^2} - \frac{2\lambda^2}{5(1+4\lambda^2)^2}$$

$$= -\frac{1}{4(1+\lambda^2)} - \frac{\lambda^2(1-\lambda^2)}{4(1+\lambda^2)^2} - \frac{1}{20(1+4\lambda^2)} - \frac{\lambda^2(1-\lambda^2)}{5(1+4\lambda^2)}$$

$$+ \frac{1}{2(1+\lambda^2)^2} - 1 - \frac{\lambda^4}{2(1+\lambda^2)^2} + \frac{2\lambda^2}{2(1+\lambda^2)^2}$$

$$= -1 + \frac{1}{2(1+\lambda^2)^2} + \frac{\lambda^2(1-\lambda^2)}{2(1+\lambda^2)^2}$$

$$\left\{ b_2 \frac{(4\lambda^2)^2}{64} \frac{\sin 2\pi}{25} \right\} \left(\frac{e}{\lambda}\right)^4$$

$$1 \cdot \frac{1}{100} + \frac{1}{25} - \frac{3}{100(1+4\lambda^2)} + \frac{1}{4} + \frac{\lambda^4}{2(1+\lambda^2)^2} - \frac{2\lambda^4}{5(1+4\lambda^2)^2} + \frac{3\lambda^4}{25(1+4\lambda^2)^2} \\ - \frac{2\lambda^2}{5(1+\lambda^2)^2} + \frac{4\lambda^2}{25(1+4\lambda^2)^2} \left\{ \right.$$

$$= (f e^2) \left\{ \frac{1}{2} + \frac{\lambda^4}{2(1+\lambda^2)^2} + \frac{2}{5} \frac{\lambda^2(\lambda^2-1)}{(1+4\lambda^2)^2} + \frac{1}{100} \frac{(2\lambda^2+3)(6\lambda^2-1)}{(1+4\lambda^2)^2} \right\}$$

$$\left\{ -1 - \frac{\lambda^2}{(1+\lambda^2)^2} \right\} =$$

$$\frac{\left\{ b_2 \frac{(4\lambda^2)^2}{64} \cosh 2\pi \right\} \left(\frac{0}{16} \right)^4}{(4\pi^2) \left\{ -\frac{1}{4} - \frac{1}{4(1+\lambda^2)^2} - \frac{1}{20(1+4\lambda^2)^2} + \frac{1}{4} + \frac{\lambda^4}{4(1+\lambda^2)} + \frac{\lambda^6}{5(1+\lambda^2)^2} - \frac{2\lambda^2}{4(1+\lambda^2)^2} - \frac{2\lambda^2}{5(1+4\lambda^2)^2} \right\}}$$

$$= (4\pi^2) \left\{ -\frac{1}{4(1+\lambda^2)} - \frac{\lambda^2(1-\lambda^2)}{4(1+\lambda^2)^2} - \frac{1}{20(1+4\lambda^2)} - \frac{\lambda^2(1-\lambda^2)}{5(1+4\lambda^2)^2} \right\}$$

$$\left\{ \frac{1}{2(1+\lambda^2)^2} - 1 - \frac{\lambda^4}{2(1+\lambda^2)} + \frac{2\lambda^2}{2(1+\lambda^2)^2} \right\}$$

$$= \frac{1}{2(1+\lambda^2)} + \frac{\lambda^2(1-\lambda^2)}{2(1+\lambda^2)^2} - 1$$

$$\frac{\left\{ a_4 \frac{(4\lambda^2)^2}{64} \sinh 4\pi \right\} \left(\frac{0}{16} \right)^4}{(4\pi^2) \left\{ -\frac{1}{16} - \frac{4}{5} \frac{1}{(4+\lambda^2)^2} + \frac{1}{16} + \frac{\lambda^4}{5(4+\lambda^2)^2} - \frac{2\lambda^2}{5(4+\lambda^2)^2} \right\}}$$

$$= (4\pi^2) \left\{ -\frac{1}{5} \frac{1}{(4+\lambda^2)} - \frac{\lambda^2(1-\lambda^2)}{5(4+\lambda^2)^2} \right\}$$

$$\frac{\left\{ b_4 \frac{(4\lambda^2)^2}{64} \sinh 4\pi \right\} \left(\frac{0}{16} \right)^4}{(4\pi^2) \left\{ +\frac{1}{16} + \frac{12}{25} \frac{1}{(4+\lambda^2)^2} + \frac{1}{16} + \frac{2}{5} \frac{\lambda^4}{(4+\lambda^2)^2} - \frac{3}{25} \frac{\lambda^4}{(4+\lambda^2)^2} - \frac{2\lambda^2}{5(4+\lambda^2)^2} + \frac{46\lambda^2}{25(4+\lambda^2)^2} \right\}}$$

$$= (4\pi^2) \left\{ \frac{1}{8} + \frac{(2+3\lambda^2)(6-\lambda^2)}{25(4+\lambda^2)^2} - \frac{2}{5} \frac{\lambda^2(1-\lambda^2)}{(4+\lambda^2)^2} \right\}$$

$$\begin{aligned}
 & \left\{ b_4 \frac{4\lambda^2}{5} \dots - \pi \right\} \frac{a_1^2}{8} \\
 & 4\pi^2 \left\{ -\frac{1}{16} - \frac{4}{5} \frac{1}{(1+\lambda^2)^2} + \frac{1}{16} + \frac{1}{5} \frac{\lambda^4}{(4+\lambda^2)^2} - \frac{2\lambda^2}{5(4+\lambda^2)^2} \right\} \\
 & = 4\pi^2 \left\{ -\frac{1}{5} \frac{1}{(4+\lambda^2)} - \frac{1}{5} \frac{\lambda^2(1-\lambda^2)}{(4+\lambda^2)^2} \right\}
 \end{aligned}$$

Terms in $A_1 + A_2 + 2A_3$ involving quadratics of a 's + b 's. $\div \frac{4\lambda^2(1-\lambda^2)}{64}$

$$\begin{aligned}
 & \frac{1}{4} \left\{ (1+\lambda^2)^2 \frac{\sinh 4\pi}{4\pi} + (1-\lambda^2)^2 \right\} a_1^2 \\
 & + \frac{1}{4} \left\{ (3\lambda^4 + 2\lambda^2 - 1) \frac{\sinh 4\pi}{4\pi} + (\lambda^2 + 1) \cosh 4\pi - 4(1-\lambda^2)^2 \right\} a_2^2 \\
 & + \frac{1}{4} \left\{ [4\pi^2(\lambda^2 + 1)^2 + \frac{1}{2}(5\lambda^4 + 2\lambda^2 + 1)] \frac{\sinh 4\pi}{4\pi} + \frac{1}{2}(3\lambda^4 + 2\lambda^2 - 1) \cosh 4\pi \right. \\
 & \quad \left. - \frac{4\pi^2}{3}(1-\lambda^2)^2 + 2(2\lambda^4 - 1) \right\} b_1^2
 \end{aligned}$$

$$\begin{aligned}
 & \frac{1}{4} \left\{ (1+\lambda^2)^2 \frac{\sinh 4\pi}{4\pi} + (1-\lambda^2)^2 \right\} a_1^2 \\
 & + \frac{1}{4} \left\{ (3\lambda^4 - 2\lambda^2 - 1) \frac{\sinh 4\pi}{4\pi} + (\lambda^2 + 1) \cosh 4\pi + 4\lambda^2(\lambda^2 - 1) \right\} a_2^2 \\
 & + \frac{1}{4} \left\{ [16\pi^2(\lambda^2 + 1)^2 + \frac{1}{2}(5\lambda^4 + 2\lambda^2 + 1)] \frac{\sinh 4\pi}{4\pi} + \frac{1}{2}(3\lambda^4 + 2\lambda^2 - 1) \cosh 4\pi \right. \\
 & \quad \left. - \frac{16\pi^2}{3}(1-\lambda^2)^2 + 2(2\lambda^4 - 1) \right\} b_1^2
 \end{aligned}$$

①	②	③	④	⑤	⑥	⑦	⑧	⑨
λ	$\sqrt{2}\lambda\pi$	② ÷ 2.3025851	$e^{(2)}$	$e^{-②}$	$e^{\sinh \pi x}$	$\sinh \pi x$	$\sinh \pi x / \sqrt{2\pi x}$	④/⑧
2.0	8.885768	3.8590400	7228.363	0	3614.182	3614.182	406.7383	8.885768
1.9	8.441480	3.6660882	4635.411	0	2317.706	2317.706	274.5616	8.441480
1.8	7.992191	3.4731359	2925.515	0	1486.298	1486.298	185.8525	7.992191
1.7	7.552703	3.2801841	1906.268	0.001	953.1345	953.1335	126.1943	7.552712
1.6	7.108614	3.0872318	1221.452	0.001	611.2265	611.2255	85.98378	7.108626
1.5	6.664326	2.8942800	71.9349	0.0013	391.9681	391.9668	58.81468	6.664460
1.4	6.220038	2.7013282	502.223	0.0020	251.3622	251.3602	40.41136	6.220088
1.3	5.775749	2.5083759	322.3858	0.0031	161.1945	161.1914	27.90831	5.775860
1.2	5.331461	2.3154241	206.2598	0.0049	103.3724	103.3675	19.38821	5.331714
1.1	4.882172	2.1224718	127.5781	0.0076	66.2925	66.28525	13.56311	4.882732
1.0	4.442884	1.9295200	85.01927	0.0126	42.51577	42.50401	9.566761	4.444113
0.9	3.998596	1.7365662	54.2155	0.01814	27.27995	27.25161	6.815295	4.001287
0.8	3.554307	1.5436159	34.16358	0.02860	17.49609	17.46249	4.914457	3.560127
0.7	3.110019	1.3506641	21.2147	0.04460	11.23304	11.18844	3.592547	3.122416
0.6	2.665730	1.1572118	14.4614	0.06955	7.223995	7.154645	2.683860	2.691644
0.5	2.221442	0.9647600	9.710.17	0.108453	4.664536	4.556083	2.050957	2.224322
0.4	1.777154	0.7718062	5.913004	0.169119	3.041062	2.827143	1.616035	1.881805

	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
λ	λ^4	λ^2	λ^3	λ^4	λ^5	λ^6	$(1+\lambda^2)^2$	$(1+\lambda^2)^2/64$	$(1+\lambda^2)^2/65536$	$3\lambda^2/64(1+\lambda^2)$
2.0	16.000	4.00	9.00	33.00	134.00	81.00	81.00	0.0001331176	0.0002271864	0.000361690
1.9	13.0321	3.61	8.72	29.88	133.61	67.5164	67.5164	0.0001343244	0.0002450203	0.000391314
1.8	10.4976	3.24	7.8	21.92	133.24	55.9504	55.9504	0.0001356240	0.000218023	0.000344134
1.7	8.3521	2.89	6.28	24.12	132.89	45.9184	45.9184	0.000137532	0.0002990768	0.00040466
1.6	6.5536	2.56	5.12	21.48	132.56	37.4544	37.4544	0.0001391192	0.0003305074	0.000500609
1.5	5.0625	2.25	4.50	19.00	132.25	30.2500	30.2500	0.000143446	0.0003619045	0.000544277
1.4	3.8416	1.96	4.92	16.18	131.96	24.0640	24.0640	0.000144254	0.000492581	0.000596554
1.3	2.8561	1.69	4.38	14.52	131.69	19.1844	19.1844	0.000142915	0.0005837780	0.000645208
1.2	2.0736	1.44	3.88	12.52	131.44	15.0544	15.0544	0.0001513204	0.000519111	0.00070514
1.1	1.4641	1.21	3.4	10.18	131.21	11.6964	11.6964	0.0001563597	0.0005854110	0.00075217
1.0	1.0000	1.00	3.0	9.00	131.00	9.0000	9.0000	0.0001627604	0.000663005	0.000813802
0.9	0.6561	0.81	2.72	7.48	130.81	6.8644	6.8644	0.0001710290	0.0007618329	0.00086457
0.8	0.4096	0.64	2.28	6.12	130.64	5.1984	5.1984	0.0001795152	0.0008743018	0.000901720
0.7	0.2401	0.49	1.78	4.92	130.49	3.9204	3.9204	0.0001965034	0.0010056158	0.000975434
0.6	0.1296	0.36	1.72	3.88	130.36	2.9584	2.9584	0.0002164546	0.0011564243	0.000891265
0.5	0.0625	0.25	1.50	3.00	130.25	2.2500	2.2500	0.0002441406	0.0013249715	0.000813802
0.4	0.0256	0.16	1.36	2.28	130.16	1.8496	1.8496	0.0002912555	0.001460257	0.000633582

λ	λ^2	λ^3	λ^4	λ^5
2.0	0.00442255	0.03082446	0.00000000	0.00000000
1.9	0.00361245	0.01261273	0.00000000	0.00000000
1.8	0.002916936	0.00486644	0.00000000	0.00000000
1.7	0.002299142	0.00180857	0.00000000	0.00000000
1.6	0.001855165	0.00052961	0.00000000	0.00000000
1.5	0.001520403	0.00027477	0.00000000	0.00000000
1.4	0.001255707	0.00016278	0.00000000	0.00000000
1.3	0.001036650	0.00008816	0.00000000	0.00000000
1.2	0.000844518	0.00004572	0.00000000	0.00000000
1.1	0.000699927	0.00003176	0.00000000	0.00000000
1.0	0.000576395	0.00002179	0.00000000	0.00000000
0.9	0.000475000	0.00001318	0.00000000	0.00000000
0.8	0.000392401	0.00000800	0.00000000	0.00000000
0.7	0.000326146	0.00000554	0.00000000	0.00000000
0.6	0.000274235	0.00000356	0.00000000	0.00000000
0.5	0.000234423	0.00000243	0.00000000	0.00000000
0.4	0.000203773	0.00000162	0.00000000	0.00000000

λ^6	λ^7	λ^8	λ^9	λ^{10}
0.000174112	0.00001146	0.00000729	0.00000461	0.00000284
0.00014552	0.00000912	0.00000561	0.00000347	0.00000214
0.000123712	0.00000756	0.00000454	0.00000281	0.00000171
0.000107252	0.00000638	0.00000389	0.00000231	0.00000141
0.00009432	0.00000541	0.00000325	0.00000191	0.00000121
0.000082972	0.00000461	0.00000276	0.00000161	0.00000101
0.000073132	0.00000397	0.00000231	0.00000131	0.00000081
0.000064732	0.00000347	0.00000191	0.00000101	0.00000061
0.000057792	0.00000301	0.00000161	0.00000081	0.00000041
0.000052000	0.00000261	0.00000131	0.00000061	0.00000031
0.000047332	0.00000221	0.00000101	0.00000041	0.00000021
0.000043652	0.00000181	0.00000081	0.00000031	0.00000011
0.000040942	0.00000151	0.00000061	0.00000021	0.00000001
0.000039232	0.00000121	0.00000041	0.00000011	0.00000000
0.000037532	0.00000091	0.00000031	0.00000001	0.00000000
0.000035832	0.00000061	0.00000021	0.00000000	0.00000000
0.000034132	0.00000041	0.00000011	0.00000000	0.00000000
0.000032432	0.00000021	0.00000001	0.00000000	0.00000000
0.000030732	0.00000011	0.00000000	0.00000000	0.00000000
0.000029032	0.00000001	0.00000000	0.00000000	0.00000000
0.000027332	0.00000000	0.00000000	0.00000000	0.00000000
0.000025632	0.00000000	0.00000000	0.00000000	0.00000000
0.000023932	0.00000000	0.00000000	0.00000000	0.00000000
0.000022232	0.00000000	0.00000000	0.00000000	0.00000000
0.000020532	0.00000000	0.00000000	0.00000000	0.00000000
0.000018832	0.00000000	0.00000000	0.00000000	0.00000000
0.000017132	0.00000000	0.00000000	0.00000000	0.00000000
0.000015432	0.00000000	0.00000000	0.00000000	0.00000000
0.000013732	0.00000000	0.00000000	0.00000000	0.00000000
0.000012032	0.00000000	0.00000000	0.00000000	0.00000000
0.000010332	0.00000000	0.00000000	0.00000000	0.00000000
0.000008632	0.00000000	0.00000000	0.00000000	0.00000000
0.000006932	0.00000000	0.00000000	0.00000000	0.00000000
0.000005232	0.00000000	0.00000000	0.00000000	0.00000000
0.000003532	0.00000000	0.00000000	0.00000000	0.00000000
0.000001832	0.00000000	0.00000000	0.00000000	0.00000000
0.000000132	0.00000000	0.00000000	0.00000000	0.00000000

	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
λ	$-\frac{1}{3\lambda^2(1+\lambda^2)}$	$-\frac{1}{3\lambda^2(1+\lambda^2)}$	$\lambda^4(6\lambda^2+6\lambda)$	H_2	$3+2\lambda$	$(1+2\lambda^2)^3$	$4+11\lambda^2+10\lambda^4$	$1+3\lambda^2$
2.0	-0.005206333	-0.00044361	-0.09001110	-0.2410528	19.0000	72.9000	249.0000	1300
1.9	-0.00570555	-0.000466201	-0.08036578	-0.2226372	16.0321	555.4122	174.0310	1183
1.7	-0.006266711	-0.000491978	-0.07100250	-0.2131360	13.4976	418.5090	144.6160	1042
1.8	-0.00491377	-0.000532549	-0.06219196	-0.2002157	11.3521	311.6658	119.3110	9.67
1.6	-0.00769314	-0.000571089	-0.05393877	-0.1881055	9.5536	229.2209	97.6960	8.68
1.5	-0.00852227	-0.000612745	-0.04614833	-0.1777872	8.0625	166.3250	79.3250	7.25
1.4	-0.00952439	-0.000657618	-0.0391271	-0.1662174	6.8416	118.3949	63.9260	6.88
1.3	-0.01070255	-0.000705736	-0.03250179	-0.1555512	5.8561	84.0267	51.1510	6.07
1.2	-0.012061166	-0.000757025	-0.02662131	-0.1446130	5.0736	58.41107	40.5760	5.22
1.1	-0.013706140	-0.000811267	-0.02125494	-0.1346013	4.4641	40.00169	31.9510	4.63
1.0	-0.015625000	-0.000868056	-0.0164936	-0.1252256	4.0000	27.00000	25.0000	4.00
0.9	-0.017891221	-0.000926750	-0.01234647	-0.1160054	3.6561	17.98473	19.4710	3.43
0.8	-0.020559211	-0.000996427	-0.0082509	-0.1074918	3.4396	11.85235	15.1360	2.92
0.7	-0.023674242	-0.001045850	-0.00593529	-0.1005672	3.2601	7.767372	11.7910	2.47
0.6	-0.02725907	-0.001103661	-0.00367499	-0.09505	3.1296	5.018448	9.2560	2.01
0.5	-0.03125000	-0.001157408	-0.00220516	-0.0919119	3.0625	3.325000	7.3750	1.25
0.4	-0.034461912	-0.001205633	-0.0013222	-0.0901777	3.0256	2.510456	6.0160	1.48

H₃

	(30)	(31)	(32)	(33)	(34)	(35)
λ	$-\frac{3(4+11\lambda+20\lambda^2)}{16(1+2\lambda)^2}$	$-\frac{3(4+11\lambda+20\lambda^2)}{16(1+2\lambda)^2}$	$\frac{\pi^2}{24} \frac{1+2\lambda^2}{1+\lambda}$	$\lambda^2(5\lambda+10\lambda^2+6\lambda^3)$	$-\frac{\pi^2}{16(1+2\lambda)^2}$	$\frac{\pi^2}{8} + (33) + (34)$
2.0	+0.001515725	-0.6891481481	+0.594003777	+0.471153068	-0.00785630	+1.7019974
1.9	+0.00221307	-0.482930025	+0.591831777	+0.41701532	-0.00780627	+1.6450938
1.8	+0.003012909	-0.484634605	+0.589361777	+0.361438667	-0.00793335	+1.5902059
1.7	+0.009105918	-0.486656323	+0.586523077	+0.317931938	-0.01026916	+1.5383633
1.6	+0.01041964	-0.48902415	+0.583522277	+0.262221546	-0.01186213	+1.4896100
1.5	+0.01211495	-0.49199380	+0.579745177	+0.21062361	-0.01321955	+1.4440008
1.4	+0.0144467	-0.498443211	+0.575058277	+0.1602361	-0.01615507	+1.3959421
1.3	+0.0174223	-0.49992676	+0.569905214	+0.1172101143	-0.01881692	+1.3625918
1.2	+0.02171506	-0.505312202	+0.563856214	+0.084797944	-0.02213520	+1.3270593
1.1	+0.02789945	-0.512192256	+0.556726220	+0.057411177	-0.02611722	+1.2952293
1.0	+0.03703706	-0.520833333	+0.548511220	+0.034511007	-0.03086190	+1.2673538
0.9	+0.05082228	-0.53184225	+0.538370221	+0.016119973	-0.03643351	+1.2432190
0.8	+0.07191823	-0.545932211	+0.526667491	+0.0032675046	-0.0424316	+1.2245944
0.7	+0.10432550	-0.563925237	+0.513003422	+0.0016161641	-0.05002914	+1.2098237
0.6	+0.15326005	-0.5886134667	+0.492305657	+0.0003105123	-0.05686444	+1.2000314
0.5	+0.22265145	-0.614583333	+0.479222244	+0.000010137	-0.06312561	+1.1935352
0.4	+0.30070095	-0.609861592	+0.443512231	+0.0000033710	-0.06358624	+1.1922497

49.

λ	$\frac{1}{2}(\frac{1}{\lambda} + \frac{1}{\lambda^2})$	$\frac{512}{\lambda} H_1 / \lambda^2$	$8 H_2 / \lambda^2$	H_3 / λ^2	$\frac{1}{\lambda} \ln \frac{1}{\lambda}$	$\frac{1}{\lambda} \ln \frac{1}{\lambda^2}$	$K_0 - 2\sqrt{e}$
2.0	1.0925925	0.4383923	-0.46	0.4254993	0.1865356	0.4448923	1.36367
1.9	1.0119277	0.4099267	-0.1026213	0.4557067	0.1818015	0.4611402	1.35814
1.8	0.9367352	0.3838673	-0.1262117	0.4906043	0.1864037	0.4572537	1.35610
1.7	0.8450416	0.3603994	-0.5542515	0.5323056	0.1918426	0.4498204	1.34138
1.6	0.738425	0.3392691	-0.5878212	0.5712389	0.1977045	0.4473790	1.36782
1.5	0.6469125	0.3223115	-0.6285111	0.6111781	0.2062521	0.479527	1.38470
1.4	0.570823	0.3085768	-0.6786222	0.722214	0.2197371	0.4964448	1.40922
1.3	0.5151961	0.2989582	-0.7410800	1.8012173	0.2410402	0.5282632	1.45364
1.2	0.622491	0.2946655	-0.8203120	0.9215790	0.2715546	0.5733142	1.51478
1.1	0.606917	0.2970263	-0.9229838	1.2043374	0.3179721	0.6430027	1.60374
1.0	0.5925925	0.3062177	-1.0590288	1.2673558	0.3906209	0.7510244	1.73324
0.9	0.6024965	0.3312240	-1.2444778	1.5354556	0.5093425	0.9251066	1.92364
0.8	0.6375925	0.3733778	-1.5061475	1.7134256	0.7144306	1.2797858	2.20908
0.7	0.7105517	0.4435638	-1.8913331	2.4791300	1.0952167	1.754445	2.64910
0.6	0.8454320	0.5620069	-2.4901333	3.3334206	1.8734054	2.8181604	3.35748
0.5	1.0925925	0.7701322	-3.4919004	4.2741408	3.6267196	5.2161904	4.56778
0.4	1.5215925	1.166524	-5.2477450	7.4515606	8.6733211	11.712263	6.84638

496

$$K = 2 \left\{ A \left(\frac{f}{E} \right)^2 + B \right\}^{\frac{1}{2}} - C \left(\frac{f}{E} \right)$$

$$2A \left(\frac{f}{E} \right) = C \left\{ A \left(\frac{f}{E} \right)^2 + B \right\}^{\frac{1}{2}}$$

$$(4A^2 - C^2A) \left(\frac{f}{E} \right)^2 = C^2B$$

$$\left(\frac{f}{E} \right)^2 = \frac{C^2B}{4A^2 - C^2A}$$

$$\boxed{\left(\frac{f}{E} \right) = \sqrt{\frac{B}{\left(\frac{2A}{C} \right)^2 - A}}$$

$$K_{min} = \left(\frac{4A}{C} - C \right) \sqrt{\frac{C^2B}{4A^2 - C^2A}}$$

$$\boxed{K_{min} = \left[2 \left(\frac{2A}{C} \right) - C \right] \sqrt{\frac{B}{\left(\frac{2A}{C} \right)^2 - A}}$$

λ	(43)	(44)	(45)	(46)	(47)	(48)	(49)
	2A/C	(43) - A	(44) - (45)	1.45	2(B) - C	k_{min}	
2.0	0.7238571	0.4122883	1.127602				
1.9	0.7432289	0.3655837	1.261381				
1.8	0.7160008	0.3242534	1.442884				
1.7	0.6922496	0.2873669	1.565117				
1.6	0.1726591	0.2547658	1.835457				
1.5	0.6581802	0.2263487	2.112762				
1.4	0.6426062	0.1996539	2.468877				
1.3	0.6505104	0.1821236	2.900535				
1.2	0.6620457	0.1667499	3.440171				
1.1	0.6889571	0.1567138	4.103039				
1.0	0.737695	0.1535752	4.890271	1: 15'	0.9207411		
0.9	0.8185591	0.1606915	5.754035				
0.8	0.9486861	0.1855347	6.574095				
0.7	1.1581421	0.2460764	7.129676				
0.6	1.5046023	0.3904227	7.218170				
0.5	2.1051557	0.7579086	1.823548				
0.4	3.2512325	1.8771317	1.242146				

Mistake made !!!

$$\frac{w}{R} = \frac{f}{2} \left(\frac{a}{R} \right)^2 \left[1 - \left(\frac{x}{a} \right)^2 - \frac{f}{4} (1 + \cos \frac{2\pi x}{a}) (1 + \cos \frac{2\pi y}{a}) \right] \quad \underline{\underline{45}}$$

$$\frac{w_0}{R} = \frac{f}{2} \left(\frac{a}{R} \right)^2 \left[1 - \left(\frac{x}{a} \right)^2 \right]$$

$$R \frac{\partial^2 w}{\partial x^2} = \left[-1 + \frac{f}{2} \pi^2 \cos \frac{2\pi x}{a} (1 + \cos \frac{2\pi y}{a}) \right]$$

$$R \frac{\partial^2 w}{\partial y^2} = \left[+ \frac{f}{2} \pi^2 (1 + \cos \frac{2\pi x}{a}) \cos \frac{2\pi y}{a} \right]$$

$$R \frac{\partial^2 w}{\partial x \partial y} = \left[- \frac{f}{2} \pi^2 \sin \frac{2\pi x}{a} \sin \frac{2\pi y}{a} \right]$$

$$R \frac{\partial^2 w_0}{\partial x^2} = [-1], \quad R \frac{\partial^2 w_0}{\partial y^2} = R \frac{\partial^2 w_0}{\partial x \partial y} = 0$$

Thus

$$\begin{aligned} \nabla^4 F &= \frac{E}{R^2} \left[\frac{f^2}{4} \pi^4 \sin^2 \frac{2\pi x}{a} \cos^2 \frac{2\pi y}{a} \right. \\ &\quad \left. + \frac{f}{2} \pi^2 (1 + \cos \frac{2\pi x}{a}) \cos \frac{2\pi y}{a} - \frac{f^2}{4} \pi^4 (1 + \cos \frac{2\pi x}{a}) \cos \frac{2\pi y}{a} (1 + \cos \frac{2\pi x}{a}) \cos \frac{2\pi y}{a} \right] \\ &= \frac{E}{R^2} \left[\frac{f}{2} \pi^2 (1 + \cos \frac{2\pi x}{a}) \cos \frac{2\pi y}{a} + \frac{f^2}{4} \pi^4 \left\{ \frac{1}{4} (1 - \cos \frac{4\pi x}{a}) (1 - \cos \frac{4\pi y}{a}) \right. \right. \\ &\quad \left. \left. - \frac{1}{4} (2 \cos \frac{2\pi x}{a} + 1 + \cos \frac{4\pi x}{a}) (2 \cos \frac{2\pi y}{a} + 1 + \cos \frac{4\pi y}{a}) \right\} \right] \end{aligned}$$

$$\begin{aligned} \nabla^4 F = & \frac{E}{R^2} \left[\frac{f^2}{2} \pi^2 (1 + \cos \frac{2\pi x}{a}) \cos \frac{2\pi y}{a} + \frac{f^2}{16} \pi^4 \left\{ x - 2 \cos \frac{4\pi x}{a} - 2 \cos \frac{4\pi y}{a} + \cos \frac{4\pi x}{a} \cos \frac{4\pi y}{a} \right. \right. \\ & - 4 \cos \frac{2\pi x}{a} \cos \frac{2\pi y}{a} - 2 \cos \frac{4\pi x}{a} - 2 \cos \frac{4\pi y}{a} \cos \frac{2\pi x}{a} - 2 \cos \frac{2\pi x}{a} - 2 \cos \frac{4\pi y}{a} - \cos \frac{4\pi x}{a} \cos \frac{4\pi y}{a} \left. \right\} \left. \right] \\ & - 2 \cos \frac{2\pi x}{a} \cos \frac{4\pi y}{a} - \cos \frac{4\pi x}{a} - \cos \frac{4\pi y}{a} \cos \frac{4\pi x}{a} \left. \right\} \end{aligned}$$

$$\begin{aligned} = & \frac{E}{R^2} \left[\frac{f^2}{2} \pi^2 (1 + \cos \frac{2\pi x}{a}) \cos \frac{2\pi y}{a} - \frac{f^2}{8} \pi^4 \left\{ \cos \frac{2\pi x}{a} + \cos \frac{2\pi y}{a} + 2 \cos \frac{2\pi x}{a} \cos \frac{2\pi y}{a} \right. \right. \\ & \left. \left. + \cos \frac{4\pi x}{a} + \cos \frac{4\pi y}{a} + \cos \frac{4\pi x}{a} \cos \frac{2\pi y}{a} + \cos \frac{2\pi x}{a} \cos \frac{4\pi y}{a} \right\} \right] \end{aligned}$$

$$\begin{aligned} \nabla^4 F = & \frac{E}{R^2} \frac{(4\pi^2)}{2} \left[-\frac{(4\pi^2)}{4} \cos \frac{2\pi x}{a} + \left\{ 1 - \frac{(4\pi^2)}{4} \right\} \cos \frac{2\pi y}{a} + \left\{ 1 - \frac{(4\pi^2)}{4} \right\} \cos \frac{2\pi x}{a} \cos \frac{2\pi y}{a} \right. \\ & \left. - \frac{(4\pi^2)}{4} \left\{ \cos \frac{4\pi x}{a} + \cos \frac{4\pi y}{a} + \cos \frac{4\pi x}{a} \cos \frac{2\pi y}{a} + \cos \frac{2\pi x}{a} \cos \frac{4\pi y}{a} \right\} \right] \end{aligned}$$

$$\nabla^4 F = \frac{\partial^4 F}{\partial x^4} + 2 \frac{\partial^2 F}{\partial x^2 \partial y^2} + \frac{\partial^4 F}{\partial y^4} = C \cos \frac{2\pi x}{a}, \quad \text{Put } F = C \cos \frac{2\pi x}{a}$$

$$C \left\{ \left(\frac{2\pi}{a} \right)^4 - 2 \left(\frac{2\pi}{a} \right)^2 \right\} = C$$

452

Hence the particular integral is

$$E \left(\frac{a}{2} \right)^2 \frac{1}{8} \left[-\frac{1}{4} \frac{\cos \frac{2\pi x}{a}}{\left(\frac{2\pi}{a} \right)^2} + \left(1 - \frac{1}{4} \right) \frac{\cos \frac{2\pi x}{a}}{\left(\frac{2\pi}{a} \right)^2} + \frac{1}{4} \left(1 - \frac{1}{4} \right) \frac{\cos \frac{2\pi x}{a}}{\left(\frac{2\pi}{a} \right)^2} \right. \\ \left. - \frac{1}{4} \frac{\cos \frac{4\pi x}{a}}{\left(\frac{4\pi}{a} \right)^2} + \frac{1}{4} \frac{\cos \frac{4\pi x}{a}}{\left(\frac{4\pi}{a} \right)^2} + \frac{1}{4} \frac{\cos \frac{4\pi x}{a}}{\left(\frac{4\pi}{a} \right)^2} + \frac{1}{4} \frac{\cos \frac{4\pi x}{a}}{\left(\frac{4\pi}{a} \right)^2} \right]$$

The complementary function can be taken as

$$F = \frac{E}{\left(\frac{2\pi}{a} \right)^2} \left[A_2 \cosh \left(\frac{2\pi x}{a} \right) + B_2 \left(\frac{2\pi x}{a} \right) \sinh \left(\frac{2\pi x}{a} \right) \right] \cos \frac{2\pi x}{a} \\ + \frac{E}{\left(\frac{4\pi}{a} \right)^2} \left[A_4 \cosh \left(\frac{4\pi x}{a} \right) + B_4 \left(\frac{4\pi x}{a} \right) \sinh \left(\frac{4\pi x}{a} \right) \right] \cos \frac{4\pi x}{a} \\ + E a^2 \left(\frac{x}{a} \right)^2 C$$

$$\begin{aligned} \frac{\sigma_y}{E} = & - \left[A_2 \cosh\left(\frac{2\pi x}{a}\right) + B_2 \left(\frac{2\pi x}{a}\right) \sinh\left(\frac{2\pi x}{a}\right) \right] \cos \frac{2\pi y}{a} - \left[A_4 \cosh\left(\frac{4\pi x}{a}\right) + B_4 \left(\frac{4\pi x}{a}\right) \sinh\left(\frac{4\pi x}{a}\right) \right] \cos \frac{4\pi y}{a} \\ & + 2C + \left(\frac{a}{R}\right)^2 \frac{1}{8} \left[\frac{1\pi^2}{4} \cos \frac{2\pi x}{a} + \frac{1}{4} \left(\frac{1\pi^2}{2} - 1\right) \cos \frac{2\pi x}{a} \cos \frac{2\pi y}{a} \right. \\ & \left. + \frac{1\pi^2}{4} \left\{ \frac{1}{4} \cos \frac{4\pi x}{a} + \frac{1}{25} \cos \frac{4\pi x}{a} \cos \frac{2\pi y}{a} + \frac{1}{25} \cos \frac{2\pi x}{a} \cos \frac{4\pi y}{a} \right\} \right] \end{aligned}$$

The condition is $\frac{\partial \gamma}{\partial x} = -\frac{\sigma}{E}$, when $y = \pm a$

$$\text{Thus} \quad -\frac{\sigma}{E} = 2C \quad \boxed{C = -\frac{\sigma}{2E}}$$

$A_2 \cosh 2\pi + 2\pi B_2 \sinh 2\pi = \left(\frac{a}{R}\right)^2 \frac{1}{8} \left[\frac{1\pi^2}{4} + \frac{1}{4} \left(\frac{1\pi^2}{2} - 1\right) + \frac{1\pi^2}{4} \left(\frac{1}{25}\right) \right]$	
$A_4 \cosh 4\pi + 4\pi B_4 \sinh 4\pi = \left(\frac{a}{R}\right)^2 \frac{1}{8} \left[\frac{1\pi^2}{4} \left(\frac{1}{4} + \frac{1}{25}\right) \right]$	
$(A_2 + B_2) \sinh 2\pi + 2\pi B_2 \cosh 2\pi = 0$	from shear stress consideration
$(A_4 + B_4) \sinh 4\pi + 4\pi B_4 \cosh 4\pi = 0$	

$$\frac{\phi_2}{E} = -\frac{C}{E} + \left(\frac{Q}{R}\right)^2 \frac{f}{8} \left[\left\{ \frac{f\pi^2}{4} + \frac{f}{4} \left(\frac{f^2}{2} - 1 \right) \cos \frac{2\pi x}{a} + \frac{f\pi^2}{100} \cos \frac{4\pi x}{a} \right\} - \left\{ a_2 \cosh \left(\frac{2\pi x}{a} \right) + b_2 \left(\frac{2\pi x}{a} \right) \sinh \left(\frac{2\pi x}{a} \right) \right\} \right] \cos \frac{2\pi x}{a}$$

$$+ \left(\frac{Q}{R}\right)^2 \frac{f}{8} \left[\left\{ \frac{f\pi^2}{16} + \frac{f\pi^2}{25} \cos \frac{2\pi x}{a} \right\} - \left\{ a_4 \cosh \left(\frac{4\pi x}{a} \right) + b_4 \left(\frac{4\pi x}{a} \right) \sinh \left(\frac{4\pi x}{a} \right) \right\} \right] \cos \frac{4\pi x}{a}$$

$$\frac{1}{aE^2} \int_0^a \phi_y^2 dy = \left(\frac{5}{E} \right)^2 + \left(\frac{Q}{R} \right)^2 \frac{f^2}{128} \left[\left\{ \frac{f^2}{4} + \frac{f}{4} \left(\frac{f\pi^2}{2} - 1 \right) \cos \frac{2\pi x}{a} + \frac{f^2}{100} \cos \frac{4\pi x}{a} \right\} - \left\{ a_2 \cosh \left(\frac{2\pi x}{a} \right) + b_2 \left(\frac{2\pi x}{a} \right) \sinh \left(\frac{2\pi x}{a} \right) \right\} \right]^2$$

$$+ \left(\frac{Q}{R}\right)^2 \frac{f^2}{128} \left[\left\{ \frac{f\pi^2}{16} + \frac{f\pi^2}{25} \cos \frac{2\pi x}{a} \right\} - \left\{ a_4 \cosh \left(\frac{4\pi x}{a} \right) + b_4 \left(\frac{4\pi x}{a} \right) \sinh \left(\frac{4\pi x}{a} \right) \right\} \right]^2$$

$$\frac{1}{aE^2} \int_0^a \int_0^a \phi_y^2 dx dy = \left(\frac{Q}{E} \right)^2 + \left(\frac{Q}{R} \right)^2 \frac{f^2}{256} \left[2 \left(\frac{f^2}{4} \right) + \frac{f}{16} \left(\frac{f\pi^2}{2} - 1 \right)^2 + \left(\frac{f^2}{100} \right)^2 + \left(\frac{f\pi^2}{25} \right)^2 \right]$$

$$- \left(\frac{Q}{R}\right)^2 \frac{f^2}{64} \left[\int_0^1 \left\{ \frac{f\pi^2}{4} + \frac{f}{4} \left(\frac{f^2}{2} - 1 \right) \cos \frac{2\pi x}{a} + \frac{f\pi^2}{100} \cos \frac{4\pi x}{a} \right\} \left\{ a_2 \cosh \left(\frac{2\pi x}{a} \right) + b_2 \left(\frac{2\pi x}{a} \right) \sinh \left(\frac{2\pi x}{a} \right) \right\} dx \right]$$

$$+ \int_0^1 \left\{ \frac{f\pi^2}{16} + \frac{f\pi^2}{25} \cos \frac{2\pi x}{a} \right\} \left\{ a_4 \cosh \left(\frac{4\pi x}{a} \right) + b_4 \left(\frac{4\pi x}{a} \right) \sinh \left(\frac{4\pi x}{a} \right) \right\} dx \left(\frac{x}{a} \right)$$

$$+ \left(\frac{Q}{R}\right)^2 \frac{f^2}{128} \left[\int_0^1 \left\{ a_2 \cosh \left(\frac{2\pi x}{a} \right) + b_2 \left(\frac{2\pi x}{a} \right) \sinh \left(\frac{2\pi x}{a} \right) \right\}^2 dx \left(\frac{x}{a} \right) + \int_0^1 \left\{ a_4 \cosh \left(\frac{4\pi x}{a} \right) + b_4 \left(\frac{4\pi x}{a} \right) \sinh \left(\frac{4\pi x}{a} \right) \right\}^2 dx \left(\frac{x}{a} \right) \right]$$

$$\begin{aligned}
& \int_0^1 \left\{ a_2 \cosh\left(\frac{2\pi x}{a}\right) + b_2 \left(\frac{2\pi x}{a}\right) \sinh\left(\frac{2\pi x}{a}\right) \right\} d\left(\frac{x}{a}\right) = \frac{1}{2\pi} \int_0^1 \left\{ a_2 \cosh\left(\frac{2\pi x}{a}\right) + b_2 \left(\frac{2\pi x}{a}\right) \sinh\left(\frac{2\pi x}{a}\right) \right\} d\left(\frac{2\pi x}{a}\right) \\
& = \frac{1}{2\pi} \int_0^{2\pi} \left\{ a_2 \cosh u + b_2 u \sinh u \right\} du = \frac{1}{2\pi} \left[a_2 \sinh u + b_2 (u \cosh u - \sinh u) \right]_0^{2\pi} \\
& = \frac{1}{2\pi} \left[(a_2 - b_2) \sinh 2\pi + \dots 2\pi \cosh 2\pi \right]
\end{aligned}$$

$$\begin{aligned}
& \int_0^1 \cosh \frac{2\pi x}{a} \left\{ a_2 \cosh\left(\frac{2\pi x}{a}\right) + b_2 \left(\frac{2\pi x}{a}\right) \sinh\left(\frac{2\pi x}{a}\right) \right\} d\left(\frac{x}{a}\right) \\
& = a_2 \int_0^1 \frac{1}{2} \left\{ \cosh \frac{2\pi}{a} (y+iy) + \cosh \frac{2\pi}{a} (y-iy) \right\} d\left(\frac{y}{a}\right) + b_2 \int_0^1 \frac{1}{2} \left(\frac{2\pi x}{a}\right) \left\{ \sinh \frac{2\pi}{a} (y+iy) + \sinh \frac{2\pi}{a} (y-iy) \right\} d\left(\frac{y}{a}\right) \\
& = \frac{a_2}{2} \frac{1}{2\pi} \left[\frac{1}{1+i} \sinh \frac{2\pi}{a} (y+iy) + \frac{1}{1-i} \sinh \frac{2\pi}{a} (y-iy) \right]_0^1 \\
& + \frac{b_2}{2} \frac{1}{2\pi} \left[\frac{1}{(1+i)^2} \left\{ \frac{2\pi x}{a} (1+i) \cosh \frac{2\pi}{a} (y+iy) - \sinh \frac{2\pi}{a} (y+iy) \right\} \right. \\
& \quad \left. + \frac{1}{(1-i)^2} \left\{ \frac{2\pi x}{a} (1-i) \cosh \frac{2\pi}{a} (y-iy) - \sinh \frac{2\pi}{a} (y-iy) \right\} \right]_0^1
\end{aligned}$$

$$\begin{aligned}
& \int_0^1 \cos \frac{2\pi x}{a} \left\{ a_2 \cosh \frac{2\pi x}{a} + b_2 \left(\frac{2\pi x}{a} \right) \sinh \left(\frac{2\pi x}{a} \right) \right\} d\left(\frac{x}{a}\right) \\
&= \frac{a_2}{2} \frac{1}{3\pi} \left[\sinh \frac{2\pi x}{a} \cos \frac{2\pi x}{a} + \cosh \frac{2\pi x}{a} \sin \frac{2\pi x}{a} \right]_0^1 \\
&+ \frac{b_2}{2} \frac{1}{3\pi} \left[\left(\frac{2\pi x}{a} \right) \left\{ \cosh \frac{2\pi x}{a} \cos \frac{2\pi x}{a} + \sinh \frac{2\pi x}{a} \sin \frac{2\pi x}{a} \right\} - \cosh \frac{2\pi x}{a} \sin \frac{2\pi x}{a} \right]_0^1 \\
&= \frac{a_2}{4\pi} \left[\sinh 2\pi \right] + \frac{b_2}{4\pi} \left[3\pi \cosh 2\pi \right]
\end{aligned}$$

15

$$\begin{aligned}
& \int_0^1 \cos \frac{4\pi x}{a} \left\{ a_2 \cosh \frac{2\pi x}{a} + b_2 \left(\frac{2\pi x}{a} \right) \sinh \left(\frac{2\pi x}{a} \right) \right\} d\left(\frac{x}{a}\right) \\
&= \frac{a_2}{4\pi} \left[\frac{1}{1+2i} \sinh \frac{2\pi x}{a} (1+2i) + \frac{1}{1-2i} \sinh \frac{2\pi x}{a} (1-2i) \right]_0^1 \\
&+ \frac{b_2}{4\pi} \left[\frac{1}{(1+2i)^2} \left\{ \frac{2\pi x}{a} (1+2i) \cosh \frac{2\pi x}{a} (1+2i) - \sinh \frac{2\pi x}{a} (1+2i) \right\} \right. \\
&\quad \left. + \frac{1}{(1-2i)^2} \left\{ \frac{2\pi x}{a} (1-2i) \cosh \frac{2\pi x}{a} (1-2i) - \sinh \frac{2\pi x}{a} (1-2i) \right\} \right]_0^1 \\
&- \frac{a_2}{4\pi} \left[\frac{2}{5} \sinh \frac{2\pi x}{a} \cos \frac{4\pi x}{a} + \frac{4}{5} \cosh \frac{2\pi x}{a} \sin \frac{4\pi x}{a} \right]_0^1 \\
&+ \frac{b_2}{4\pi} \left[\left(\frac{2\pi x}{a} \right) \left\{ \frac{2}{5} \cosh \frac{2\pi x}{a} \cos \frac{4\pi x}{a} - \frac{4}{5} \sinh \frac{2\pi x}{a} \sin \frac{4\pi x}{a} \right\} + \left\{ \frac{6}{25} \sinh \frac{2\pi x}{a} \cos \frac{4\pi x}{a} - \frac{4}{25} \cosh \frac{2\pi x}{a} \sin \frac{4\pi x}{a} \right\} \right]_0^1
\end{aligned}$$

16

$$\int_0^1 \cos \frac{4\pi x}{a} \left\{ a_2 \cosh \frac{2\pi x}{a} + b_2 \left(\frac{2\pi x}{a} \right) \sinh \left(\frac{2\pi x}{a} \right) d\left(\frac{x}{a}\right) \right. \\ \left. = \frac{a_2}{4\pi} \frac{2}{5} \sinh 2\pi + \frac{b_2}{4\pi} \left[2\pi \frac{2}{5} \cosh 2\pi + \frac{6}{25} \sinh 2\pi \right] \right.$$

$$\int_0^1 \left\{ a_4 \cosh \frac{4\pi x}{a} + b_4 \left(\frac{4\pi x}{a} \right) \sinh \frac{4\pi x}{a} \right\} d\left(\frac{x}{a}\right) = \frac{1}{4\pi} \left[(a_4 - b_4) \sinh 4\pi + b_4 4\pi \cosh 4\pi \right]$$

$$\int_0^1 \cos \frac{2\pi x}{a} \left\{ a_4 \cosh \left(\frac{4\pi x}{a} \right) + b_4 \left(\frac{4\pi x}{a} \right) \sinh \left(\frac{4\pi x}{a} \right) d\left(\frac{x}{a}\right) \right. \\ = \frac{a_4}{2} \int_0^1 \left[\cosh \frac{2\pi x}{a} (2+i) + \sinh \frac{2\pi x}{a} (2-i) \right] d\left(\frac{x}{a}\right) + \frac{b_4}{2} \int_0^1 \left(\frac{2\pi x}{a} \right) \left[\sinh \frac{2\pi x}{a} (2+i) + \sinh \frac{2\pi x}{a} (2-i) \right] d\left(\frac{x}{a}\right) \\ = \frac{a_4}{2} \frac{1}{2\pi} \left[\frac{1}{2+i} \sinh \frac{2\pi x}{a} (2+i) + \frac{1}{2-i} \sinh \frac{2\pi x}{a} (2-i) \right]_0^1 + \frac{b_4}{2\pi} \left[\frac{1}{(2+i)^2} \left\{ \frac{2\pi x}{a} (2+i) \cosh \frac{2\pi x}{a} (2+i) \right. \right. \\ \left. \left. - \sinh \frac{2\pi x}{a} (2+i) \right\} \right. \\ \left. + \frac{1}{(2-i)^2} \left\{ \frac{2\pi x}{a} (2-i) \cosh \frac{2\pi x}{a} (2-i) - \sinh \frac{2\pi x}{a} (2-i) \right\} \right]_0^1 \\ = \frac{a_4}{4\pi} \left[\frac{4}{5} \sinh \frac{4\pi x}{a} \cosh \frac{2\pi x}{a} + \frac{2}{5} \cosh \frac{4\pi x}{a} \sinh \frac{2\pi x}{a} \right]_0^1 + \frac{b_4}{2\pi} \left[\left(\frac{2\pi x}{a} \right)^2 \frac{4}{5} \cosh \frac{4\pi x}{a} \cosh \frac{2\pi x}{a} \right. \\ \left. + \left(\frac{2\pi x}{a} \right)^2 \frac{2}{5} \sinh \frac{4\pi x}{a} \sinh \frac{2\pi x}{a} \right]_0^1 - \left\{ \frac{6}{25} \sinh \frac{4\pi x}{a} \cosh \frac{2\pi x}{a} + \frac{2}{25} \cosh \frac{4\pi x}{a} \sinh \frac{2\pi x}{a} \right\} \Big|_0^1 \\ + \left\{ \frac{6}{25} \sinh \frac{4\pi x}{a} \cosh \frac{2\pi x}{a} + \frac{2}{25} \cosh \frac{4\pi x}{a} \sinh \frac{2\pi x}{a} \right\} \Big|_0^1$$

15

$$\int_0^1 \cos \frac{2\pi x}{a} \left\{ a_4 \cosh \left(\frac{4\pi x}{a} \right) + a_4 \left(\frac{4\pi x}{a} \right) \sinh \frac{4\pi x}{a} \right\} d \left(\frac{x}{a} \right)$$

$$= \frac{a_4}{4\pi} \frac{4}{5} \sinh 4\pi + \frac{b_4}{2\pi} \left[2 \frac{4}{5} \cosh 4\pi - \frac{4}{25} \sinh 4\pi \right]$$

$$\int_0^1 \left\{ a_2 \cosh \left(\frac{4\pi x}{a} \right) + a_2 \left(\frac{4\pi x}{a} \right) \sinh \left(\frac{4\pi x}{a} \right) + a_2 \left(\frac{4\pi x}{a} \right)^2 \sinh \left(\frac{4\pi x}{a} \right) \right\} d \left(\frac{x}{a} \right)$$

$$= \frac{a_2^2}{2} \int_0^1 \left(\cosh \frac{4\pi x}{a} + 1 \right) d \left(\frac{x}{a} \right) + a_{212} \int_0^1 \left(\frac{4\pi x}{a} \right) \sinh \frac{4\pi x}{a} d \left(\frac{x}{a} \right) + \frac{b_2^2}{2} \int_0^1 \left(\frac{4\pi x}{a} \right)^2 \left[\cosh \frac{4\pi x}{a} - 1 \right] d \left(\frac{x}{a} \right)$$

$$= \frac{a_2^2}{2} \left[\frac{1}{4\pi} \sinh \frac{4\pi x}{a} + \frac{x}{a} \right]_0^1 + \frac{a_{212}}{2\pi} \left[\frac{4\pi x}{a} \cosh \frac{4\pi x}{a} - \sinh \frac{4\pi x}{a} \right]_0^1$$

$$+ \frac{b_2^2}{2} \left[\frac{1}{16\pi} \left\{ \left(\frac{4\pi x}{a} \right)^2 + 2 \right\} \sinh \frac{4\pi x}{a} - \frac{8\pi x}{a} \cosh \frac{4\pi x}{a} + \frac{4\pi^2}{3} \left(\frac{x}{a} \right)^3 \right]_0^1$$

$$= \frac{a_2^2}{2} \left[\frac{1}{4\pi} \sinh 4\pi + 1 \right] + \frac{a_{212}}{2\pi} \left[4 \cosh 4\pi - \sinh 4\pi \right]$$

$$+ \frac{b_2^2}{2} \left[\frac{1}{16\pi} \left\{ (16\pi^2 + 2) \sinh 4\pi - 8\pi \cosh 4\pi \right\} - \frac{4\pi^2}{3} \right]$$

$$\int_0^{\pi} \left\{ a_4 \cosh\left(\frac{x}{a}\right) + b_4 \left(\frac{4\pi x}{a}\right) \sinh\left(\frac{4\pi x}{a}\right) \right\} x \left(\frac{x}{a}\right)$$

$$= \frac{a_4^2}{2} \left[\frac{1}{8\pi} \sinh 8\pi + 1 \right] + \frac{a_4^2}{16\pi} \left[12 \cosh 8\pi - \sinh 8\pi \right] + \frac{b_4^2}{2} \left[\frac{1}{32\pi} \left\{ (64\pi^2 + 2) \sinh 8\pi - 16\pi \cosh 8\pi \right\} - \frac{16\pi^2}{3} \right]$$

$$\frac{1}{a^3 E^2} \int_0^{\pi} \int_0^{\pi} dx dy = \left(\frac{a}{R}\right)^4 \frac{1}{256} \left[\frac{1}{8} (1+x)^2 + \frac{1}{16} \left(\frac{x}{2} - 1\right)^2 + \frac{4x^2}{10000} + \frac{1}{128} (1+x)^2 + \frac{1}{625} (1+x^2)^2 \right]$$

$$- \left(\frac{a}{R}\right)^4 \frac{1}{64} \left[\frac{1}{4} \left\{ \frac{(a_2 - b_2)}{8\pi} \sinh 2\pi + b_2 \cosh 2\pi \right\} + \frac{1}{4} \left(\frac{x}{2} - 1\right) \left\{ a_2 \frac{\sinh 2x}{4\pi} + b_2 \frac{\cosh 2x}{2} \right\} \right]$$

$$+ \frac{1}{100} \left\{ \frac{1}{10\pi} a_2 \sinh 2\pi + b_2 \left(-\frac{1}{5} \cosh 2\pi + \frac{3}{10\pi} \sinh 2\pi \right) \right\}$$

$$+ \frac{1}{16} \left\{ \frac{(a_4 - b_4)}{4\pi} \sinh 4\pi + b_4 \cosh 4\pi \right\} + \frac{1}{25} \left\{ \frac{1}{5\pi} a_4 \sinh 4\pi + b_4 \left(\frac{4}{5} \cosh 4\pi - \frac{3}{25\pi} \sinh 4\pi \right) \right\}$$

$$+ \left(\frac{a}{R}\right)^4 \frac{1}{128} \left[\frac{a_2}{2} \left(\frac{\sinh 4\pi}{4\pi} + 1 \right) + \frac{a_2}{2} \left(\cosh 4\pi - \frac{\sinh 4\pi}{4\pi} \right) + \frac{b_2^2}{2} \left(\frac{16\pi^2 + 2}{16\pi} \sinh 4\pi - \frac{1}{2} \cosh 4\pi - \frac{4\pi^2}{3} \right) \right]$$

$$+ \frac{a_4^2}{2} \left(\frac{\sinh 8\pi}{8\pi} + 1 \right) + \frac{a_4^2}{2} \left(\cosh 8\pi - \frac{\sinh 8\pi}{4\pi} \right) + \frac{b_4^2}{2} \left(\frac{64\pi^2 + 2}{32\pi} \sinh 8\pi - \frac{1}{2} \cosh 8\pi - \frac{16\pi^2}{3} \right) \right]$$

461

$$\begin{aligned} \frac{1}{E} \phi_x = & \left(\frac{q_2}{R} \right)^2 \frac{1}{8} \left[\left\{ (a_2 + 2b_2) \cosh \left(\frac{\pi x}{a} \right) + \left(\frac{1}{4} - \frac{\pi^2}{16} \right) \sinh \left(\frac{2\pi x}{a} \right) \right\} \cos \frac{2\pi x}{a} \right. \\ & + \left\{ (a_4 + 2b_4) \cosh \left(\frac{4\pi x}{a} \right) + \left(\frac{1}{4} - \frac{\pi^2}{16} \right) \sinh \left(\frac{4\pi x}{a} \right) \right\} \cos \frac{4\pi x}{a} \\ & + \left(\frac{\pi^2}{4} - 1 \right) \cos \frac{2\pi x}{a} + \frac{1}{4} \left(\frac{\pi^2}{4} - 1 \right) \cos \frac{4\pi x}{a} + \frac{1}{25} \cos \frac{4\pi x}{a} \cos \frac{2\pi x}{a} \\ & \left. + \frac{6}{25} \cos \frac{2\pi x}{a} \cos \frac{4\pi x}{a} \right] \end{aligned}$$

$$\begin{aligned} \frac{\phi_x}{E} = & \left(\frac{q_2}{R} \right)^2 \frac{1}{8} \left[\left\{ \left(\frac{\pi^2}{4} - 1 \right) + \frac{1}{4} \left(\frac{\pi^2}{4} - 1 \right) \cos \frac{2\pi x}{a} + \frac{\pi^2}{25} \cos \frac{4\pi x}{a} + (a_2 + 2b_2) \cosh \frac{2\pi x}{a} + b_2 \left(\frac{\pi^2}{4} \right) \sinh \frac{2\pi x}{a} \right\} \cos \frac{2\pi x}{a} \right. \\ & \left. + \left\{ \frac{1}{16} - \pi^2 + \frac{\pi^2}{100} \cos \frac{2\pi x}{a} + (a_4 + 2b_4) \cosh \frac{4\pi x}{a} + b_4 \left(\frac{4\pi^2}{a} \right) \sinh \frac{4\pi x}{a} \right\} \cos \frac{4\pi x}{a} \right] \end{aligned}$$

$$\begin{aligned} \frac{1}{2E} \int_0^a \phi_x^2 dx = & \left(\frac{q_2}{R} \right)^4 \frac{1}{256} \left[2 \left(\frac{\pi^2}{4} - 1 \right)^2 + 2 \left(\frac{\pi^2}{16} \right)^2 + \frac{4\pi^2}{10,000} + \left(\frac{\pi^2}{25} \right)^2 \right] \\ & + \left(\frac{q_2}{R} \right)^4 \frac{1}{64} \left[\int_0^1 \left\{ \left(\frac{\pi^2}{4} - 1 \right) + \frac{1}{4} \left(\frac{\pi^2}{4} - 1 \right) \cos \frac{2\pi x}{a} + \frac{\pi^2}{25} \cos \frac{4\pi x}{a} \right\} \left\{ (a_2 + 2b_2) \cosh \frac{2\pi x}{a} + b_2 \left(\frac{\pi^2}{4} \right) \sinh \frac{2\pi x}{a} \right\} d \left(\frac{x}{a} \right) \right. \\ & + \int_0^1 \left\{ \frac{1}{16} - \pi^2 + \frac{\pi^2}{100} \right\} \left\{ (a_4 + 2b_4) \cosh \frac{4\pi x}{a} + b_4 \left(\frac{4\pi^2}{a} \right) \sinh \frac{4\pi x}{a} \right\} d \left(\frac{x}{a} \right) \right] \\ & + \left(\frac{q_2}{R} \right)^4 \frac{1}{128} \left[\int_0^1 \left\{ (a_2 + 2b_2) \cosh \frac{2\pi x}{a} + \left(\frac{\pi^2}{4} - 1 \right) \cos \frac{2\pi x}{a} \right\}^2 d \left(\frac{x}{a} \right) + \int_0^1 \left\{ (a_4 + 2b_4) \cosh \frac{4\pi x}{a} + b_4 \left(\frac{4\pi^2}{a} \right) \sinh \frac{4\pi x}{a} \right\}^2 d \left(\frac{x}{a} \right) \right] \end{aligned}$$

$$\begin{aligned}
\frac{1}{a^2 E^2} \int_0^a \int_0^a \phi^2 dx dy &= \left(\frac{a}{10}\right)^2 \frac{f^2}{25b} \left[2 \left(\frac{f^2}{4} - 1\right)^2 + \frac{1}{16} \left(\frac{f^2}{2} - 1\right)^2 + \frac{1}{128} (f^2)^2 + \frac{f^2 \pi^2}{10,000} + \left(\frac{f^2 \pi^2}{25}\right)^2 \right] \\
&+ \left(\frac{a}{10}\right)^4 \frac{f^2}{64} \left[\left(\frac{f^2}{4} - 1\right) \left\{ \frac{(a_2 + b_2)}{2\pi} \sin \frac{2\pi}{2} + b_2 \cos 2\pi \right\} + \frac{1}{4} \left(\frac{f^2}{2} - 1\right) \left\{ (a_2 + 2b_2) \frac{\sin 2\pi}{4\pi} + b_2 \frac{\cos 2\pi}{2} \right\} \right. \\
&+ \left. \frac{f^2 \pi^2}{25} \left\{ \frac{1}{10\pi} (a_2 + 2b_2) \sin 2\pi + b_2 \left(\frac{1}{5} \cos 2\pi + \frac{3}{50\pi} \sin 2\pi\right) \right\} \right. \\
&+ \left. \frac{f^2 \pi^2}{16} \left\{ \frac{(a_4 + b_4)}{4\pi} \sin 4\pi + b_4 \cos 4\pi \right\} + \frac{f^2 \pi^2}{100} \left\{ \frac{1}{5\pi} (a_4 + 2b_4) \sin 4\pi + b_4 \left(\frac{4}{5} \cos 4\pi - \frac{2}{15\pi} \sin 4\pi\right) \right\} \right] \\
&+ \left(\frac{a}{10}\right)^2 \frac{f^2}{128} \left[\frac{(a_2 + 2b_2)^2}{2} \left(\frac{\sin 4\pi}{4\pi} + 1 \right) + \frac{(a_2 + 2b_2) b_2}{2} \left(\cos 4\pi - \frac{\sin 4\pi}{4\pi} \right) + \frac{b_2^2}{2} \left(\frac{16\pi^2}{16\pi} \sin 4\pi - \frac{1}{2} \cos 4\pi - \frac{4\pi^2}{3} \right) \right. \\
&+ \left. \frac{(a_4 + 2b_4)^2}{2} \left(\frac{\sin 8\pi}{8\pi} + 1 \right) + \frac{(a_4 + 2b_4) b_4}{2} \left(\cos 8\pi - \frac{\sin 8\pi}{8\pi} \right) + \frac{b_4^2}{2} \left(\frac{64\pi^2}{32\pi} \sin 8\pi - \frac{1}{2} \cos 8\pi - \frac{16\pi^2}{3} \right) \right]
\end{aligned}$$

$$\frac{1}{E} \tau_{xy} = \left(\frac{q}{R}\right) \frac{1}{8} \left[\frac{1}{4} \left(\frac{1-E}{2} - 1\right) \sin \frac{2\pi x}{a} \sin \frac{2\pi y}{a} + \frac{1-E}{4} \left\{ \frac{2}{25} \sin \frac{4\pi x}{a} \sin \frac{2\pi y}{a} + \frac{2}{25} \sin \frac{2\pi x}{a} \sin \frac{4\pi y}{a} \right\} \right. \\ \left. + (a_2 + b_2) \sinh \frac{2\pi x}{a} + b_2 \left(\frac{2\pi y}{a}\right) \cosh \frac{2\pi x}{a} \right] \sin \frac{2\pi y}{a} + \left[(a_4 + b_4) \sinh \frac{4\pi x}{a} + b_4 \left(\frac{4\pi y}{a}\right) \cosh \frac{4\pi x}{a} \right] \sin \frac{4\pi y}{a} \Bigg]$$

$$\frac{1}{aE} \int_0^a \tau_{xy}^2 dx = \left(\frac{q}{R}\right)^4 \frac{1}{128} \left[\left\{ \frac{1}{4} \left(\frac{1-E}{2} - 1\right) \sin \frac{2\pi x}{a} + (a_2 + b_2) \sinh \frac{2\pi x}{a} + b_2 \left(\frac{2\pi y}{a}\right) \cosh \frac{2\pi x}{a} \right\}^2 \right. \\ \left. + \frac{1-E}{50} \sin \frac{4\pi x}{a} \right. \\ \left. + \left\{ \frac{1-E}{50} \sin \frac{2\pi x}{a} + (a_4 + b_4) \sinh \frac{4\pi x}{a} + b_4 \left(\frac{4\pi y}{a}\right) \cosh \frac{4\pi x}{a} \right\}^2 \right]$$

$$\frac{1}{aE} \int_0^a \int_0^a \tau_{xy}^2 dx dy = \left(\frac{q}{R}\right)^4 \frac{1}{256} \left[\frac{1}{16} \left(\frac{1-E}{2} - 1\right)^2 + 2 \left(\frac{1-E}{50}\right)^2 \right] \\ + \left(\frac{q}{R}\right)^4 \frac{1}{64} \left[\int_0^1 \left\{ \frac{1}{4} \left(\frac{1-E}{2} - 1\right) \sin \frac{2\pi x}{a} + \frac{1-E}{50} \sin \frac{4\pi x}{a} \right\} \left\{ (a_2 + b_2) \sinh \frac{2\pi x}{a} + b_2 \left(\frac{2\pi y}{a}\right) \cosh \frac{2\pi x}{a} \right\} d\left(\frac{x}{a}\right) \right. \\ \left. + \frac{1}{50} (1-E) \int_0^1 \sin \frac{2\pi x}{a} \left\{ (a_4 + b_4) \sinh \frac{4\pi x}{a} + b_4 \left(\frac{4\pi y}{a}\right) \cosh \frac{4\pi x}{a} \right\} d\left(\frac{x}{a}\right) \right] \\ + \left(\frac{q}{R}\right)^4 \frac{1}{128} \left[\int_0^1 \left\{ (a_2 + b_2) \sinh \frac{2\pi x}{a} + b_2 \left(\frac{2\pi y}{a}\right) \cosh \frac{2\pi x}{a} \right\}^2 d\left(\frac{x}{a}\right) + \int_0^1 \left\{ (a_4 + b_4) \sinh \frac{4\pi x}{a} + b_4 \left(\frac{4\pi y}{a}\right) \cosh \frac{4\pi x}{a} \right\}^2 d\left(\frac{x}{a}\right) \right]$$

$$\begin{aligned}
 \int_0^1 \sin \frac{2\pi x}{a} \sinh \frac{2\pi x}{a} d\left(\frac{x}{a}\right) &= \frac{1}{2i} \int_0^1 \left[\cosh \frac{2\pi x}{a} (1+i) - \cosh \frac{2\pi x}{a} (1-i) \right] d\left(\frac{x}{a}\right) \\
 &= \frac{1}{4\pi i} \left[\frac{1}{1+i} \sinh \frac{2\pi x}{a} (1+i) - \frac{1}{1-i} \sinh \frac{2\pi x}{a} (1-i) \right]_0^1 = \frac{1}{4\pi} \left[-\sinh \frac{2\pi x}{a} \cos \frac{2\pi x}{a} + \cosh \frac{2\pi x}{a} \sin \frac{2\pi x}{a} \right]_0^1 \\
 &= -\frac{\sinh 2\pi}{4\pi}
 \end{aligned}$$

$$\begin{aligned}
 \int_0^1 \sin \frac{2\pi x}{a} \left(\frac{1+i}{a}\right) \cosh \frac{2\pi x}{a} d\left(\frac{x}{a}\right) &= \frac{1}{9i} \int_0^1 \left(\frac{1+i}{a}\right) \left[\sinh \frac{2\pi x}{a} (1+i) - \sinh \frac{2\pi x}{a} (1-i) \right] d\left(\frac{x}{a}\right) \\
 &= \frac{1}{4\pi i} \left[\frac{1}{(1+i)^2} \left\{ \frac{2\pi x}{a} (1+i) \cosh \frac{2\pi x}{a} (1+i) - \sinh \frac{2\pi x}{a} (1+i) \right\} - \frac{1}{(1-i)^2} \left\{ \frac{2\pi x}{a} (1-i) \cosh \frac{2\pi x}{a} (1-i) - \sinh \frac{2\pi x}{a} (1-i) \right\} \right]_0^1 \\
 &= \frac{1}{4\pi} \left[\frac{2\pi x}{a} \left\{ -\cosh \frac{2\pi x}{a} \cos \frac{2\pi x}{a} + \sinh \frac{2\pi x}{a} \sin \frac{2\pi x}{a} \right\} + \sinh \frac{2\pi x}{a} \cos \frac{2\pi x}{a} \right]_0^1 \\
 &= \left[-\frac{1}{2} \cosh 2\pi + \frac{\sinh 2\pi}{4\pi} \right]
 \end{aligned}$$

$$\begin{aligned}
 \int_0^1 \sin \frac{4\pi x}{a} \sinh \frac{2\pi x}{a} d\left(\frac{x}{a}\right) &= \frac{1}{4\pi i} \left[\frac{1}{1+i} \sinh \frac{2\pi x}{a} (1+i) - \frac{1}{1-i} \sinh \frac{2\pi x}{a} (1-i) \right]_0^1 \\
 &= \frac{1}{4\pi} \left[-\frac{4}{5} \sinh \frac{2\pi x}{a} \cos \frac{4\pi x}{a} + \frac{2}{5} \cosh \frac{2\pi x}{a} \sin \frac{4\pi x}{a} \right]_0^1 = -\frac{\sinh 2\pi}{5\pi}
 \end{aligned}$$

$$\int_0^1 \sinh \frac{2\pi x}{a} \sinh \frac{4\pi x}{a} d\left(\frac{x}{a}\right) = \frac{1}{4\pi i} \left[\frac{1}{2+i} \sinh \frac{2\pi x}{a} (2+i) - \frac{1}{2-i} \sinh \frac{2\pi x}{a} (2-i) \right]'_0$$

$$= \frac{1}{4\pi} \left[-\frac{2}{5} \sinh \frac{4\pi x}{a} \cosh \frac{2\pi x}{a} + \frac{4}{5} \cosh \frac{4\pi x}{a} \sinh \frac{2\pi x}{a} \right]'_0 = -\frac{\sinh 4\pi}{10\pi}$$

$$\int_0^1 \frac{4\pi x}{a} \sinh \frac{2\pi x}{a} \cosh \frac{4\pi x}{a} d\left(\frac{x}{a}\right) = \frac{1}{2\pi i} \left[\frac{1}{(2+i)^2} \left\{ \frac{2\pi x}{a} (2+i) \cosh \frac{2\pi x}{a} (2+i) - \sinh \frac{2\pi x}{a} (2+i) \right\} \right.$$

$$\left. - \frac{1}{(2-i)^2} \left\{ \frac{2\pi x}{a} (2-i) \cosh \frac{2\pi x}{a} (2-i) - \sinh \frac{2\pi x}{a} (2-i) \right\} \right]'_0$$

$$= \frac{1}{2\pi} \left[\frac{2\pi x}{a} \left\{ -\frac{2}{5} \cosh \frac{4\pi x}{a} \cosh \frac{2\pi x}{a} + \frac{4}{5} \sinh \frac{4\pi x}{a} \sinh \frac{2\pi x}{a} \right\} + \left\{ \frac{8}{25} \sinh \frac{4\pi x}{a} \cosh \frac{2\pi x}{a} \right. \right.$$

$$\left. - \frac{6}{25} \cosh \frac{4\pi x}{a} \sinh \frac{2\pi x}{a} \right\} \right]'_0$$

$$= -\frac{2}{5} \cosh 4\pi + \frac{4}{25\pi} \sinh 4\pi$$

$$\int_0^1 \left\{ (a_2 + b_2) \sinh \frac{2\pi x}{a} + b_2 \left(\frac{2\pi x}{a} \right) \cosh \frac{2\pi x}{a} \right\} d\left(\frac{x}{a}\right)$$

$$= \frac{(a_2 + b_2)^2}{2\pi} \left\{ \frac{\sinh 4\pi}{4} - \pi \right\} + \frac{b_2^2}{8\pi} \left\{ 4\pi \sinh 4\pi - \sinh 4\pi \right\} + \frac{b_2^2}{32\pi} \left[\frac{64\pi^3}{3} + (16\pi^2 + 2) \sinh 4\pi - 8\pi \cosh 4\pi \right]$$

$$\int_0^1 \left\{ (a_4 + b_4) \sinh \frac{4\pi y}{a} + b_4 \left(\frac{4\pi y}{a} \right) \right\} d\left(\frac{4\pi y}{a} \right)^2$$

$$= \frac{(a_4 + b_4)^2}{4\pi} \left\{ \frac{\sinh 8\pi}{4} - 2\pi \right\} + \frac{b_4(a_4 + b_4)}{16\pi} \left\{ 8\pi \cosh 8\pi - \sinh 8\pi \right\} + \frac{b_4^2}{64\pi} \left[\frac{(8\pi)^3}{3} + (64\pi^2 + 2) \sinh 8\pi - 16\pi \cosh 8\pi \right]$$

$$\frac{1}{a^2 E} \int_0^a \int_0^a \tau_{xy}^2 dx dy = \left(\frac{a}{R} \right)^4 \frac{f^2}{256} \left[\frac{1}{16} \left(\frac{1}{3} - 1 \right)^2 + 2 \left(\frac{1}{50} \right)^2 \right]$$

$$+ \left(\frac{a}{R} \right)^4 \frac{f^2}{64} \left[\frac{1}{4} \left(\frac{1}{2} - 1 \right) \left\{ -(a_2 + b_2) \frac{\sinh 2\pi}{4\pi} + b_2 \left(\frac{\sinh 2\pi}{4\pi} - \frac{1}{2} \cosh 2\pi \right) \right\} \right.$$

$$+ \frac{f\pi^2}{50} \left\{ -(a_2 + b_2) \frac{\sinh 2\pi}{5\pi} + b_2 \left(-\frac{2}{5} \cosh 2\pi + \frac{2}{25\pi} \sinh 2\pi \right) \right\}$$

$$+ \frac{f\pi^2}{50} \left\{ -(a_4 + b_4) \frac{\sinh 4\pi}{10\pi} + b_4 \left(-\frac{2}{5} \cosh 4\pi + \frac{4}{25\pi} \sinh 4\pi \right) \right\}$$

$$+ \left(\frac{a}{R} \right)^4 \frac{f^2}{128} \left[\frac{(a_2 + b_2)^2}{2} \left\{ \frac{\sinh 4\pi}{4\pi} - 1 \right\} + \frac{b_2(a_2 + b_2)}{2} \left\{ \cosh 4\pi - \frac{\sinh 4\pi}{4\pi} + \frac{b_2^2}{2} \left[\frac{(4\pi)^2}{3} + \frac{16\pi^2 + 2}{16\pi} \sinh 4\pi - \frac{\cosh 4\pi}{2} \right] \right\} \right.$$

$$+ \frac{(a_4 + b_4)^2}{2} \left\{ \frac{\sinh 8\pi}{8\pi} - 1 \right\} + \frac{b_4(a_4 + b_4)}{2} \left\{ \cosh 8\pi - \frac{\sinh 8\pi}{8\pi} + \frac{b_4^2}{2} \left[\frac{16\pi^2}{3} + \frac{64\pi^2 + 2}{32\pi} \sinh 8\pi - \frac{\cosh 8\pi}{2} \right] \right\}$$

$$\frac{1}{2} \left\{ \left(\frac{\partial \psi}{\partial y} \right)^2 \right\} = \frac{1}{2} \left(\frac{a}{R} \right)^4 \left[\frac{1}{4} \left(1 + \cos \frac{2\pi y}{a} \right) \left(\frac{\pi}{a} \right) \sin \frac{2\pi y}{a} \right]^2$$

$$= \frac{1}{2} \left(\frac{a}{R} \right)^2 \frac{1}{4} \left[\frac{1}{4} \pi^2 \left(1 + \cos \frac{2\pi y}{a} \right)^2 \sin^2 \frac{2\pi y}{a} \right] = \left(\frac{a}{R} \right)^2 \frac{1}{8} \left[\frac{1}{4} \pi^2 \left(\frac{1}{2} + 2 \cos \frac{2\pi y}{a} + \frac{1}{2} \cos \frac{4\pi y}{a} \right) \right. \\ \left. \left(\frac{1}{2} - \frac{1}{2} \cos \frac{4\pi y}{a} \right) \right]$$

$$\frac{\partial \psi}{\partial y} = \frac{\partial}{\partial y} \left[\frac{1}{2} \left\{ \left(\frac{\partial \psi}{\partial y} \right)^2 \right\} \right]$$

$$+ \frac{3}{16} \pi^2 \cos \frac{4\pi y}{a}$$

$$= -\frac{\partial}{\partial y} \left[\left(\frac{a}{R} \right)^2 \frac{1}{8} \left[-\frac{3}{16} \pi^2 \left(\frac{1}{4} \right) \left\{ \frac{1}{4} \left(\frac{\pi^2}{2} - 1 \right) \cos \frac{2\pi y}{a} + \frac{26}{100} \pi^2 \cos \frac{4\pi y}{a} \right\} - \left\{ a_2 \cos \left(\frac{2\pi y}{a} \right) + \frac{1}{2} \left(\frac{2\pi y}{a} \right) \sin \left(\frac{2\pi y}{a} \right) \right\} \right] \right]$$

$$10 \frac{\partial \psi}{\partial y}$$

$$+ \left(\frac{a}{R} \right)^2 \frac{1}{8} \left[\left(\frac{1}{15} \pi^2 \cos \frac{2\pi y}{a} + \frac{1}{16} \pi^2 \cos \frac{4\pi y}{a} \right) - \left\{ a_4 \cos \frac{4\pi y}{a} + b_4 \left(\frac{4\pi y}{a} \right) \sin \frac{4\pi y}{a} \right\} \right] \cos \frac{4\pi y}{a}$$

$$\frac{\psi}{a} = -\frac{\partial}{\partial y} \left(\frac{a}{R} \right) + \left(\frac{a}{R} \right)^2 \frac{1}{8} \left[-\frac{3}{16} \pi^2 \left(\frac{1}{4} \right) + \frac{3}{64\pi} \pi^2 \sin \frac{4\pi y}{a} + \right.$$

$$\left. \left\{ \frac{1}{8\pi} \left(\frac{1}{2} \pi^2 - 1 \right) \sin \frac{2\pi y}{a} + \frac{31}{400\pi} \pi^2 \sin \frac{4\pi y}{a} \right\} \cos \frac{2\pi y}{a} - \frac{1}{2\pi} \left\{ (a_2 - b_2) \sin \left(\frac{2\pi y}{a} \right) + b_2 \left(\frac{2\pi y}{a} \right) \cos \left(\frac{2\pi y}{a} \right) \right\} \cos \frac{2\pi y}{a} \right]$$

$$+ \left(\frac{a}{R} \right)^2 \frac{1}{8} \left[\left\{ \frac{1}{50\pi} \sin \frac{2\pi y}{a} + \frac{1}{64\pi} \sin \frac{4\pi y}{a} \right\} - \frac{1}{2\pi} \left\{ (a_4 - b_4) \sin \left(\frac{4\pi y}{a} \right) + b_4 \left(\frac{4\pi y}{a} \right) \cos \left(\frac{4\pi y}{a} \right) \right\} \right] \cos \frac{4\pi y}{a}$$

468

At $y = \pm a$,

$$\left(\frac{v}{a}\right)_w = -\frac{\sigma}{E} + \left(\frac{a}{R}\right)^2 \frac{1}{8} \left[-\frac{3}{16} \pi^2 - \frac{1}{3\pi} \left\{ (a_2 - b_2) \sinh 2\pi + 8\pi b_2 \cosh 2\pi \right\} \cos \frac{2\pi x}{a} \right. \\ \left. + \frac{1}{6\pi} \left\{ (a_4 - b_4) \sinh 4\pi + 8\pi b_4 \cosh 4\pi \right\} \cos \frac{4\pi x}{a} \right]$$

The potential increase $\Delta \phi$ is

$$at \int_0^a \sigma \left(\frac{v}{a} \right) dx = - \left(\frac{a}{R} \right)^2 \frac{1}{8} \frac{\sigma}{E} \left(\frac{3}{16} \pi^2 \right)$$

cancel
with term
in σ_y avg

$$\frac{\partial u}{\partial x^2} - \frac{\partial^2 u}{\partial x^2} = \frac{1}{R} \left[\frac{1}{2} \pi^2 \cos \frac{2\pi x}{a} \left(1 + \cos \frac{2\pi x}{a} \right) \right]$$

$$\frac{t^2}{12a^2} \int_0^a \int_0^a \left(\frac{\partial^2 u}{\partial x^2} - \frac{\partial^2 u}{\partial x^2} \right)^2 dx dy = \frac{1}{12} \left(\frac{t}{R} \right)^2 \left(\frac{\pi}{2} \right)^2 \int_0^a \left\{ \cos \frac{2\pi x}{a} \left(1 + \cos \frac{2\pi x}{a} \right) \right\}^2 dx \left(\frac{t}{a} \right)$$

$$= \frac{1}{12} \left(\frac{t}{R} \right)^2 \left(\frac{\pi}{2} \right)^2 \frac{1}{4} (2+1) = \frac{1}{12} \left(\frac{t}{R} \right)^2 \left(\frac{\pi}{2} \right)^2 \frac{3}{4}$$

$$\frac{t^2}{12a^2} \int_0^a \int_0^a \left(\frac{\partial^2 u}{\partial y^2} \right)^2 dx dy = \frac{1}{12} \left(\frac{t}{R} \right)^2 \left(\frac{\pi}{2} \right)^2 \frac{3}{4}$$

$$\frac{t^2}{12a^2} \int_0^a \int_0^a \left(\frac{\partial^2 u}{\partial x \partial y} \right)^2 dx dy = \frac{1}{12} \left(\frac{t}{R} \right)^2 \left(\frac{\pi}{2} \right)^2 \frac{1}{4}$$

$$\cosh 2\pi \cdot a_2 + 2\pi \sinh 2\pi \cdot b_2 = \frac{77}{200} (f\pi^2) - \frac{1}{4}$$

$$\sinh 2\pi \cdot a_2 + (\sinh 2\pi + 2\pi \cosh 2\pi) b_2 = 0$$

$$2(\sinh 4\pi + 4\pi) b_2 = \sinh 2\pi \left(1 - \frac{77}{50} f\pi^2\right)$$

$$b_2 = \frac{\sinh 2\pi}{2(\sinh 4\pi + 4\pi)} \left(1 - \frac{77}{50} f\pi^2\right)$$

$$a_2 = -b_2 \frac{\sinh 2\pi + 2\pi \cosh 2\pi}{\sinh 2\pi}$$

$$a_2 = - \frac{\sinh 2\pi + 2\pi \cosh 2\pi}{2(\sinh 4\pi + 4\pi)} \left(1 - \frac{77}{50} f\pi^2\right)$$

$$\cosh 4\pi \cdot a_4 + 4\pi \sinh 4\pi \cdot b_4 = \frac{41}{400} (f\pi^2)$$

$$\sinh 4\pi \cdot a_4 + (\sinh 4\pi + 4\pi \cosh 4\pi) b_4 = 0$$

$$\frac{1}{2}(\sinh 8\pi + 8\pi) b_4 = -\frac{41}{400} (f\pi^2) \sinh 4\pi$$

$$b_4 = - \frac{\sinh 4\pi}{(\sinh 8\pi + 8\pi)} \frac{41}{200} (f\pi^2)$$

$$a_4 = + \frac{\sinh 4\pi + 4\pi \cosh 4\pi}{(\sinh 8\pi + 8\pi)} \frac{41}{200} (f\pi^2)$$

$$\text{The external energy} = \frac{1}{2E} [a_1^2 + a_4^2 + 2a_2a_3]$$

$$2 \frac{\text{The external energy}}{Ea^2t} = \left(\frac{a}{R}\right)^2 \frac{f^2}{64} \left[\frac{1}{32}(a\pi)^2 + \frac{1}{2}\left(\frac{a\pi}{4} - 1\right)^2 + \frac{1}{16}\left(\frac{a\pi}{2} - 1\right)^2 + \frac{(a\pi)^2}{2000} + \frac{(-\frac{1}{56}a\pi)^2}{2500} + \frac{2}{2500} \frac{(a\pi)^2}{4\pi} \right]$$

$$+ \left(\frac{a}{R}\right)^2 \frac{f^2}{64} \left[-a_3 \frac{3}{4} \frac{\sinh 2\pi}{2\pi} \left\{ 1 + \frac{9}{50} (a\pi)^2 \right\} - b_2 \left\{ \left(\frac{f}{4} \frac{\sinh 2\pi}{2\pi} + \frac{3}{4} \cosh 2\pi\right) + \left(\frac{139}{1000} \cosh 2\pi - \frac{3/23}{5000} \frac{\sinh 2\pi}{2\pi}\right) \frac{f\pi}{2\pi} \right\} \right]$$

$$- a_4 \frac{f\pi^2}{25} \frac{\sinh 4\pi}{4\pi} - b_4 \left\{ \cosh 4\pi - \frac{33}{f} \frac{\sinh 4\pi}{4\pi} \left\{ \frac{(a\pi)^2}{25} \right\} \right. \\ \left. + \left(\frac{a}{R}\right)^2 \frac{f^2}{64} \left[\frac{\sinh 4\pi}{4\pi} a_2^2 + \left(\frac{\sinh 4\pi}{11\pi} + \cosh 4\pi\right) a_2b_2 + \frac{f}{2} \left\{ (\delta\pi^2 + 2) \frac{\sinh 4\pi}{4\pi} + \cosh 4\pi + 1 \right\} b_2^2 \right] \right. \\ \left. + \frac{\sinh 8\pi}{8\pi} a_4^2 + \left(\frac{\sinh 4\pi}{f\pi} + \cosh 8\pi\right) a_4b_4 + \frac{1}{2} \left\{ (32\pi^2 + 2) \frac{\sinh 8\pi}{8\pi} + \cosh 8\pi + 1 \right\} b_4^2 \right]$$

$$2 \frac{\Delta p}{Ea^2t} = - \left(\frac{a}{R}\right)^2 \frac{f^2}{64} \left[3\pi^2 \frac{a}{f} \right]$$

$$2 \frac{\text{The bending energy}}{Ea^2t} = \frac{1}{6} \left(\frac{f}{R}\right)^2 - \frac{a\pi^2}{4}$$

w_2	a, b_2	b_2^2
$\frac{\sinh 4\pi}{4\pi} + 1$	$4 \frac{\sinh 4\pi}{4\pi} + 4$	$4 \frac{\sinh 4\pi}{4\pi} + 4$
	$\cosh 4\pi - \frac{\sinh 4\pi}{4\pi}$	$2 \cosh 4\pi - 2 \frac{\sinh 4\pi}{4\pi}$ (2)
	(2)	$\frac{16\pi^2 + 2}{16\pi} \sinh 4\pi - \frac{1}{2} \cosh 4\pi - \frac{\cosh^2}{3}$
$\frac{\sinh 4\pi}{4\pi} + 1$	$\cosh 4\pi - \frac{\sinh 4\pi}{4\pi}$	$\frac{16\pi^2 + 2}{16\pi} \sinh 4\pi - \frac{1}{2} \cosh 4\pi - \frac{\cosh^2}{3}$
$2 \frac{\sinh 4\pi}{4\pi} - 2$	$4 \frac{\sinh 4\pi}{4\pi} - 4$	$2 \frac{\sinh 4\pi}{4\pi} - 2$
	$2 \cosh 4\pi - 2 \frac{\sinh 4\pi}{4\pi}$	$2 \cosh 4\pi - 2 \frac{\sinh 4\pi}{4\pi}$
	(2)	$2 \frac{4\pi^2}{3} - \cosh 4\pi + 2 \frac{16\pi^2 + 2}{16\pi} \sinh 4\pi$ (2)
$4 \frac{\sinh 4\pi}{4\pi}$	$4 \frac{\sinh 4\pi}{4\pi} + 4 \cosh 4\pi +$	$(16\pi^2 + 4) \frac{\sinh 4\pi}{4\pi} + 2 \cosh 4\pi + 2$

$$\begin{aligned}
 & (4\pi^2)^2 \left[-\frac{1}{32} + \frac{1}{32} + \frac{1}{64} + \frac{1}{2000} + \frac{1}{126} - \frac{3}{2500} \right] = (4\pi^2)^2 [0.08203125 + 0.00125000] \\
 & + (4\pi^2)^2 \left[-\frac{1}{4} - \frac{1}{16} \right] = - (4\pi^2)^2 [0.3125000] \\
 & + \left[\frac{1}{2} + \frac{1}{16} \right] = 0.562500
 \end{aligned}$$

$$\begin{aligned}
 \mathcal{W}_1 = & \left(\frac{q}{R}\right)^4 \frac{f^2}{64} \left[0.08328125 (4\pi^2)^2 - 0.312500 (4\pi^2)^2 + 0.562500 \right. \\
 & - 0.35 \frac{\sin 2\pi}{2\pi} \left\{ 1 + 0.18000 (4\pi^2)^2 \right\} - \left\{ (4.2500 \frac{\sin 2\pi}{2\pi} + 0.3500 \cos 2\pi) + (0.13900 \cos 2\pi - 0.624600 \frac{\sin 2\pi}{2\pi}) (4\pi^2)^2 \right\} b_2 \\
 & - 0.0400 \frac{\sin 4\pi}{4\pi} (4\pi^2) a_4 - \left\{ 0.0400 \frac{\sin 4\pi}{4\pi} (4\pi^2)^2 b_4 \right. \\
 & + \frac{\sin 4\pi}{4\pi} a_2^2 + \left(\frac{\sin 4\pi}{4\pi} + \cos 4\pi \right) a_2 + \left\{ (4\pi^2 + 1) \frac{\sin 4\pi}{4\pi} + 0.5 \cos 4\pi + 0.5 \right\} b_2^2 + \\
 & \left. + \frac{\sin 8\pi}{8\pi} a_4^2 + \left(\frac{\sin 8\pi}{8\pi} + \cos 8\pi \right) a_4 + \left\{ (16\pi^2 + 1) \frac{\sin 8\pi}{8\pi} + 0.5 \cos 8\pi + 0.5 \right\} b_4^2 \right]
 \end{aligned}$$

$$\mathcal{W}_2 = - \left(\frac{q}{R}\right)^2 \frac{f^2}{64} [3\pi^2 E]$$

$$\mathcal{W}_3 = \left(\frac{f}{R}\right)^2 \frac{f^2}{64} \left[\frac{16\pi^4}{5} \right]$$

$$a_2 = - \frac{\left(\frac{\sinh 2\pi}{2\pi} + \cosh 2\pi\right)}{\left(\frac{\sinh 4\pi}{4\pi} + 1\right)} (2.25000 - 0.385000 f \pi^2)$$

$$b_2 = + \frac{\frac{\sinh 2\pi}{2\pi}}{\left(\frac{\sinh 4\pi}{4\pi} + 1\right)} (0.25000 - 0.385000 f \pi^2)$$

$$a_4 = + \frac{\left(\frac{\sinh 4\pi}{4\pi} + \cosh 4\pi\right)}{\left(\frac{\sinh 8\pi}{8\pi} + 1\right)} 0.1025000 (f \pi^2)$$

$$b_4 = - \frac{\left(\frac{\sinh 4\pi}{4\pi}\right)}{\left(\frac{\sinh 8\pi}{8\pi} + 1\right)} 0.102500 (f \pi^2)$$

$$\log_e(e^5) = 5 = 2.30258509 \log_{10}(e^5)$$

$$\log_{10}(e^5) = 0.43429448 \cdot 5$$

$$\log_{10}(e^{27}) = 0.43429448 \cdot 27 = 11.725952$$

$$e^{27} = 535.49162, \quad e^{-27} = 0.00187$$

$$\sinh 2\pi = 267.74675 \quad \cosh 2\pi = 267.74662$$

$\frac{\sinh 2\pi}{2\pi} = 42.61328$	$\cosh 2\pi = 267.74662$
--------------------------------------	--------------------------

$$\log_{10}(e^{4\pi}) = 545750542,$$

$$e^{4\pi} = 286751.33$$

$$\sinh 4\pi = 143375.66$$

$$\frac{\sinh 4\pi}{4\pi} = 11409.473, \quad \cosh 4\pi = 143375.66$$

$$\log_{10}(e^{8\pi}) = 10.91501083, \quad e^{8\pi} = 82226314000$$

$$\frac{\sinh 8\pi}{8\pi} = 1635840500 \quad \cosh 8\pi = 41113157000$$

$$a_2 = -0.027199735 (0.2500 - 0.38500 + \pi^2)$$

$$b_2 = +0.0037345707 (0.2500 - 0.38500 + \pi^2)$$

$$a_4 = +0.000094621164 (0.1025000 + \pi^2)$$

$$b_4 = -0.0000069746655 (0.1025000 + \pi^2)$$

$$\begin{aligned}
& + 0.08328125(f\pi^2)^2 - 0.3125000(f\pi^2) + 0.5625000 \\
& + (0.25000 - 0.385000f\pi^2) \left\{ 0.86930118(1 + 0.1800f\pi^2) - (0.94887221 + 0.03958959f\pi^2) \right\} \\
& - 0.1025000(f\pi^2)^2 \left\{ 0.043183105 - 0.026869720 \right\} + \\
& + (0.2500 - 0.38500f\pi^2)^2 \left\{ 8.4410200 - 15.7229706 + 7.4410933 \right\} \\
& + (0.1025000f\pi^2)^2 \left\{ 14.6459494 - 28.2123232 + 13.6459506 \right\} \\
& = 0.08328125(f\pi^2)^2 - 0.3125000(f\pi^2) + 0.5625000 \\
& - (0.25000 - 0.385000f\pi^2) (0.07957103 - 0.11688462f\pi^2) - 0.001622122(f\pi^2)^2 \\
& + 0.1591427(0.2500 - 0.38500f\pi^2)^2 + 0.0008360536(f\pi^2)^2 \\
& = 0.08328125(f\pi^2)^2 - 0.3125000(f\pi^2) + 0.5625000 \\
& - (0.07957103 - 0.15988560f\pi^2 + 0.0450016f\pi^4) - 0.001622122(f\pi^2)^2 \\
& + (0.00994642 - 0.03063497f\pi^2 + 0.02358193f\pi^4) + 0.0008360536(f\pi^2)^2 \\
& = 0.06103351(f\pi^2)^2 - 0.28327897(f\pi^2) + 0.5525362
\end{aligned}$$

$$6\pi^2 \frac{\sigma}{E} \left(\frac{a}{R}\right)^2 = \frac{a^2}{R^2} \left[0.24413404 \pi^2 f^2 - 0.14983691 \pi^2 f + 1.1050724 \right] \quad \underline{\underline{477}}$$

$$+ \left(\frac{f}{R}\right)^2 \frac{16\pi^4}{3}$$

$$K = f^2 \left[0.040689 \pi^2 f^2 - 0.1416395 f + \frac{0.1841787}{\pi^2} \right] + \frac{1}{9} \pi^2 \frac{f}{f^2}$$

hence

$$\frac{f}{t} = \frac{R}{t} \frac{1}{2} \left(\frac{a}{R}\right)^2 f, \quad \text{or} \quad f = \frac{2 \left(\frac{f}{t}\right)}{f^2}$$

$$\therefore K = \pi^2 \left[0.162756 \left(\frac{f}{t}\right)^2 + \frac{2}{9} \right] \frac{1}{f^2} - 0.2832790 \left(\frac{f}{t}\right) + \frac{0.1841787}{\pi^2} f^2$$

$$\text{Then } K = 2 \left[0.0299262 \left(\frac{f}{t}\right)^2 + 0.1637147 \right] \frac{1}{f^2} - 0.2832790 \left(\frac{f}{t}\right)$$

$$\frac{0.0599524 \left(\frac{f}{t}\right)}{\left[0.0299262 \left(\frac{f}{t}\right)^2 + 0.1637147 \right] \frac{1}{f^2}} = 0.2832790$$

$$0.00359429 \left(\frac{f}{t}\right)^2 = 0.00240550 \left(\frac{f}{t}\right)^2 + 0.01313257$$

$$\left(\frac{f}{t}\right)_{\min}^2 = \frac{0.01313759}{0.00118879} = 11.05123, \quad \left(\frac{f}{t}\right)_{\min} = 3.32434$$

$$K_{\min} = \left(\frac{0.1199048}{0.2832790} - 0.2832790 \right) 3.32434 = 0.4653930$$

40
1600

$$\gamma = \pi \cdot \sqrt[4]{0.883685 \frac{1}{\pi} + 4.826230}$$

$$\gamma_0 = \pi \sqrt[4]{4.826230} = \pi \sqrt[4]{2.196868} = 1.482183 \pi$$

$$\gamma_{min} = \pi \sqrt[4]{14.592036} = \pi \sqrt[4]{3.819952} = 1.954469 \pi$$

①	②	③	④	⑤	⑥		
$(\frac{f}{E})$	$0.2832790(\frac{f}{E})$	$0.0299762(\frac{f}{E})^2$	③ + ④	⑤ [±]	K		
0	0	0	0.1637144	0.404617	0.809234		
1	0.2832790	0.0299762	0.1936906	0.440104	0.596929		
2	0.5665580	0.1199448	0.2836191	0.532559	0.498560		
3	0.8498370	0.2697858	0.4335002	0.658407	0.461977		
4	1.1331160	0.4791192	0.6433336	0.802081	0.471046		
5	1.4163950	0.7494050	0.9131194	0.955573	0.494751		
6	1.6996740	1.0791432	1.2427726	1.1148352	0.529996		
7	1.9829530	1.468338	1.6325728	1.272213	0.522473		
8	2.2662320	1.917726	2.0502986	1.42279	0.617726		
9	2.5495110	2.427022					
10	2.8327900	2.992420					
11	3.1160690	3.6271202					

$$\lambda = 1.0000$$

If the wave length in y -direction is (a/λ) instead of a

$$\nabla^4 F = \frac{E (1+\lambda^2)}{\lambda^2 a} \left[-\frac{1}{4} \frac{\pi^2}{a} \cos \frac{2\pi y}{a} + \left\{ 1 - \frac{1+\lambda^2}{4} \right\} \cos \frac{2\pi y}{a} + \left\{ 1 - \frac{1+\lambda^2}{4} \right\} \cos \frac{2\pi y}{a} \cos \frac{2\pi x}{a} \right. \\ \left. - \frac{1}{4} \frac{\pi^2}{a} \left\{ \cos \frac{4\pi x}{a} + \cos \frac{4\pi y}{a} + \cos \frac{4\pi x}{a} \cos \frac{2\pi y}{a} + \cos \frac{2\pi x}{a} \cos \frac{4\pi y}{a} + \cos \frac{2\pi x}{a} \cos \frac{2\pi y}{a} \right\} \right]$$

Therefore the particular integral is

$$E \left(\frac{a}{\lambda} \right)^2 \frac{1+\lambda^2}{8} \left[-\frac{1}{4} \frac{\pi^2}{a} \frac{\cos \frac{2\pi y}{a}}{(2\pi)^2} + \frac{1}{4\lambda^4} \left\{ 1 - \frac{1+\lambda^2}{4} \right\} \frac{\cos \frac{2\pi y}{a}}{(2\pi)^2} + \frac{1}{(1+\lambda^2)^2} \left\{ 1 - \frac{1+\lambda^2}{4} \right\} \frac{\cos \frac{2\pi x}{a} \cos \frac{2\pi y}{a}}{(2\pi)^2} \right. \\ \left. - \frac{1}{4} \frac{\pi^2}{a} \left\{ \frac{1}{4} \frac{\cos \frac{4\pi x}{a}}{(4\pi)^2} + \frac{1}{4\lambda^4} \frac{\cos \frac{4\pi y}{a}}{(4\pi)^2} + \frac{\cos \frac{4\pi x}{a} \cos \frac{2\pi y}{a}}{(2\pi)^2} + \frac{1}{(4+\lambda^2)^2} \frac{\cos \frac{2\pi x}{a} \cos \frac{4\pi y}{a}}{(2\pi)^2} \right\} \right]$$

$$F = \frac{E}{(2\pi)^2} \left[A_2 \cos \left(\frac{2\pi x}{a} \right) + B_2 \left(\frac{2\pi y}{a} \right) \sinh \left(\frac{2\pi y}{a} \right) \right] \cos \frac{2\pi x}{a} \\ + \frac{E}{(4\pi)^2} \left[A_4 \cos \left(\frac{4\pi x}{a} \right) + B_4 \left(\frac{4\pi y}{a} \right) \sinh \left(\frac{4\pi y}{a} \right) \right] \cos \frac{4\pi x}{a} + E a^2 \frac{1+\lambda^2}{2} C$$

$$\begin{aligned}
 \frac{\partial \mathcal{L}}{\partial E} = & - \left[A_2 \cosh\left(\frac{2\pi\lambda y}{a}\right) + B_2 \left(\frac{2\pi\lambda y}{a}\right) \sinh\left(\frac{2\pi\lambda y}{a}\right) - \left[A_4 \cosh\left(\frac{4\pi\lambda y}{a}\right) + B_4 \left(\frac{4\pi\lambda y}{a}\right) \sinh\left(\frac{4\pi\lambda y}{a}\right) \right] \cos\frac{2\pi x}{a} \right. \\
 & + 2C + \left(\frac{a}{b}\right)^2 \frac{f^2}{8} \left[-\frac{f^2}{4} \cos\frac{2\pi x}{a} - \frac{1}{(1+\lambda^2)^2} \left(1 - \frac{f^2}{2}\right) \cos\frac{2\pi x}{a} \cos\frac{4\pi\lambda y}{a} \right. \\
 & \left. \left. + \frac{f^2 \pi^2}{4} \left\{ \frac{1}{4} \cos\frac{4\pi x}{a} + \frac{4}{(4+\lambda^2)^2} \cos\frac{6\pi x}{a} \cos\frac{4\pi\lambda y}{a} + \frac{1}{(1+\lambda^2)^2} \cos\frac{2\pi x}{a} \cos\frac{4\pi\lambda y}{a} \right\} \right] \right]
 \end{aligned}$$

$a_2 \cosh 2\pi + 2\pi b_2 \sinh 2\pi = -\frac{f^2 \pi^2}{4} + \frac{1}{(1+\lambda^2)^2} \left(\frac{f^2 \pi^2}{2} - 1 \right) + \frac{f^2 \pi^2}{4(1+\lambda^2)^2} \pi^2$
$(a_2 + b_2) \sinh 2\pi + 2\pi b_2 \cosh 2\pi = 0$
$a_4 \cosh 4\pi + 4\pi b_4 \sinh 4\pi = \frac{f^2 \pi^2}{4} \left(\frac{1}{4} + \frac{4}{(4+\lambda^2)^2} \right)$
$(a_4 + b_4) \sinh 4\pi + 4\pi b_4 \cosh 4\pi = 0$

$$\begin{aligned}
\frac{1}{abE^2} \int_0^a \int_0^b \psi^2 dx dy &= \left(\frac{a}{b}\right)^4 \frac{(H\lambda)^2}{256} \left[\frac{1}{8} (H\lambda)^2 + \frac{1}{(1+\lambda)^4} \left(\frac{1-\lambda^2}{2} - 1 \right)^2 + \frac{(H\lambda)^2}{(4+\lambda^2)^4} + \frac{(H\lambda)^2}{128} \right] \\
&- \left(\frac{a}{b}\right)^4 \frac{(H\lambda)^2}{64} \left[\frac{1-\lambda^2}{4} \left\{ \frac{(a_2-b_2)}{2\pi} \sinh 2\pi + b_2 \cosh 2\pi \right\} + \frac{1}{(1+\lambda)^2} \left(\frac{1-\lambda^2}{2} - 1 \right) \left\{ a_2 \frac{\sinh 2\pi}{4\pi} + b_2 \frac{\cosh 2\pi}{2} \right\} \right. \\
&+ \left. \frac{1-\lambda^2}{4(1+\lambda)^2} \left\{ \frac{1}{10\pi} a_2 \sinh 2\pi + b_2 \left(\frac{1}{5} \cosh 2\pi + \frac{3}{50\pi} \sinh 2\pi \right) \right\} \right. \\
&+ \left. \frac{1-\lambda^2}{16} \left\{ \frac{(a_4-b_4)}{4\pi} \sinh 4\pi + b_4 \cosh 4\pi \right\} - \frac{1-\lambda^2}{(1+\lambda)^2} \left\{ a_4 \frac{\sinh 4\pi}{5\pi} + b_4 \left(\frac{4}{5} \cosh 4\pi - \frac{2}{25\pi} \sinh 4\pi \right) \right\} \right. \\
&+ \left. \left(\frac{a}{b}\right)^4 \frac{(H\lambda)^2}{128} \left[\frac{a_2^2}{2} \left(\frac{\sinh 4\pi}{4\pi} + 1 \right) + \frac{a_2^2}{2} \left(\cosh 4\pi - \frac{\sinh 4\pi}{4\pi} \right) + \frac{b_2^2}{2} \left(\frac{16\pi^2+2}{16\pi} \sinh 4\pi - \frac{1}{2} \cosh 4\pi - \frac{4\pi^2}{3} \right) \right. \right. \\
&+ \left. \left. \frac{a_4^2}{2} \left(\frac{\sinh 8\pi}{8\pi} + 1 \right) + \frac{a_4 b_4}{2} \left(\cosh 8\pi + \frac{\sinh 4\pi}{4\pi} \right) + \frac{b_4^2}{2} \left(\frac{64\pi^2+2}{32\pi} \sinh 8\pi - \frac{1}{2} \cosh 8\pi - \frac{16\pi^2}{3} \right) \right] \right]
\end{aligned}$$

$$= A_1$$

$$\begin{aligned}
& \frac{1}{24E^2} \int_0^a \int_0^b \phi_x^2 dx dy = \lambda^4 \left(\frac{a}{R} \right)^4 \frac{(1+\lambda^2)^2}{16} \left[\frac{b^2}{\lambda^2} \left(\frac{1+\pi^2}{4} - 1 \right)^2 + \frac{1}{(1+\lambda^2)^4} \left(\frac{1+\pi^2}{2} - 1 \right)^2 + \frac{2}{\lambda^2} \left(\frac{1+\pi^2}{16} \right)^2 + \frac{(1+\pi^2)^2}{16(1+\lambda^2)^2} \right. \\
& \quad \left. + \frac{(1+\pi^2)^2}{(1+4\lambda^2)^4} \right] \\
& \quad + \lambda^4 \left(\frac{a}{R} \right)^4 \frac{(1+\lambda^2)^2}{64} \left[\frac{1}{\lambda^2} \left(\frac{1+\pi^2}{4} - 1 \right) \left\{ \frac{(a_2+b_2)}{2} \sinh 2\pi + b_2 \cosh 2\pi \right\} + \frac{1}{(1+\lambda^2)^2} \left(\frac{1+\pi^2}{2} - 1 \right) \left\{ (a_2+2b_2) \frac{\sinh 2\pi}{4\pi} + b_2 \frac{\cosh 2\pi}{2} \right\} \right. \\
& \quad \left. + \frac{1}{(1+4\lambda^2)^2} \left\{ \frac{1}{10\pi} (a_2+2b_2) \sinh 2\pi + b_2 \left(\frac{1}{5} \cosh 2\pi + \frac{3}{50\pi} \sinh 2\pi \right) \right\} \right. \\
& \quad \left. + \frac{1+\pi^2}{16\lambda^4} \left\{ \frac{(a_4+b_4)}{4\pi} \sinh 4\pi + b_4 \cosh 4\pi \right\} + \frac{1}{44(1+\lambda^2)^2} \left\{ \frac{1}{5\pi} (a_4+2b_4) \sinh 4\pi + b_4 \left(\frac{4}{5} \cosh 4\pi - \frac{3}{25\pi} \sinh 4\pi \right) \right\} \right. \\
& \quad \left. + \left(\frac{a}{R} \right)^4 \lambda^4 \frac{(1+\lambda^2)^2}{128} \left[\frac{(a_2+2b_2)^2}{2} \left(\frac{\sinh 4\pi}{4\pi} - 1 \right) + \frac{(a_2+2b_2)b_2}{2} \left(\cosh 4\pi - \frac{\sinh 4\pi}{4\pi} \right) + \frac{b_2^2}{2} \left(\frac{16\pi^2+2}{16\pi} \sinh 4\pi - \frac{1}{2} \cosh 4\pi - \frac{4\pi^2}{3} \right) \right. \right. \\
& \quad \left. \left. + \frac{(a_4+2b_4)^2}{2} \left(\frac{\sinh 8\pi}{8\pi} + 1 \right) + \frac{(a_4+2b_4)b_4}{2} \left(\cosh 8\pi - \frac{\sinh 8\pi}{8\pi} \right) + \frac{b_4^2}{2} \left(\frac{64\pi^2+2}{32\pi} \sinh 8\pi - \frac{1}{2} \cosh 8\pi - \frac{16\pi^2}{3} \right) \right] \right]
\end{aligned}$$

$$= A_2$$

$$\begin{aligned}
\frac{1}{abE^2} \int_0^a \int_0^b \tau_{xy}^2 dx dy &= \lambda^2 \left(\frac{a^4}{R^4} \frac{b^4}{256} \left[\frac{1}{(1+\lambda^2)^4} \left(\frac{f\pi^2}{2} - 1 \right)^2 + \frac{1}{4(4+\lambda^2)^4} + \frac{(4\pi^2)^2}{4(1+4\lambda^2)^2} \right] \right. \\
&+ \lambda^2 \left(\frac{a}{R} \right)^3 \frac{(4\lambda)^3}{64} \left[\frac{1}{(1+\lambda^2)^2} \left(\frac{f\pi^2}{2} - 1 \right) \right\} - (a_2 + b_2) \frac{\sin 2\pi}{4\pi} + b_2 \left(\frac{\sin 2\pi}{4\pi} - \frac{1}{2} \cosh 2\pi \right) \left\{ \right. \\
&+ \frac{f\pi^2}{2(1+4\lambda^2)^2} \left\{ - (a_2 + b_2) \frac{\sin 4\pi}{5\pi} + b_2 \left(-\frac{2}{5} \cosh 2\pi + \frac{7}{25\pi} \sinh 4\pi \right) \right\} \\
&+ \frac{f\lambda^2 \pi^2}{2(4+\lambda^2)^2} \left\{ - (a_4 + b_4) \frac{\sin 4\pi}{16\pi} + b_4 \left(-\frac{2}{5} \cosh 4\pi + \frac{4}{25\pi} \sinh 4\pi \right) \right\} \left. \right] \\
&+ \lambda^2 \left(\frac{a}{R} \right)^4 \frac{(4\lambda)^4}{128} \left[\frac{(a_2 + b_2)^2}{2} \left\{ \frac{\sin 4\pi}{4\pi} - 1 \right\} + \frac{b_2(a_2 + b_2)}{2} \left\{ \cosh 4\pi - \frac{\sinh 4\pi}{4\pi} \right\} + \frac{b_2^2}{2} \left\{ \frac{4\pi^2}{3} + \frac{16\pi^2 + 2}{16\pi} \sinh 4\pi - \frac{\cosh 4\pi}{2} \right\} \right. \\
&+ \frac{(a_4 + b_4)^2}{2} \left\{ \frac{\sinh 8\pi}{8\pi} - 1 \right\} + \frac{b_4(a_4 + b_4)}{2} \left\{ \cosh 8\pi - \frac{\sinh 8\pi}{8\pi} \right\} + \frac{b_4^2}{2} \left\{ \frac{16\pi^2}{3} + \frac{64\pi^2 + 2}{32\pi} \sinh 8\pi - \frac{\cosh 8\pi}{2} \right\} \left. \right]
\end{aligned}$$

A_3

$$\begin{aligned} \frac{1}{a} \int_0^a \sin \frac{2\pi x}{a} \sinh(\sqrt{2}\lambda) \frac{dx}{a} &= \frac{1}{2\pi i} \int_0^a \left[\cosh \frac{\pi x}{a} (\sqrt{2}\lambda + i) - \cosh \frac{\pi x}{a} (\sqrt{2}\lambda - i) \right] d\left(\frac{\pi x}{a}\right) \\ &= \frac{1}{2\pi i} \left[\frac{1}{\sqrt{2}\lambda + i} \sinh \pi (\sqrt{2}\lambda + i) - \frac{1}{\sqrt{2}\lambda - i} \sinh \pi (\sqrt{2}\lambda - i) \right] = -\frac{2}{\pi} \frac{\sinh \pi \sqrt{2}\lambda}{4 + 2\lambda^2} = -\frac{1}{\pi} \frac{\sinh \pi \sqrt{2}\lambda}{2 + \lambda^2} \end{aligned}$$

$$\frac{1}{a} \int_0^a \frac{\pi x}{a} \sin \frac{2\pi x}{a} dx = \frac{1}{\pi} \left[\sin \theta - \theta \cos \theta \right]_0^\pi = -\frac{1}{2}$$

$$\begin{aligned} \frac{1}{a} \int_0^a \frac{\pi x}{a} \sin \frac{2\pi x}{a} \cos \frac{\pi x}{a} dx &= \frac{1}{2\pi} \int_0^\pi \frac{\pi x}{a} \left[\sin \frac{3\pi x}{a} + \sin \frac{\pi x}{a} \right] d\left(\frac{\pi x}{a}\right) \\ &= \frac{1}{2\pi} \left[\frac{1}{9} (\sin \theta - \theta \cos \theta)_0^{3\pi} + (\sin \theta - \theta \cos \theta)_0^\pi \right] = \frac{1}{2} \left[\frac{1}{3} + 1 \right] = \frac{2}{3} \end{aligned}$$

$$\frac{1}{a} \int_0^a \sinh^2 \frac{\sqrt{2}\lambda \pi x}{a} dx = \frac{1}{2\pi} \int_0^\pi (\cosh 2\sqrt{2}\lambda \theta - 1) d\theta = \frac{1}{2\pi} \left[\frac{\sinh 2\sqrt{2}\lambda \pi}{2\sqrt{2}\lambda} - \pi \right] = \frac{\sinh 2\sqrt{2}\lambda \pi}{4\sqrt{2}\lambda \pi} - \frac{1}{2}$$

$$\frac{1}{a} \int_0^a \frac{\pi x}{a} \sinh(\sqrt{2}\lambda) \frac{dx}{a} = \frac{1}{2\lambda^2 \pi} \left[\cdot \sqrt{2}\lambda \pi \cosh \sqrt{2}\lambda \pi - \sinh \sqrt{2}\lambda \pi \right]$$

$$\begin{aligned} \frac{1}{a} \int_0^a \left(\frac{\pi x}{a}\right) \cos \frac{\pi x}{a} \sinh \sqrt{2}\lambda \left(\frac{\pi x}{a}\right) dx &= \frac{1}{2\pi} \int_0^\pi \theta \left[\sinh \theta (\sqrt{2}\lambda + i) + \sinh \theta (\sqrt{2}\lambda - i) \right] d\theta \\ &= \frac{1}{2\pi} \left[\frac{1}{(\sqrt{2}\lambda + i)^2} \left\{ (\sqrt{2}\lambda + i) \pi \cosh \pi (\sqrt{2}\lambda + i) - \sinh \pi (\sqrt{2}\lambda + i) \right\} \right. \\ &\quad \left. + \frac{1}{(\sqrt{2}\lambda - i)^2} \left\{ (\sqrt{2}\lambda - i) \pi \cosh \pi (\sqrt{2}\lambda - i) - \sinh \pi (\sqrt{2}\lambda - i) \right\} \right] \end{aligned}$$

$$= -\frac{\sqrt{2}\lambda \cosh \sqrt{2}\lambda \pi}{1 + 2\lambda^2} + \frac{1}{\pi} \frac{(2\lambda^2 - 1) \sinh \sqrt{2}\lambda \pi}{(1 + 2\lambda^2)^2}$$

$$\frac{1}{2} \int_0^1 \left(\frac{\pi x}{a} \right)^2 dx = \pi \int_0^1 \theta^2 d\theta = \frac{\pi^3}{3}$$

$$\frac{1}{4} \int_0^1 \left(\frac{\pi x}{a} \right)^2 \cos \frac{\pi x}{a} dx = \frac{1}{2} \int_0^\pi \theta^2 \cos \theta d\theta = \frac{1}{\pi} [-2\pi] = -2$$

$$\frac{1}{a} \int_0^1 \left(\frac{\pi x}{a} \right)^2 \cos \frac{\pi x}{a} dx = \frac{1}{\pi} \int_0^\pi \theta^2 \cos \theta d\theta = \frac{1}{3\pi} \int_0^\pi \theta^2 (1 + \cos 2\theta) d\theta = \frac{1}{2\pi} \left[\frac{\pi^3}{3} + \frac{1}{8} (4\pi) \right] = \frac{\pi^2}{6} + \frac{1}{4}$$

$$\frac{1}{E^2 a b} \int_0^1 \int_0^1 x y^2 dx dy = \left(\frac{1}{8} \right)^4 \left(\frac{1}{8} \right)^2 \left[\frac{1}{1} \cdot \frac{\pi^2}{8} \frac{\lambda^2}{(1+2\lambda^2)} + \frac{1+\lambda^2}{8(1+2\lambda^2)} \right] + \frac{1}{4} \left(\frac{1}{32} \right)^2 \left(\frac{\lambda^2}{1+2\lambda^2} \right)^2 + \frac{1}{4} \left(\frac{1}{16} \right)^2 \left(\frac{1+2\lambda^2}{1+2\lambda^2} \right)^2$$

$$+ \frac{1}{4} \left(\frac{1}{128} \right)^2 \left(\frac{1+2\lambda^2}{1+2\lambda^2} \right)^2 + \frac{1}{4} \left(\frac{1}{16} \right)^2 \left(\frac{1+2\lambda^2}{1+2\lambda^2} \right)^2 + \frac{1}{4} \left(\frac{1}{128} \right)^2 \left(\frac{1+2\lambda^2}{1+2\lambda^2} \right)^2$$

$$+ \left[\frac{1}{8} \frac{\lambda^2}{(1+2\lambda^2)} + \frac{1+2\lambda^2}{(1+2\lambda^2)^2} \right] \left\{ \frac{1}{2} \frac{1}{(1+2\lambda^2)^2} - \frac{1}{2} + \frac{1}{4} + \frac{1}{4} \frac{\lambda^2}{(1+2\lambda^2)} \right\}$$

$$+ \frac{1}{32} \frac{\lambda^2}{(2+2\lambda^2)} \left[-\frac{1}{2} \frac{1}{(1+2\lambda^2)(2+2\lambda^2)} + \frac{1}{4} - \frac{2}{3} \frac{\lambda^2}{(1+2\lambda^2)} \right]$$

$$+ \frac{1}{2} \left\{ \left(\frac{\sinh 2\sqrt{2}\pi}{4\sqrt{2}\lambda\pi} - \frac{1}{2} \right) \pi^2 - \frac{1}{2} \frac{\pi}{(1+2\lambda^2)^2 \sinh(\sqrt{2}\lambda\pi)} - \frac{1}{2} \frac{\pi}{(1+2\lambda^2)^2 \sinh(\sqrt{2}\lambda\pi)} \right\} \frac{1}{2\lambda^2} \left[\sqrt{2}\lambda\pi \cosh \sqrt{2}\lambda\pi - \sinh \sqrt{2}\lambda\pi \right]$$

$$- \frac{\lambda^2}{(1+2\lambda^2)} \frac{\pi}{(1+2\lambda^2) \sinh(\sqrt{2}\lambda\pi)} \left[-\frac{\sqrt{2}\lambda\pi \cosh \sqrt{2}\lambda\pi}{1+2\lambda^2} + \frac{1}{\pi} \frac{(2\lambda^2-1) \sinh \sqrt{2}\lambda\pi}{(1+2\lambda^2)^2} \right] + \frac{\pi^2}{12}$$

$$- \frac{1}{(1+2\lambda^2)} + \frac{1}{(1+2\lambda^2)^2} \left(\frac{\pi^2}{6} + \frac{1}{4} \right) \left\{ \right\}$$

48

$$\frac{E_1}{2E_{abt}} = \left(\frac{9}{16}\right)^4 \left(\frac{1}{8}\right)^2 \left[H_1(\lambda) \left(\frac{1}{8}\right)^2 + H_2(\lambda) \left(\frac{1}{8}\right)^2 + H_3(\lambda) \right] + \left(\frac{9}{8}\right)^2 \left(\frac{1}{8}\right) \lambda^2 \frac{E}{2\lambda^2} - \frac{3}{128} \left(\frac{1}{8}\right)^2$$

$$H_1(\lambda) = \frac{105}{32768} + \frac{9\lambda^4}{32768} + \frac{77\lambda^4}{65536} + \frac{(1-4\lambda^2)^2 \lambda^4}{2048(1+8\lambda^2)^2} + \frac{(1-\lambda^2)^2 \lambda^4}{32768(1+2\lambda^2)^2} + \frac{\lambda^4}{512(1+2\lambda^2)^2}$$

$$+ \frac{\lambda^4}{2048(2+\lambda^2)^2} + \frac{\lambda^6}{256(1+2\lambda^2)^2} + \frac{\lambda^6}{4096(2+\lambda^2)^2} + \frac{9\lambda^6}{1024(1+8\lambda^2)^2} + \frac{\lambda^6}{65536(1+2\lambda^2)^2} + \frac{9\lambda^6}{1024(1+8\lambda^2)^2} + \frac{9\lambda^6}{65536(1+2\lambda^2)^2}$$

$$H_1(\lambda) = \frac{105}{32768} + \frac{95\lambda^4}{65536} + \frac{\lambda^4(1+2\lambda^2)}{2048(1+8\lambda^2)} + \frac{\lambda^4(130+\lambda^2)}{65536(1+2\lambda^2)} + \frac{3\lambda^6}{4096(2+\lambda^2)^2}$$

$$\begin{aligned}
 H_2(\lambda) = & -\frac{5}{48} - \frac{3}{256}\lambda^2 - \frac{\lambda^4}{32(1+\lambda)^2} - \frac{\lambda^6}{24(1+2\lambda)^2} - \frac{\lambda^8}{96(2+\lambda)^2(1+\lambda)^2} + \frac{\lambda^4(1+\lambda^2)}{16(1+2\lambda)^2} + \frac{\lambda^6}{16(1+2\lambda)^2} - \frac{\lambda^8}{32(1+2\lambda)^2} + \frac{\lambda^4}{64(1+2\lambda)^2(2+\lambda)^2} + \frac{\lambda^6}{128(2+\lambda)^2} \\
 & - \frac{\lambda^6}{48(1+2\lambda)^2(2+\lambda)^2}
 \end{aligned}$$

$$H_2(\lambda) = -\frac{5}{48} - \frac{3\lambda^2}{256} - \frac{3\lambda^4}{64(1+2\lambda)^2} - \frac{\lambda^6}{384(2+\lambda)^2}$$

$$\begin{aligned}
 H_3(\lambda) = & \frac{7}{8} - \frac{1}{8} + \frac{1}{8} + \frac{\lambda^4}{8(1+2\lambda)^2} + \frac{1}{16} + \frac{\lambda^4}{8(1+2\lambda)^2} - \frac{\lambda^6}{4(1+2\lambda)^2} - \frac{\lambda^8}{8(1+2\lambda)^2} \\
 & + \frac{\lambda^4}{4(1+2\lambda)^2} \left(\frac{1}{6} - \frac{1}{4} \right) + \frac{\lambda^6}{4(1+2\lambda)^2} (\sqrt{2}\pi) \operatorname{arctanh} \sqrt{2}\lambda\pi - \frac{\lambda^8}{4(1+2\lambda)^2} (\operatorname{arctanh} \sqrt{2}\lambda\pi - 1) \\
 & + \frac{\lambda^2(1+\lambda)^2}{4(1+2\lambda)^2} + \frac{\lambda^2(1+\lambda^2)}{2(1+2\lambda)^2} - \frac{1'(1+\lambda^2)}{2(1+2\lambda)^2} + \frac{\lambda^4(1+\lambda^2)}{4(1+2\lambda)^2} + \frac{\pi^2 \lambda^2 \left(-\frac{1}{2} + \frac{1}{4\sqrt{2}\pi\lambda} \operatorname{arctanh} \sqrt{2}\lambda\pi \right)}{4(1+2\lambda)^2 (\operatorname{arctanh} \sqrt{2}\lambda\pi - 1)} \\
 & - \frac{1}{8(1+2\lambda)^2} (\sqrt{2}\lambda\pi) \operatorname{arctanh} \sqrt{2}\lambda\pi + \frac{1}{8} \frac{1}{(1+2\lambda)^2} + \frac{\lambda^4}{2(1+2\lambda)^2} \sqrt{2}\pi\lambda \operatorname{arctanh} \sqrt{2}\lambda\pi + \frac{(1-2\lambda^2)\lambda^8}{2(1+2\lambda)^2} + \frac{\lambda^2}{24} - \frac{\lambda^2}{24} \\
 & - \frac{\lambda^4}{(1+2\lambda)^2} + \frac{\lambda^6}{2(1+2\lambda)^2} \left(\frac{1}{6} + \frac{1}{4} \right)
 \end{aligned}$$

47

$$H_3(\lambda) = \frac{\pi^2}{8} + \frac{3\lambda^2(2-\lambda^2)}{8(1+\lambda^2)^3} + \frac{\lambda^6(3+\lambda^2)}{8(1+\lambda^2)^3} - \frac{\lambda^4(1+4\lambda^2)}{4(1+\lambda^2)^2} - \frac{\lambda^2(8+9\lambda^2-2\lambda^4)}{16(1+2\lambda^2)^2} \\ + \frac{\pi^2 \lambda^2}{24} \left[\frac{\lambda^2}{(1+\lambda^2)^2} + 1 \right] + \left[\frac{\lambda}{4(1+\lambda^2)^2} - \frac{\lambda}{8(1+\lambda^2)^2} + \frac{1}{16(1+2\lambda^2)^2} \right] \sqrt{2} \pi \lambda \operatorname{csch} \sqrt{2} \lambda \pi$$

$$H_3(\lambda) = \frac{\pi^2}{8} + \frac{\lambda^2(3+\lambda^2)}{4(1+\lambda^2)^3} - \frac{3\lambda^2(4+11\lambda^2+10\lambda^4)}{16(1+\lambda^2)^2} + \frac{\pi^2 \lambda^2}{24} \left[\frac{\lambda^2}{(1+\lambda^2)^2} + 1 \right]$$

$$- \frac{1}{16(1+\lambda^2)^2} \sqrt{2} \pi \lambda \operatorname{csch} \sqrt{2} \lambda \pi$$

$$\frac{E_2}{E_{\text{alt}}} = \frac{1}{12} \left(\frac{1}{R}\right)^2 \left(\frac{1}{8}\right)^2 \left[\frac{1}{8} + \frac{1}{8} \lambda^4 + \frac{1}{4} \lambda^2 \right] = \left(\frac{1}{R}\right)^2 \left(\frac{1}{8}\right)^2 \left[\frac{1}{32} (1 + \lambda^4) + \frac{1}{16} \lambda^2 \right]$$

Thus total energy expression

$$= \left(\frac{R}{R}\right)^4 \left(\frac{1}{8}\right)^2 \left[H_1(\lambda) H_1(\lambda) + H_2(\lambda) H_2(\lambda) + H_3(\lambda) \right] + \left(\frac{1}{R}\right)^2 \left(\frac{1}{8}\right)^2 \left[\frac{1}{32} (1 + \lambda^4) + \frac{1}{16} \lambda^2 \right] \pi^4$$

$$- \left(\frac{R}{R}\right)^2 \left(\frac{1}{8}\right)^2 \pi \left(\frac{1}{8}\right)^2 \frac{Q}{E} = - \frac{1}{3} \left(\frac{1}{E}\right)^2$$

$$\therefore \frac{Q}{E} \frac{3\pi \lambda^2}{4} = \left(\frac{R}{R}\right)^2 \left[4 H_1 - \lambda^4 \pi^4 + 3 H_2 - \lambda^2 \pi^2 + 2 H_3 \right] + \frac{\left(\frac{1}{R}\right)^2}{\left(\frac{1}{8}\right)^2} \left[\frac{1}{16} (1 + \lambda^4) + \frac{1}{24} \lambda^2 \right] \pi^4$$

$$\lambda^2 K = \lambda^2 \left[\frac{16}{3} H_1 - \lambda^2 \pi^2 + 4 H_2 - 1 + \frac{1}{3\pi} \right] + \frac{\pi^2}{\lambda^2} \left[\frac{1}{12} (1 + \lambda^4) + \frac{1}{18} \lambda^2 \right]$$

$$= \frac{\pi^2}{\lambda^2} \left[\frac{64}{3} H_1 \left(\frac{1}{\lambda}\right)^2 + \left\{ \frac{1}{12} (1 + \lambda^4) + \frac{1}{18} \lambda^2 \right\} + \frac{1}{3} H_2 \frac{\lambda^2}{\lambda^2} + 8 H_3 \left(\frac{1}{\lambda}\right)^2 \right]$$

$$= 2 \left[\frac{512}{9} H_1 H_3 \left(\frac{1}{\lambda}\right)^2 + H_3 \left[\frac{1}{9} (1 + \lambda^4) + \frac{1}{24} \lambda^2 \right]^{\frac{1}{2}} + 8 H_2 \left(\frac{1}{\lambda}\right)^2 \right]$$

~~489~~
X

$$\begin{aligned}
 & -a_2 \frac{\sinh 2\pi}{2\pi} \left\{ \left[\frac{1}{4(1+\lambda^2)} + \frac{\lambda^2(1-\lambda^2)}{4(1+\lambda^2)^2} + \frac{1}{20(1+\lambda^2)} + \frac{\lambda^2(1-\lambda^2)}{5(1+4\lambda^2)^2} \right] (4\pi') + \left[1 - \frac{1}{2(1+\lambda^2)} - \frac{\lambda^2(1-\lambda^2)}{2(1+\lambda^2)^2} \right] \right\} \\
 & + b_2 \left[\frac{\sinh 2\pi}{2\pi} \left\{ \left[\frac{1}{2} + \frac{\lambda^4}{2(1+\lambda^2)^2} + \frac{\lambda^2(1-\lambda^2)}{5(1+4\lambda^2)^2} + \frac{(2\lambda^2+3)(6\lambda^2-1)}{100(1+4\lambda^2)^2} \right] (4\pi') - \left[1 + \frac{\lambda^2}{(1+\lambda^2)^2} \right] \right\} \right. \\
 & \left. - \cosh 2\pi \left\{ \left[\frac{1}{4(1+\lambda^2)} + \frac{\lambda^2(1-\lambda^2)}{4(1+\lambda^2)^2} + \frac{1}{20(1+4\lambda^2)} + \frac{\lambda^2(1-\lambda^2)}{5(1+4\lambda^2)^2} \right] (4\pi') + \left[1 - \frac{1}{2(1+\lambda^2)} - \frac{\lambda^2(1-\lambda^2)}{2(1+\lambda^2)^2} \right] \right\} \right]
 \end{aligned}$$

$$\begin{aligned}
 & -a_4 \frac{\sinh 4\pi}{4\pi} (4\pi') \left\{ \frac{1}{5(4+\lambda^2)} + \frac{\lambda^2(1-\lambda^2)}{5(4+\lambda^2)^2} \right\} \\
 & + b_4 (4\pi') \left[\frac{\sinh 4\pi}{4\pi} \left\{ \frac{1}{8} + \frac{(2+3\lambda^2)(6-\lambda^2)}{25(4+\lambda^2)^2} - \frac{2\lambda^2(1-\lambda^2)}{5(4+\lambda^2)^2} \right\} - \cosh 4\pi \left\{ \frac{1}{5(4+\lambda^2)^2} + \frac{\lambda^2(1-\lambda^2)}{5(4+\lambda^2)^2} \right\} \right]
 \end{aligned}$$

$$\cosh 2\pi a_2 + 2\pi \sinh 2\pi b_2 = (4\pi') \left[\frac{1}{4} + \frac{\lambda^2(1-\lambda^2)}{2(1+\lambda^2)^2} + \frac{1}{4(1+4\lambda^2)^2} \right] - \frac{1}{(1+\lambda^2)^2}$$

$$\sinh 2\pi a_2 + (\sinh 2\pi + 2\pi \cosh 2\pi) b_2 = 0$$

$$\begin{aligned}
 & \frac{1}{2} (\sinh 4\pi + 4\pi) b_2 = -a_2 \cosh 2\pi \left[\frac{\sinh 2\pi}{2\pi} - \frac{\sinh 4\pi}{4\pi} + 1 \right] (4\pi') \left\{ \frac{1}{4} + \frac{\lambda^2(1-\lambda^2)}{2(1+\lambda^2)^2} + \frac{1}{4(1+4\lambda^2)^2} \right\} - \frac{1}{(1+\lambda^2)^2} \\
 & a_2 = + \frac{\frac{\sinh 2\pi}{2\pi} - \frac{\sinh 4\pi}{4\pi} + 1}{\frac{\sinh 2\pi}{2\pi} - \frac{\sinh 4\pi}{4\pi} + 1} - \left[\right]
 \end{aligned}$$

$$a_4 = + \frac{\frac{\sinh 4\pi}{4\pi} + \cosh 4\pi}{\frac{\sinh 4\pi}{8\pi} + 1} + \pi^2 \left\{ \frac{1}{16} + \frac{1}{(4+\lambda)^2} \right\}$$

$$b_4 = - \frac{\frac{\sinh 4\pi}{4\pi}}{\frac{\sinh 8\pi}{8\pi} + 1} + \pi^2 \left\{ \frac{1}{16} + \frac{1}{(4+\lambda)^2} \right\}$$

$$\frac{\frac{\sinh 2\pi}{2\pi}}{\frac{\sinh 4\pi}{4\pi} + 1} = \frac{42.613218}{11410.473} = 0.0037345707; \quad \frac{\frac{\sinh 2\pi}{2\pi} + \cosh 2\pi}{\frac{\sinh 4\pi}{4\pi} + 1} = 0.022199435$$

$$\frac{\frac{\sinh 4\pi}{4\pi}}{\frac{\sinh 8\pi}{8\pi} + 1} = 0.00006746855, \quad \frac{\frac{\sinh 4\pi}{4\pi} + \cosh 4\pi}{\frac{\sinh 8\pi}{8\pi} + 1} = 0.00074621164$$

Let us put

49/

$$g_1(\lambda) = \frac{1}{4(1+\lambda^2)} + \frac{\lambda^2(1-\lambda^2)}{4(1+\lambda^2)^2} + \frac{1}{20(1+4\lambda^2)} + \frac{\lambda^2(1-\lambda^2)}{5(1+4\lambda^2)^2}$$

$$g_2(\lambda) = 1 - \frac{1}{2(1+\lambda^2)} - \frac{\lambda^2(1-\lambda^2)}{2(1+\lambda^2)^2}$$

$$g_3(\lambda) = \frac{1}{2} + \frac{\lambda^4}{2(1+\lambda^2)^2} + \frac{2}{5} \frac{\lambda^2(1-\lambda^2)}{(1+4\lambda^2)^2} + \frac{(2\lambda^2+3)(6\lambda^2-1)}{100(1+4\lambda^2)^2}$$

$$g_4(\lambda) = 1 + \frac{\lambda^4}{(1+\lambda^2)^2}$$

$$g_5(\lambda) = \frac{1}{5(4+\lambda^2)} + \frac{\lambda^2(1-\lambda^2)}{5(4+\lambda^2)^2}$$

$$g_6(\lambda) = \frac{1}{8} + \frac{(2+3\lambda^2)(6-\lambda^2)}{25(4+\lambda^2)^2} - \frac{2\lambda^2(1-\lambda^2)}{5(4+\lambda^2)^2}$$

$$h_1(\lambda) = \frac{1}{4} + \frac{1}{2(1+\lambda^2)^2} + \frac{1}{4(1-4\lambda^2)^2}$$

$$h_2(\lambda) = \frac{1}{(1+\lambda^2)^2}$$

$$h_3(\lambda) = \frac{1}{16} + \frac{1}{(4+\lambda^2)^2}$$

$$- \left[H_1 (1\pi^2) - H_2 \right] \left[\frac{\frac{\sinh 2\pi}{2\pi} + \cosh 2\pi}{\frac{\sinh 4\pi}{4\pi} + 1} \cdot \frac{\sinh 2\pi}{2\pi} (g_1 1\pi^2 + g_2) + \frac{\frac{\sinh 2\pi}{2\pi}}{\frac{\sinh 4\pi}{4\pi} + 1} \frac{\sinh 2\pi}{2\pi} (g_3 1\pi^2 - g_4) \right]$$

$$- \frac{\frac{\sinh 2\pi}{2\pi}}{\frac{\sinh 4\pi}{4\pi} + 1} \cosh 2\pi (g_1 1\pi^2 + g_2) \left[\right]$$

$$- H_3 (1\pi^2)^2 \left[\frac{\frac{\sinh 4\pi}{4\pi} + \cosh 4\pi}{\frac{\sinh 8\pi}{8\pi} + 1} \cdot \frac{\sinh 4\pi}{4\pi} g_5 + \frac{\frac{\sinh 4\pi}{4\pi}}{\frac{\sinh 8\pi}{8\pi} + 1} \frac{\sinh 4\pi}{4\pi} g_6 - \frac{\frac{\sinh 4\pi}{4\pi} \cdot \cosh 4\pi}{\frac{\sinh 8\pi}{8\pi} + 1} g_5 \right]$$

$$= - \frac{\left(\frac{\sinh 2\pi}{2\pi} \right)^2}{\frac{\sinh 4\pi}{4\pi} + 1} \xrightarrow{0.15914286} \left[H_1 (1\pi^2) - H_2 \right] \left[\underbrace{(g_1 + g_3) (1\pi^2)}_{\frac{17}{100}} - \underbrace{(g_4 - g_2)}_{\frac{1}{2}} \right]$$

$$0.12254000 (1\pi^2)$$

$$- 0.07957143$$

$$- \frac{\left(\frac{\sinh 4\pi}{4\pi} \right)^2}{\frac{\sinh 8\pi}{8\pi} + 1} \xrightarrow{0.07957143} H_3 (1\pi^2)^2 \left[\underbrace{g_5 + g_6}_{\frac{41}{200}} \right] = F_1$$

$$0.016313384$$

$$\begin{aligned}
F_2 = & \left[H_1(H\pi^2) - H_2 \right]^2 \left[\left\{ (1+\lambda^2)^2 21102500 + 00018495(1-\lambda^2)^2 \right\} - \left\{ 0.28974167(3\lambda^4 + 2\lambda^2 - 1) \right. \right. \\
& + 3.64100103(1+\lambda^2)^2 - 0.00010158\lambda^4(1-\lambda^2) \left. \right\} + \left\{ 0.03978203 \left[4\pi^2(1+\lambda^2)^2 + \frac{1}{2}(5\lambda^4 + 2\lambda^2 + 1) \right] + 0.24995387(3\lambda^4 + 2\lambda^2 - 1) \right. \\
& \left. \left. + 0.00003488 \left[2(2\lambda^4 - 1) - \frac{4\pi^2}{3}(1-\lambda^2)^2 \right] \right\} \right] \\
& + \left[H_3(H\pi^2) \right]^2 \left[3.66148735(1+\lambda^2)^2 - \left\{ 0.26989437(3\lambda^4 + 2\lambda^2 - 1) + 6.78318640(1+\lambda^2)^2 \right\} \right. \\
& \left. + \left\{ 0.01989437 \left[16\pi^2(1+\lambda^2)^2 + \frac{1}{2}(5\lambda^4 + 2\lambda^2 + 1) \right] + 0.250000(3\lambda^4 + 2\lambda^2 - 1) \right\} \right]
\end{aligned}$$

$$\begin{aligned}
F_3 = & \left\{ \frac{17}{512} \left(1 + \frac{1}{\lambda^6} \right) + \frac{1}{16(1+\lambda^2)^2} + \frac{1}{64(4+\lambda^2)^2} + \frac{1}{64(1+4\lambda^2)^2} \right\} 6\pi^2 \\
& - \left\{ \frac{1}{4\lambda^4} + \frac{1}{4(1+\lambda^2)^2} \right\} + \left\{ \frac{1}{2\lambda^4} + \frac{1}{4(1+\lambda^2)^2} \right\}
\end{aligned}$$

$$\lambda = 1.057$$

474

$$F_3 = (0.06640625 + 0.015625 + 0.00125)(f\pi^2)^2 - (0.25 + 0.0625)(f\pi^2) + (0.5 + 0.0625)$$

$$= 0.08328125 (f\pi^2)^2 - 0.3125 (f\pi^2) + 0.5625$$

$$H_1(\lambda) = 0.25 + 0.125 + 0.01 = 0.385, \quad H_2(\lambda) = 0.25.$$

$$H_3(\lambda) = 0.0625 + 0.04 = 0.1025$$

$$F_1 = -[0.385(f\pi^2) - 0.25][0.12254000(f\pi^2) - 0.6775743] - 0.016313364 \times 0.1025(f\pi^2)$$

$$= -0.04885002(f\pi^2)^2 + 0.06127000(f\pi^2) - 0.01989286$$

$$F_2 = [0.385(f\pi^2) - 0.25]^2 0.15926493 + (0.1025 f\pi^2)^2 0.07957575$$

$$= 0.02359815(f\pi^2)^4 - 0.03064695(f\pi^2)^3 + 0.00997231 + 0.00083604(f\pi^2)^2$$

$$6\pi^2 \frac{\mathcal{F}}{E} = \left(\frac{g}{K}\right)^2 \left\{ 0.23546168 \pi^4 f^2 - 0.84563085 \pi^2 f + 0.55255745 \right\}$$

$$+ \frac{\left(\frac{f}{K}\right)^2}{\left(\frac{g}{K}\right)^2} \pi^2 \frac{16}{3}$$

$$K = f^2 \left\{ 0.03924361 \pi^2 f^2 - 0.14093848 f + \frac{0.09209291}{\pi^2} \right\} + \frac{1}{f^2} \pi^2 0.8888889$$

$$= \frac{\pi^2}{f^2} \left\{ 0.15697444 \left(\frac{f}{E}\right)^2 + 0.88888889 \right\} + \frac{0.09209291}{\pi^2} - 0.28187696 \left(\frac{f}{E}\right)$$

$$K = 2 \left\{ 0.02891247 \left(\frac{f}{E} \right)^2 + 0.16372073 \right\}^{\frac{1}{2}} - 0.24162235 \left(\frac{f}{E} \right) \quad 4.95$$

$$K_0 = 0.8092$$

$$0.05782494 \left(\frac{f}{E} \right) = 0.28187696 \left\{ 0.02891247 \left(\frac{f}{E} \right)^2 + 0.16372073 \right\}^{\frac{1}{2}}$$

$$0.00334372 \left(\frac{f}{E} \right)^2 = 0.01300837, \\ - 0.00229723$$

$$\left(\frac{f}{E} \right)^2 = \frac{0.01300837}{0.00104649} = 12.4305$$

$$\left(\frac{f}{E} \right) = 3.5257$$

$$K_{min} = 0.4527$$

①	②	③	④	⑤			
(f/E)	0.02891247^2	0.16372	$2 \left(\frac{f}{E} \right)^{\frac{1}{2}}$	K			
1	0.028912	0.19263	0.8772	0.5953			
2	0.115648	0.27937	1.0572	0.4934			
3	0.260208	0.40293	1.3020	0.4564			
4	0.462592	0.47201	1.5828	0.4553			
5	0.7225	0.5122	1.8722	0.4527			
6	1.040832	1.20455	2.1975	0.5062			
7	1.416588	1.58141	2.5142	0.5411			
8	1.850368	2.01409	2.8384	0.5834			
9	2.341872	2.50559	3.1658	0.6289			
10	2.89120	3.05692	3.4956	0.6768			

$$\lambda = 1.200$$

496

$$\begin{aligned} F_3 &= \left\{ 0.05626085 + 0.01049785 + 0.000527986 + 0.00034192 \right\} (f\pi)^2 \\ &\quad - \left\{ 0.12056327 + 0.04199140 \right\} (f\pi)^2 + \left\{ 0.24112654 + 0.04199140 \right\} \\ &= 0.06762861 (f\pi)^2 - 0.16255467 (f\pi)^2 + 0.28311794 \end{aligned}$$

$$H_1(\lambda) = 0.25 + 0.08398240 + 0.00547075 = 0.33945355$$

$$H_2(\lambda) = 0.16796560$$

$$H_3(\lambda) = 0.0625 + 0.03329109 = 0.09629109$$

$$\begin{aligned} F_1 &= - \left[0.33945355 (f\pi)^2 - 0.16796560 \right] \left[0.12254000 (f\pi)^2 - 0.07957143 \right] - 0.00157083 \\ &= - 0.04316747 (f\pi)^4 + 0.04259331 (f\pi)^2 - 0.01336526 \end{aligned}$$

$$F_2 = \left[0.19282196 \pi^4 f^2 - 0.41265255 \pi^2 f + 0.550682900 \right] \frac{1}{6}$$

$$\begin{aligned} &+ 0.00091800 f\pi^2 \\ &= 0.03213699 \pi^4 f^2 - 0.06877542 \pi^2 f + 0.09178048 \\ &\quad + 0.00091800 f\pi^2 \end{aligned}$$

$$\begin{aligned} \pi^2 \frac{\alpha}{E} &= \lambda^2 \left(\frac{a}{R} \right)^2 \left\{ 0.19282196 \pi^4 f^2 - 0.41265255 \pi^2 f + 0.550682900 \right\} \frac{1}{6} \\ &\quad + \frac{\left(\frac{f}{R} \right)^2}{\left(\frac{a}{R} \right)^2} \left\{ 0.93370370 \right\} \pi^4 \end{aligned}$$

$$K = f^2 \left\{ 0.04627727 \pi^4 f^2 - 0.09903661 f + \frac{0.13216390}{\pi^2} \right\} + \frac{0.93370370 \pi^4}{f^2}$$

$$K = \frac{\pi^2}{f^2} \left\{ 0.18510908 \left(\frac{f}{t} \right)^2 + 0.93370320 \right\} + \frac{0.13216390}{\pi^2} f^2 - 0.19807322 \left(\frac{f}{t} \right) \quad 497$$

$$= 2 \left\{ 0.02446474 \left(\frac{f}{t} \right)^2 + 0.12340192 \right\}^{\frac{1}{2}} - 0.19807322 \left(\frac{f}{t} \right)$$

$$K_0 = 0.7026$$

$$0.04892948 \left(\frac{f}{t} \right) = 0.19807322 \left\{ 0.02446474 \left(\frac{f}{t} \right)^2 + 0.12340192 \right\}$$

$$\frac{0.002394094}{0.000959825} \left(\frac{f}{t} \right)^2 = 0.00484143$$

$$\left(\frac{f}{t} \right)^2 = 3.325538$$

$$\left(\frac{f}{t} \right) = 1.823264$$

$$K_{min} = 0.5438$$

①	②	③	④	⑤	⑥	⑦
(f/t)	0.024464 ①	$② + 0.12340$	$2 \times ③^{\frac{1}{2}}$	K		
1	0.024464	0.14786	0.7690	0.5709		
2	0.048929	0.17231	0.9428	0.5722		
3	0.073394	0.19676	1.1166	0.5735		
4	0.097859	0.22121	1.2904	0.5748		
5	0.122324	0.24566	1.4642	0.5761		

$$\lambda = 0.8020$$

498

$$\begin{aligned} F_3 &= \left\{ 0.11426544 + 0.02323766 + 0.000725745 + 0.00123288 \right\} (f\pi^2)^2 \\ &\quad - \left\{ 0.61035156 + 0.09295062 \right\} (f\pi^2) + \left\{ 1.22070313 + 0.09295062 \right\} \\ &= 0.13946173 (f\pi^2)^2 - 0.70330218 (f\pi^2) + 1.31365375 \end{aligned}$$

$$H_1(\lambda) = 0.25 + 0.18590125 + 0.01972604 = 0.45562729$$

$$H_2(\lambda) = 0.37180250, \quad H_3(\lambda) = 0.0625 + 0.04644768 = 0.10894768$$

$$\begin{aligned} & - \left[0.45562729 (f\pi^2) - 0.37180250 \right] \left[0.1225400 (f\pi^2) - 0.0797143 \right] \\ & - 0.016313384 \times 0.10894768 (f\pi^2)^2 \\ & = -0.05760987 (f\pi^2)^2 + 0.08181559 (f\pi^2) - 0.02961491 = \frac{7}{4} \end{aligned}$$

$$\begin{aligned} F_2 &= 0.13302164 \left[0.45562729 (f\pi^2) - 0.37180250 \right]^2 \\ &\quad + 0.06654153 \times (0.10894768)^2 (f\pi^2)^2 \\ &= 0.13302164 \left\{ 0.20759623 (f\pi^2)^2 - 0.33880673 (f\pi^2) + 0.13823710 \right\} \\ &\quad + 0.00157891 (f\pi^2)^2 \end{aligned}$$

$$\begin{aligned} \pi^2 \frac{\sigma}{E} &= \left(\frac{a}{R} \right)^2 \left\{ 0.28427664 \pi^4 f^2 - 1.27978602 \pi^2 f + 1.66710703 \right\} \frac{1}{6} \\ &\quad + \frac{(f\pi^2)^2}{(R)^2} \left\{ 0.95638889 \right\} \pi^4 \end{aligned}$$

$$K = \gamma^2 \left\{ 0.04737944 \pi^2 f^2 - 0.21329267 f + \frac{0.27285142}{\pi^2} \right\} + \frac{\pi^2}{\gamma^2} 0.95638889 \quad \underline{\underline{499}}$$

$$= \frac{\pi^2}{\gamma^2} \left\{ 0.18951776 \left(\frac{f}{\pi}\right)^2 + 0.95638889 \right\} + \frac{0.27285142}{\pi^2} f^2 - 0.42659534 \left(\frac{f}{\pi}\right)$$

$$= 2 \left\{ 0.05265773 \left(\frac{f}{\pi}\right)^2 + 0.26573377 \right\}^{\frac{1}{2}} - 0.42659534 \left(\frac{f}{\pi}\right)$$

$$K_0 = 1.0310$$

$$10.531546 \left(\frac{f}{\pi}\right) = 0.42659534 \left(0.05265773 \left(\frac{f}{\pi}\right)^2 + 0.26573377 \right)^{\frac{1}{2}}$$

$$\frac{0.011071346}{0.009582842} \left(\frac{f}{\pi}\right)^2 = 32.05771 \quad \left(\frac{f}{\pi}\right) = 5.66195$$

$$K_{min} = 0.3802$$

①	②	③	④	⑤	⑥		
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

$$\lambda = 0.600$$

500

$$F_3 = \{ 0.28940008 + 0.03379109 + 0.00082195 + 0.00262446 \} (f\pi^2)^2 \\ - \{ 1.92901235 + 0.13516436 \} (f\pi^2) + \{ 3.85802469 + 0.13516436 \} \\ = 0.32663758 (f\pi^2)^2 - 2.06417671 (f\pi^2) + 3.99318905$$

$$H_1(\lambda) = 0.25 + 0.27032472 + 0.04199140 = 0.56232012, \quad H_2(\lambda) = 0.54065744$$

$$H_3(\lambda) = 0.0625 + 0.05260500 = 0.11510500$$

$$F_1 = - \left[0.56232012 (f\pi^2) - 0.54065744 \right] \left[0.11510500 (f\pi^2) - 0.0295743 \right] \\ - 0.11510500 \times 0.016313384 (f\pi^2)^2 \\ = -0.07078446 (f\pi^2)^2 + 0.110996781 (f\pi^2) - 0.04302089$$

$$F_2 = 0.11619690 \left[0.56232012 (f\pi^2) - 0.54065744 \right]^2 \\ + (0.11510500)^2 (f\pi^2)^2 \times 0.05818125 \\ = 0.1019690 \left[0.31120372 (f\pi^2)^2 - 0.60604511 (f\pi^2) + 0.29211111 \right] + 0.00072924 (f\pi^2)^2$$

$$K = f^2 \left\{ 0.07040783 \pi^2 f^2 - 0.36428992 f + \frac{0.47609605}{\pi^2} \right\} + \frac{\pi^2}{f^2} 1.26814815 \\ = \frac{\pi^2}{f^2} \left\{ 0.28163132 \left(\frac{f}{\pi} \right)^2 + 1.26814815 \right\} + \frac{0.47609605}{\pi^2} - 0.72857984 \left(\frac{f}{\pi} \right) \\ = 2 \left\{ 0.13464682 \left(\frac{f}{\pi} \right)^2 + 0.60629662 \right\}^{\frac{1}{2}} - 0.72857984 \left(\frac{f}{\pi} \right)$$

$$K_0 = 1.55730$$

$$0.26929364 \left(\frac{f}{E} \right) = 0.285724 \left\{ 0.13464682 \left(\frac{f}{E} \right)^2 + 0.60629662 \right\}^{\frac{1}{2}} \quad \underline{\underline{501}}$$

$$\frac{0.072519065}{0.071474380} \left(\frac{f}{E} \right)^2 = 308.0733$$

$$\left(\frac{f}{E} \right) = 17.55202$$

$$\underline{\underline{K_{min} = 0.1869}}$$

①	②	③	④	⑤	⑥		
(f/E)							
2							
4							
6							
8							
10							
12							
14							
16							
18							
20							
22							

Consider the limit: as when $\lambda \ll 1$.

129

$$\text{Then } 6\pi^2 \frac{\sigma}{E} = \frac{1}{\lambda^2} \left[\frac{17}{128} f^2 \pi^2 - \frac{3}{4} f \pi^2 + 1 \right] \frac{f^2}{\left(\frac{f}{E}\right)^2} 2 \frac{1}{\lambda^2} \pi^4$$

$$\text{or } \lambda^2 K = f^2 \left[\frac{17}{128} \pi^2 f^2 - \frac{1}{8} f + \frac{1}{6 \pi^2} \right] + \frac{\pi^2}{f^2} \frac{1}{3}$$

$$= \frac{\pi^2}{f^2} \left[\frac{17}{192} \left(\frac{f}{E}\right)^2 + \frac{1}{3} \right] + \frac{1}{6} \frac{f^2}{\pi^2} - \frac{1}{4} \left(\frac{f}{E}\right)$$

$$= 2 \left[\frac{17}{1152} \left(\frac{f}{E}\right)^2 + \frac{1}{18} \right] - \frac{1}{4} \left(\frac{f}{E}\right) \quad \underline{\text{O.K.}}$$

$$\frac{17}{1152} \left(\frac{f}{E}\right)^2 + \frac{1}{18} = \frac{1}{64} \left(\frac{f}{E}\right)^2$$

$$\frac{1}{1152} \left(\frac{f}{E}\right)^2 = \frac{1}{18} \quad \left(\frac{f}{E}\right) = \sqrt{\frac{1152}{78}} = 8$$

$$f_{\min}^2 = \pi^2 [34 + 2] = \pi^2 36 \quad f = 6\pi$$

$$\lambda = 0.4$$

53

$$\begin{aligned} F_3 &= \left\{ 1.33020020 + 0.04644768 + 0.00090289 + 0.00580941 \right\} (H\pi)^2 \\ &\quad - \left\{ 9.76562500 + 0.18579073 \right\} (H\pi)^4 + \left\{ 19.5312500 + 0.18579073 \right\} \\ &= 1.38336018 (H\pi)^2 - 9.95141573 (H\pi)^4 + 19.71704073 \end{aligned}$$

$$H_1(\lambda) = 0.25 + 0.37158145 + 0.09295062 = 0.71453207, \quad H_2(\lambda) = 0.74316290$$

$$H_3(\lambda) = 0.0625 + 0.05778476 = 0.12028426$$

$$\begin{aligned} \bar{F}_1 &= - \left[0.71453207 (H\pi)^2 - 0.74316290 \right] \left[0.1225400 (H\pi)^2 - 0.07957143 \right] \\ &\quad - 0.12028426 \times 0.016313384 (H\pi)^2 \\ &= -0.08952101 (H\pi)^2 + 0.14792352 (H\pi)^4 - 0.05913453 \end{aligned}$$

$$\begin{aligned} F_2 &= 0.0004850 \left[0.71453207 (H\pi)^2 - 0.74316290 \right]^2 + 0.04515168 \times (0.12028426)^2 (H\pi)^2 \\ &= 0.0004850 \left[0.51055607 (H\pi)^4 - 1.062225 (H\pi)^2 + 0.5522910 \right] \\ &\quad + 0.00065322 (H\pi)^2 \end{aligned}$$

$$\begin{aligned} K &= \left\{ 0.14792352 - \pi^2 \frac{1}{2} - 0.201925 \right\} + \frac{1.05102409}{\pi^2} \left\{ + \frac{\pi^2}{2} 2.5888529 \right. \\ &= \frac{\pi^2}{2} \left\{ 0.57193268 \frac{1}{E} - 2.35888667 \right\} + \frac{1.05102409}{\pi^2} \left\{ - 1.58386020 \frac{1}{E} \right\} \\ &= 2 \left\{ 0.60114362 \left(\frac{1}{E} \right)^{\frac{1}{2}} + 2.47936699 \right\}^{\frac{1}{2}} - 1.58386020 \left(\frac{1}{E} \right) \end{aligned}$$

$$K_0 = 3.14920,$$

$$f^2 = \pi^2 \left\{ \right.$$

$$1.0228224 \left(\frac{f}{E}\right) = 1.58 \times \frac{1}{2} \times 0.6215328 \left(\frac{f}{E}\right)^2 = 1.29 \times 100 \left(\frac{f}{E}\right)^2 \quad \underline{\underline{504}}$$

$$1.46549461 \quad 0.60114362 \left(\frac{f}{E}\right)^2 + 2.4736079 = 0.62715328 \left(\frac{f}{E}\right)^2$$

$$\begin{array}{r} 0.60114362 \\ \underline{0.62715328} \\ 0.02600966 \end{array}$$

$$\left(\frac{f}{E}\right)_0 = 9.7588$$

JOURNAL OF THE AERONAUTICAL SCIENCES

30th and Northampton Streets, Lancaster, Pa.

Postmaster: Please send subscription orders and notices to

2111 N. C. A. Building

Rockefeller Center

New York, N. Y.

ALL CASH PAYMENTS GUARANTEED

Printed in United States of America

Entered as second-class matter, October 3, 1911,
at the Station, Pa. Post Office

Mr. M. T. Jan,
Aeronautics Dept.,
Cal. Inst. of Tech.,
Pasadena, California CT

$$\frac{w}{R} = \frac{1}{2} \left(\frac{a}{R} \right)^2 \left[1 - \left(\frac{x}{a} \right)^2 - \frac{f}{4} \left(1 + \cos \frac{\pi x}{a} \right) \left(1 + \cos \frac{\pi y}{b} \right) \right]$$

$$\frac{w_y}{R} = \frac{1}{2} \left(\frac{a}{R} \right)^2 \left[1 - \left(\frac{x}{a} \right)^2 \right]$$

$$\sigma_x = E \left\{ \frac{1}{2} \left(\frac{\partial w}{\partial x} \right)^2 - \frac{1}{2} \left(\frac{\partial w_y}{\partial x} \right)^2 \right\}$$

$$\sigma_y = E \left\{ \frac{\partial^2 v}{\partial y^2} + \frac{1}{2} \left(\frac{\partial w}{\partial y} \right)^2 \right\}$$

$$\tau_{xy} = E \left\{ \frac{1}{2} \frac{\partial v}{\partial x} + \frac{1}{2} \left(\frac{\partial w}{\partial x} \right) \left(\frac{\partial w}{\partial y} \right) \right\}$$

By using the equilibrium equation. $\frac{\partial \tau_{xy}}{\partial x} + \frac{\partial \sigma_y}{\partial y} = 0$, we have

$$\frac{1}{2} \frac{\partial^2 v}{\partial x^2} + \frac{\partial^2 v}{\partial y^2} = -\frac{1}{2} \left\{ \frac{\partial w}{\partial y} \left(\frac{\partial^2 w}{\partial x^2} + 2 \frac{\partial^2 w}{\partial y^2} \right) + \frac{\partial w}{\partial x} \frac{\partial^2 w}{\partial x \partial y} \right\}$$

We have

$$\frac{\partial w}{\partial x} = \left(\frac{a}{R} \right) \left\{ -\left(\frac{x}{a} \right) + \frac{f}{8} \pi \sin \frac{\pi x}{a} \left(1 + \cos \frac{\pi y}{b} \right) \right\}$$

$$\frac{\partial w}{\partial y} = \left(\frac{a}{R} \right) \frac{f}{8} \pi \left(\frac{a}{b} \right) \left(1 + \cos \frac{\pi x}{a} \right) \sin \frac{\pi y}{b}$$

$$\frac{\partial^2 w}{\partial x^2} = \frac{1}{R} \left[-1 + \frac{f}{8} \pi^2 \cos \frac{\pi x}{a} \left(1 + \cos \frac{\pi y}{b} \right) \right]$$

$$\frac{\partial^2 w}{\partial y^2} = \frac{1}{R} \left[\frac{f}{8} \pi^2 \left(\frac{a}{b} \right)^2 \left(1 + \cos \frac{\pi x}{a} \right) \cos \frac{\pi y}{b} \right]$$

$$\frac{\partial^2 w}{\partial x \partial y} = \frac{1}{R} \left[-\frac{f}{8} \pi^2 \left(\frac{a}{b} \right) \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} \right]$$

$$\mathcal{R}\left[\frac{\partial^2}{\partial x^2} + 2\frac{\partial^2}{\partial y^2}\right] = -\left(\frac{a}{b}\right) \frac{1}{8} \pi \lambda \left[(1 + \cos \frac{\pi x}{a}) \sin \frac{\pi y}{b} \left\{ \frac{1}{8} \pi^2 \cos \frac{\pi x}{a} (1 + \cos \frac{\pi y}{b}) + \frac{1}{8} \pi^2 \left(\frac{a}{b}\right)^2 2(1 + \cos \frac{\pi x}{a}) \cos \frac{\pi y}{b} - 1 \right\} \right.$$

$$\left. - \pi \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} \left\{ \frac{1}{8} \pi \sin \frac{\pi x}{a} (1 + \cos \frac{\pi y}{b}) - \frac{x}{a} \right\} \right]$$

$$= -\left(\frac{a}{b}\right) \frac{1}{8} \pi \lambda \left[\frac{1}{32} \left(1 + \cos \frac{\pi x}{a} + 1 + \cos \frac{2\pi x}{a} \right) \left(2 \sin \frac{\pi y}{b} + \sin \frac{2\pi y}{b} \right) + \frac{1}{16} \left(\frac{a}{b}\right)^2 \left(3 + 4 \cos \frac{\pi x}{a} + \cos \frac{2\pi x}{a} \right) \sin \frac{\pi y}{b} \right.$$

$$\left. - (1 + \cos \frac{\pi x}{a}) \sin \frac{\pi y}{b} \right]$$

$$= -\frac{1}{32} \left(1 - \cos \frac{2\pi x}{a} \right) \left(2 \sin \frac{\pi y}{b} + \sin \frac{2\pi y}{b} \right) + \left(\frac{\pi x}{a}\right) \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} \left]$$

$$= -\left(\frac{a}{b}\right) \frac{1}{8} \pi \lambda \left[\frac{1}{8} \cos \frac{\pi x}{a} \sin \frac{\pi y}{b} + \frac{1}{8} \cos \frac{2\pi x}{a} \sin \frac{\pi y}{b} + \frac{1}{16} \cos \frac{\pi x}{a} \sin \frac{2\pi y}{b} + \frac{1}{16} \cos \frac{2\pi x}{a} \sin \frac{2\pi y}{b} \right.$$

$$\left. + \frac{1}{16} \left(\frac{a}{b}\right)^2 3 \sin \frac{2\pi y}{b} + \frac{1}{4} \left(\frac{a}{b}\right)^2 \cos \frac{\pi x}{a} \sin \frac{2\pi y}{b} + \frac{1}{16} \left(\frac{a}{b}\right)^2 \cos \frac{2\pi x}{a} \sin \frac{2\pi y}{b} \right]$$

$$= -\sin \frac{\pi x}{b} - \cos \frac{\pi x}{a} \sin \frac{\pi y}{b} + \left(\frac{\pi x}{a}\right) \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} \left]$$

$$\begin{aligned} \mathcal{R} \left[\frac{\partial^2 v}{\partial x^2} + 2 \frac{\partial^2 v}{\partial y^2} \right] &= - \left(\frac{a}{b} \right) \frac{1}{8} \pi \lambda \left[- \sin \frac{\pi x}{b} + \frac{3}{16} (4\pi^2) \lambda^2 \sin \frac{2\pi x}{b} + \left(\frac{16\pi^2}{8} - 1 \right) \cos \frac{\pi x}{a} \sin \frac{2\pi x}{b} \right. \\ &\quad + \frac{16\pi^2}{8} \cos \frac{2\pi x}{a} \sin \frac{\pi x}{b} + \frac{16\pi^2}{16} (1+4\lambda^2) \cos \frac{\pi x}{a} \sin \frac{2\pi x}{b} + \frac{16\pi^2}{16} (1+\lambda^2) \cos \frac{2\pi x}{a} \sin \frac{2\pi x}{b} \\ &\quad \left. + \left(\frac{16\pi^2}{a} \right) \sin \frac{\pi x}{a} \sin \frac{\pi x}{b} \right] \end{aligned}$$

The particular integral is

$$\begin{aligned} \mathcal{R} v &= + \left(\frac{a}{b} \right) \frac{1}{8} \pi \lambda \left[- \frac{\sin \frac{\pi x}{b}}{2 \left(\frac{\pi}{b} \right)^2} + \frac{3}{16} (4\pi^2) \lambda^2 \frac{\sin \frac{2\pi x}{b}}{8 \left(\frac{\pi}{b} \right)^2} + \left(\frac{16\pi^2}{8} - 1 \right) \frac{\cos \frac{\pi x}{a} \sin \frac{2\pi x}{b}}{\left(\frac{16\pi^2}{a} \right)^2 + 2 \left(\frac{\pi}{b} \right)^2} \right. \\ &\quad + \frac{16\pi^2}{8} \frac{\cos \frac{2\pi x}{a} \sin \frac{\pi x}{b}}{4 \left(\frac{\pi}{a} \right)^2 + 2 \left(\frac{\pi}{b} \right)^2} + \frac{16\pi^2}{16} (1+4\lambda^2) \frac{\cos \frac{\pi x}{a} \sin \frac{2\pi x}{b}}{\left(\frac{16\pi^2}{a} \right)^2 + 8 \left(\frac{\pi}{b} \right)^2} \\ &\quad \left. + \frac{16\pi^2}{\left[\left(\frac{\pi}{a} \right)^2 + 2 \left(\frac{\pi}{b} \right)^2 \right]^2} \cos \frac{\pi x}{a} \sin \frac{\pi x}{b} + \frac{1}{\left(\frac{\pi}{a} \right)^2 + 2 \left(\frac{\pi}{b} \right)^2} \left(\frac{16\pi^2}{a} \right) \sin \frac{\pi x}{a} \sin \frac{2\pi x}{b} \right] \end{aligned}$$

$$\begin{aligned} \frac{u}{R} = & \left(\frac{a}{R}\right)^3 \frac{1}{8} \frac{1}{\pi} \lambda \left[-\frac{1}{2\lambda^2} \sin \frac{\pi x}{b} + \frac{3}{128} (8\pi^2) \sin \frac{2\pi x}{b} + \left(\frac{1\pi^2}{8} - 1\right) \frac{\cos \frac{\pi x}{a} \sin \frac{\pi x}{b}}{1+2\lambda^2} \right. \\ & + \frac{1\pi^2}{16} \frac{\cos \frac{2\pi x}{a} \sin \frac{\pi x}{b}}{2+\lambda^2} + \frac{1\pi^2}{16} \left(\frac{1+4\lambda^2}{1+8\lambda^2}\right) \cos \frac{\pi x}{a} \sin \frac{2\pi x}{b} + \frac{1\pi^2}{64} \left(\frac{1+\lambda^2}{1+2\lambda^2}\right) \cos \frac{2\pi x}{a} \sin \frac{2\pi x}{b} \\ & \left. + \frac{2\lambda^2}{(1+2\lambda^2)^2} \cos \frac{\pi x}{a} \sin \frac{\pi x}{b} + \frac{1}{1+2\lambda^2} \left(\frac{\pi a}{a}\right) \sin \frac{\pi x}{a} \sin \frac{\pi x}{b} + a_0 \left(\frac{\pi x}{b}\right) + a_1 \cos \frac{\sqrt{2}\pi x}{a} \sin \frac{\pi x}{b} \right] \end{aligned}$$

$$\begin{aligned} \frac{\partial u}{\partial x} = & \left(\frac{a}{R}\right)^3 \frac{1}{8} \lambda \left[-\left\{ \frac{1\pi^2}{8} (1+\lambda^2) - 1 \right\} \frac{\sin \frac{\pi x}{a} \sin \frac{\pi x}{b}}{(1+2\lambda^2)^2} - \frac{1\pi^2}{8} \frac{\cos \frac{2\pi x}{a} \sin \frac{\pi x}{b}}{(2+\lambda^2)} - \frac{1\pi^2}{16} \left(\frac{1+4\lambda^2}{1+8\lambda^2}\right) \sin \frac{\pi x}{a} \sin \frac{2\pi x}{b} \right. \\ & - \frac{1\pi^2}{32} \left(\frac{1+\lambda^2}{1+2\lambda^2}\right) \sin \frac{2\pi x}{a} \sin \frac{2\pi x}{b} + \frac{1}{1+2\lambda^2} \sin \frac{\pi x}{a} \sin \frac{\pi x}{b} + \frac{1}{1+2\lambda^2} \left(\frac{\pi x}{a}\right) \cos \frac{\pi x}{a} \sin \frac{\pi x}{b} \\ & \left. + a_1 \sqrt{2} \lambda \sinh \frac{\sqrt{2}\pi x}{a} \sin \frac{\pi x}{b} \right] \end{aligned}$$

$$a_1 = \frac{\pi}{(1+2\lambda^2)\sqrt{2}\lambda \sinh \frac{\sqrt{2}\pi}{\lambda}} = \frac{1}{2\lambda^2(1+2\lambda^2)} \frac{1}{\left(\frac{\sinh \frac{\sqrt{2}\pi}{\lambda}}{\sqrt{2}\lambda\pi}\right)}$$

$$\begin{aligned} \frac{\partial \psi}{\partial y} = & \left(\frac{a}{R}\right)^2 \frac{1}{8} \left[-\frac{1}{2} \cos \frac{\pi x}{a} + \frac{3\lambda^2}{64} (f\pi^2) \cos \frac{2\pi x}{a} + \frac{\lambda^2}{1+2\lambda^2} \left(\frac{f\pi^2}{8} - 1\right) \cos \frac{\pi x}{a} \cos \frac{\pi y}{b} \right. \\ & + \frac{\lambda^2}{2+2\lambda^2} \frac{f\pi^2}{16} \cos \frac{2\pi x}{a} \cos \frac{\pi y}{b} + \frac{\lambda^2(1+4\lambda^2)}{1+2\lambda^2} \frac{f\pi^2}{8} \cos \frac{\pi x}{a} \cos \frac{2\pi y}{b} + \frac{\lambda^2(1+\lambda^2)}{1+2\lambda^2} \frac{f\pi^2}{32} \cos \frac{2\pi x}{a} \cos \frac{2\pi y}{b} \\ & \left. + \frac{2\lambda^4}{(1+2\lambda^2)^2} \cos \frac{\pi x}{a} \cos \frac{\pi y}{b} + \frac{\lambda^2}{1+2\lambda^2} \left(\frac{\pi x}{a}\right) \sin \frac{\pi x}{a} \cos \frac{\pi y}{b} + a_0 \lambda^2 + a_1 \lambda^2 \cos \frac{\sqrt{2}\lambda \pi x}{a} \cos \frac{\pi y}{b} \right] \end{aligned}$$

$$\begin{aligned} \left(\frac{\partial \psi}{\partial y}\right)_{y=0} = & \left(\frac{a}{R}\right)^2 \frac{1}{8} \left[\frac{1}{2} + \frac{3\lambda^2}{64} (f\pi^2) - \frac{\lambda^2}{1+2\lambda^2} \left(\frac{f\pi^2}{8} - 1\right) \cos \frac{\pi x}{a} - \frac{\lambda^2}{2+2\lambda^2} \frac{f\pi^2}{16} \cos \frac{2\pi x}{a} \right. \\ & + \frac{\lambda^2(1+4\lambda^2)}{1+2\lambda^2} \frac{f\pi^2}{8} \cos \frac{\pi x}{a} + \frac{\lambda^2(1+\lambda^2)}{1+2\lambda^2} \frac{f\pi^2}{32} \cos \frac{2\pi x}{a} - \frac{2\lambda^4}{(1+2\lambda^2)^2} \cos \frac{\pi x}{a} - \frac{\lambda^2}{1+2\lambda^2} \left(\frac{\pi x}{a}\right) \sin \frac{\pi x}{a} \\ & \left. + a_0 \lambda^2 - a_1 \lambda^2 \cos \frac{\sqrt{2}\lambda \pi x}{a} \right] \end{aligned}$$

$$\begin{aligned} -\frac{Q}{E} = & \left(\frac{a}{R}\right)^2 \frac{1}{8} \left[\frac{1}{2} + \frac{3\lambda^2}{64} (f\pi^2) - \frac{\lambda^2}{1+2\lambda^2} + a_0 \lambda^2 - \frac{a_1 \lambda^2}{\sqrt{2}\lambda \pi} \sin \frac{\sqrt{2}\lambda \pi}{2} \right] \\ = & \left(\frac{a}{R}\right)^2 \frac{1}{8} \left[\frac{1}{2} + \frac{3}{64} \lambda^2 (f\pi^2) - \frac{\lambda^2}{1+2\lambda^2} + a_0 \lambda^2 - \frac{1}{2(1+2\lambda^2)} \right] \\ = & \left(\frac{a}{R}\right)^2 \frac{1}{8} \left[\frac{3}{64} \lambda^2 (f\pi^2) + a_0 \lambda^2 \right] \end{aligned}$$

42

$$\left(\frac{a}{R}\right)^2 \frac{f}{8} a_0^2 = -\frac{6}{E} - \left(\frac{a}{R}\right)^2 \frac{f}{8} \frac{3}{64} \lambda^2 (\pi^2)$$

$$\boxed{\frac{\Delta p}{E a b t} = -\left(\frac{a}{R}\right)^2 - \left(\frac{a}{R}\right)^2 \left(\frac{f}{8}\right)^2 \left(\frac{3}{8} \lambda^2\right) \frac{6}{E}}$$

$$\begin{aligned} \frac{\partial p}{\partial y} = \left(\frac{a}{R}\right)^2 \frac{f}{8} & \left[-\frac{1}{2} \cos \frac{\pi x}{b} + \frac{3}{64} \lambda^2 \cos \frac{\pi x}{b} + \frac{\lambda^2}{1+2\lambda^2} \left(\frac{f}{8}\right)^2 \cos \frac{\pi x}{b} \right. \\ & + \frac{\lambda^2}{2+2\lambda^2} \frac{f^2}{16} \cos \frac{2\pi x}{a} \cos \frac{\pi x}{b} + \frac{\lambda^2 (1+4\lambda^2)}{1+8\lambda^2} \frac{f^2}{8} \cos \frac{\pi x}{a} \cos \frac{2\pi x}{b} \\ & \left. + \frac{2\lambda^2}{(1+2\lambda^2)^2} \cos \frac{\pi x}{a} \cos \frac{\pi x}{b} + \frac{\lambda^2}{1+2\lambda^2} \left(\frac{f}{a}\right) \sin \frac{\pi x}{a} \cos \frac{\pi x}{b} - \frac{3}{64} \lambda^2 \left(\frac{f}{8}\right)^2 + a \lambda^2 \cos \frac{\sqrt{2} \pi x}{a} \cos \frac{\pi x}{b} \right] - \frac{6}{E} \end{aligned}$$

$$\frac{1}{2} \left(\frac{\partial p}{\partial y}\right)^2 = \left(\frac{a}{R}\right)^2 \frac{f}{8} \left[\frac{f^2}{64} \lambda^2 \left\{ 3 + 4 \cos \frac{\pi x}{a} + \cos \frac{2\pi x}{a} - 3 \cos \frac{2\pi x}{b} + 4 \cos \frac{\pi x}{a} \cos \frac{2\pi x}{b} - \cos \frac{2\pi x}{a} \cos \frac{2\pi x}{b} \right\} \right]$$

$$\begin{aligned} \frac{\partial y}{E} = \left(\frac{a}{R}\right)^2 \frac{f}{8} & \left[\left\{ \frac{f^2}{16} \lambda^2 \cos \frac{\pi x}{a} + \frac{f^2}{64} \lambda^2 \cos \frac{2\pi x}{a} \right\} \right. \\ & + \left\{ -\frac{1}{2} + \left(\frac{f^2}{8} \frac{\lambda^2}{1+2\lambda^2} - \frac{\lambda^2}{(1+2\lambda^2)^2} \right) \cos \frac{\pi x}{a} + \frac{\lambda^2}{2+2\lambda^2} \frac{f^2}{16} \cos \frac{2\pi x}{a} + \frac{\lambda^2}{1+2\lambda^2} \left(\frac{f}{a}\right) \sin \frac{\pi x}{a} \right\} \\ & \left. + \left\{ \frac{\lambda^2}{1+8\lambda^2} \frac{f^2}{16} \cos \frac{\pi x}{a} + \frac{\lambda^2}{1+9\lambda^2} \frac{f^2}{64} \cos \frac{2\pi x}{a} \right\} \right] - \frac{6}{E} \end{aligned}$$

$\cos \frac{\pi x}{b}$ \parallel

$$\frac{1}{2E^2 ab} \int_0^a \int_0^b \phi_y^2 dx dy = \left(\frac{a}{b}\right)^2 \left(\frac{b^4}{8}\right)^2 \left[\frac{1}{4} \left(\frac{16\lambda^2}{16}\right)^2 + \left(\frac{16\lambda^2}{64}\lambda^2\right)^2 + \frac{1}{8} \left(\frac{\lambda^2}{1+2\lambda^2} \frac{16\lambda^2}{16}\right)^2 + \frac{1}{8} \left(\frac{\lambda^2}{1+2\lambda^2} \frac{16\lambda^2}{64}\right)^2 \right]$$

$$+ \frac{1}{16} + \frac{1}{8} \left(\frac{16\lambda^2}{8} \frac{\lambda^2}{1+2\lambda^2} - \frac{\lambda^2}{(1+2\lambda^2)^2} \right)^2 + \frac{1}{8} \left(\frac{\lambda^2}{2+2\lambda^2} \frac{16\lambda^2}{16} \right)^2$$

$$- \frac{1}{4} \int_0^1 \left[\frac{\lambda^2}{1+2\lambda^2} \left(\frac{16\lambda^2}{a}\right) \sin \frac{16\pi x}{a} + a_1 \lambda^2 \cos \frac{\sqrt{2}\lambda 16\pi x}{a} \right] d\left(\frac{x}{a}\right)$$

$$+ \frac{1}{2} \left\{ \frac{16\lambda^2}{8} \frac{\lambda^2}{1+2\lambda^2} - \frac{\lambda^2}{(1+2\lambda^2)^2} \right\} \int_0^1 \cos \frac{16\pi x}{a} \left[\frac{\lambda^2}{1+2\lambda^2} \left(\frac{16\lambda^2}{a}\right) \sin \frac{16\pi x}{a} + a_1 \lambda^2 \cos \frac{\sqrt{2}\lambda 16\pi x}{a} \right] d\left(\frac{x}{a}\right)$$

$$+ \frac{1}{2} \frac{\lambda^2}{2+2\lambda^2} \frac{16\lambda^2}{16} \int_0^1 \cos \frac{2\pi x}{a} \left\{ \frac{\lambda^2}{1+2\lambda^2} \left(\frac{16\lambda^2}{a}\right) \sin \frac{16\pi x}{a} + a_1 \lambda^2 \cos \frac{\sqrt{2}\lambda 16\pi x}{a} \right\} d\left(\frac{x}{a}\right)$$

$$+ \frac{1}{4} \int_0^1 \left\{ -\frac{\lambda^2}{1+2\lambda^2} \left(\frac{16\lambda^2}{a}\right) \sin \frac{16\pi x}{a} + a_1 \lambda^2 \cos \frac{\sqrt{2}\lambda 16\pi x}{a} \right\}^2 d\left(\frac{x}{a}\right)$$

$$\begin{aligned}
& \frac{1}{2E^2 ab} \int_0^a \int_0^b \phi_y^2 dx dy = \left(\frac{b}{a}\right) \left(\frac{a}{b}\right)^2 \left[\frac{17}{16384} (f\pi)^2 \lambda^4 + \frac{1}{1048} \left(\frac{\lambda^2}{1+2\lambda^2}\right)^2 (f\pi)^2 + \frac{1}{32768} \left(\frac{\lambda^2}{1+2\lambda^2}\right)^2 (f\pi)^2 + \frac{1}{16} \right. \\
& + \frac{1}{512} \left(\frac{\lambda^2}{1+2\lambda^2}\right)^2 (f\pi)^2 + \frac{1}{2048} \left(\frac{\lambda^2}{2+\lambda^2}\right)^2 (f\pi)^2 - \frac{1}{32} \frac{\lambda^2}{(1+2\lambda^2)^3} (f\pi)^2 + \frac{1}{8} \frac{\lambda^4}{(1+2\lambda^2)^4} \\
& \left. - \frac{1}{4} \frac{\lambda^2}{1+2\lambda^2} - \frac{1}{4} \frac{1}{2(1+2\lambda^2)} + \left\{ \frac{f\pi^2}{8} \frac{\lambda^2}{1+2\lambda^2} - \frac{\lambda^2}{(1+2\lambda^2)^2} \right\} \left\{ -\frac{1}{8} \frac{\lambda^2}{1+2\lambda^2} - \frac{1}{2} \frac{\lambda^2}{(1+2\lambda^2)^2} \right\} \right. \\
& + \frac{\lambda^2}{2+2\lambda^2} \frac{f\pi^2}{32} \left\{ -\frac{1}{3} \frac{\lambda^2}{1+2\lambda^2} + \frac{\lambda^2}{(1+2\lambda^2)(2+\lambda^2)} \right\} + \frac{1}{4} \left(\frac{\pi^2}{6} - \frac{1}{4} \right) \left(\frac{\lambda^2}{1+2\lambda^2} \right)^2 \\
& + \frac{\lambda^2}{2(1+2\lambda^2)^2} \left(\frac{1}{\sqrt{2}\lambda\pi} \right) \left\{ \frac{\cosh\sqrt{2}\lambda\pi}{1+2\lambda^2} - \frac{4\lambda^2}{(1+2\lambda^2)^2} \left(\frac{\sinh\sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi} \right) \right\} \\
& + \frac{1}{4} \frac{1}{4(1+2\lambda^2)^2} \left(\frac{1}{\sqrt{2}\lambda\pi} \right)^2 \left\{ \frac{1}{2} + \frac{1}{4\sqrt{2}\lambda\pi} \sinh 2\sqrt{2}\lambda\pi \right\} - \frac{1}{2} \left(\frac{b}{a} \right)^2
\end{aligned}$$

$$\frac{1}{2E^2 ab} \int_0^a \int_0^b \phi_x^2 dx dy = \left(\frac{a}{b}\right) \left(\frac{b}{a}\right)^2 \left[\frac{105}{32768} (f\pi)^2 - \frac{5}{118} (f\pi)^2 + \left(\frac{\pi^2}{8} - \frac{3}{16} \right) \right]$$

$$\begin{aligned} \frac{\partial \psi}{\partial x} = & \left(\frac{a^2}{R} \right) \frac{1}{8} \lambda \left[\left\{ 2 \frac{(1+\lambda^2)}{(1+\lambda^2)^2} - \frac{1}{1+\lambda^2} \frac{1}{8} \right\} \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} - \frac{1}{8(2+\lambda^2)} (4\lambda^2) \sin \frac{2\pi x}{a} \sin \frac{\pi y}{b} \right. \\ & - \left. \left(\frac{1+4\lambda^2}{1+8\lambda^2} \right) \frac{1}{16} \sin \frac{\pi x}{a} \sin \frac{2\pi y}{b} - \left(\frac{1+\lambda^2}{1+\lambda^2} \right) \frac{1}{32} \sin \frac{2\pi x}{a} \sin \frac{2\pi y}{b} + \frac{1}{1+\lambda^2} \left(\frac{\pi}{a} \right) \cos \frac{\pi x}{a} \sin \frac{\pi y}{b} \right. \\ & \left. + a \sqrt{2} \lambda \sin b \frac{\sqrt{2} \pi x}{a} \sin \frac{\pi y}{b} \right] \end{aligned}$$

$$\begin{aligned} \frac{\partial \psi}{\partial x} \frac{\partial \psi}{\partial y} = & \left(\frac{a^2}{R} \right) \frac{1}{8} \lambda \left\{ - \left(\frac{\pi}{a} \right) \sin \frac{\pi y}{b} - \left(\frac{\pi}{a} \right) \cos \frac{\pi x}{a} \sin \frac{\pi y}{b} + \frac{1}{32} \pi^2 \left(2 \sin \frac{\pi x}{a} + \sin \frac{2\pi x}{a} \right) \left(2 \sin \frac{\pi y}{b} + \sin \frac{2\pi y}{b} \right) \right\} \\ = & \left(\frac{a^2}{R} \right) \frac{1}{8} \lambda \left\{ - \left(\frac{\pi}{a} \right) \sin \frac{\pi y}{b} - \left(\frac{\pi}{a} \right) \cos \frac{\pi x}{a} \sin \frac{\pi y}{b} + \frac{1}{8} \pi^2 \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} + \frac{1}{16} \pi^2 \sin \frac{2\pi x}{a} \sin \frac{\pi y}{b} \right. \\ & \left. + \frac{1}{16} \pi^2 \sin \frac{\pi x}{a} \sin \frac{2\pi y}{b} + \frac{1}{32} \pi^2 \sin \frac{2\pi x}{a} \sin \frac{2\pi y}{b} \right\} \end{aligned}$$

$$\begin{aligned} \frac{\partial^2 \psi}{\partial x \partial y} = & \left(\frac{a^2}{R} \right) \frac{1}{8} \lambda \left\{ - \left(\frac{\pi}{a} \right) \sin \frac{\pi y}{b} - \frac{1}{1+\lambda^2} \left(\frac{\pi}{a} \right) \cos \frac{\pi x}{a} \sin \frac{\pi y}{b} + 2 \left\{ \frac{1+\lambda^2}{1+\lambda^2} - \frac{1}{1+\lambda^2} \right\} \sin \frac{\pi x}{a} \sin \frac{\pi y}{b} \right. \\ & + \frac{\lambda^2}{16(2+\lambda^2)} (4\pi^2) \sin \frac{2\pi x}{a} \sin \frac{\pi y}{b} + \frac{\lambda^2}{4(1+\lambda^2)} (4\pi^2) \sin \frac{\pi x}{a} \sin \frac{2\pi y}{b} + \frac{\lambda^2}{32} \sin \frac{2\pi x}{a} \sin \frac{2\pi y}{b} \\ & \left. + \frac{a}{2} \sqrt{2} \lambda \sin b \frac{\sqrt{2} \pi x}{a} \sin \frac{\pi y}{b} \right\} \end{aligned}$$

~~4.7~~

$$\frac{E_{\pi}}{E} = \left(\frac{a}{b}\right)^2 \frac{1}{8} \left[\left\{ -\frac{\lambda^3}{2} \left(\frac{\pi}{a}\right) - \frac{\lambda^3}{1+2\lambda^2} \left(\frac{\pi}{a}\right) \cos \frac{\pi}{a} + \left\{ \frac{\lambda^3}{1+2\lambda^2} - \frac{\lambda^3}{8} \right\} \sin \frac{\pi}{a} + \frac{\lambda^3}{32(2+\lambda^2)} \left(\frac{\pi}{a}\right)^2 \sin \frac{2\pi}{a} \right\} \right. \\ \left. + \frac{a_1 \sqrt{2} \lambda \sin \frac{\sqrt{2} \lambda \pi x}{a}}{2} \right] \sin \frac{2\pi x}{b}$$

$$+ \left\{ \frac{\lambda^3}{8(1+\lambda^2)} \left(\frac{\pi}{a}\right) \sin \frac{\pi}{a} + \frac{\lambda^3}{(1+2\lambda^2)} - \frac{\lambda^2}{64} \sin \frac{2\pi}{a} \right\} \sin \frac{2\pi x}{b}$$

$$\frac{1}{E_{\pi ab}} \int_0^a \int_0^b \psi_{\pi}^2 dx dy = \left(\frac{a}{b}\right)^4 \left(\frac{\pi}{b}\right)^2 \left[\frac{1}{4} \left\{ -\frac{\lambda^3}{(1+2\lambda^2)^2} + \frac{\lambda^3}{1+2\lambda^2} - \frac{\lambda^2}{8} \right\} + \frac{1}{4} \left\{ \frac{\lambda^3}{32(2+\lambda^2)} - \frac{\lambda^2}{8} \right\} \right]$$

$$+ \frac{1}{4} \left\{ \frac{\lambda^3}{8(1+\lambda^2)} - \frac{\lambda^2}{8} \right\} + \frac{1}{4} \left\{ -\frac{\lambda^3}{1+2\lambda^2} - \frac{\lambda^2}{64} \right\}$$

$$+ \left\{ \frac{\lambda^3}{(1+2\lambda^2)^2} + \frac{\lambda^3}{1+2\lambda^2} - \frac{\lambda^2}{8} \right\} \int_0^1 \sin \frac{\pi x}{a} \left[-\frac{\lambda^3}{2} \left(\frac{\pi}{a}\right) - \frac{\lambda^3}{1+2\lambda^2} \left(\frac{\pi}{a}\right) \cos \frac{\pi}{a} + \frac{a_1 \sqrt{2} \lambda \sin \frac{\sqrt{2} \lambda \pi x}{a}}{2} \right] d\left(\frac{x}{a}\right)$$

$$+ \frac{\lambda^3}{32(2+\lambda^2)} \left(\frac{\pi}{a}\right)^2 \int_0^1 \sin \frac{2\pi x}{a} \left[-\frac{\lambda^3}{2} \left(\frac{\pi}{a}\right) - \frac{\lambda^3}{1+2\lambda^2} \left(\frac{\pi}{a}\right) \cos \frac{\pi}{a} + \frac{a_1 \sqrt{2} \lambda \sin \frac{\sqrt{2} \lambda \pi x}{a}}{2} \right] d\left(\frac{x}{a}\right)$$

$$+ \frac{1}{2} \int_0^1 \left\{ -\frac{\lambda^3}{2} \left(\frac{\pi}{a}\right) - \frac{\lambda^3}{1+2\lambda^2} \left(\frac{\pi}{a}\right) \cos \frac{\pi}{a} + \frac{a_1 \sqrt{2} \lambda \sin \frac{\sqrt{2} \lambda \pi x}{a}}{2} \right\}^2 d\left(\frac{x}{a}\right)$$

tip

$$\begin{aligned}
& \frac{1}{E_{ab}} \int_0^a \int_0^b \varepsilon_{xy}^2 dx dy = \frac{b^4}{E_{ab}} \left(\frac{a}{b} \right)^2 \left[\frac{\lambda^2 (1+\lambda^2)^2}{4(1+2\lambda^2)^4} + \frac{\lambda^4 (1+\lambda^2)}{16(1+2\lambda^2)^3} (f\pi^2)^2 + \frac{\lambda^6}{256(1+2\lambda^2)^2} (f\pi^2)^2 \right. \\
& + \frac{\lambda^6}{4096(2+\lambda^2)^2} (f\pi^2)^2 + \frac{\lambda^6}{256(1+2\lambda^2)^2} (f\pi^2)^2 + \frac{\lambda^6}{11384(1+2\lambda^2)^2} (f\pi^2)^2 \left. \right] \\
& + \left\{ \frac{\lambda(1+\lambda^2)}{(1+2\lambda^2)^2} + \frac{\lambda^3}{1+2\lambda^2} \frac{f\pi^2}{8} \right\} \left\{ -\frac{\lambda}{2} + \frac{1}{4} \frac{\lambda^3}{1+\lambda^2} + \frac{1}{2} \frac{\lambda}{(1+2\lambda^2)^2} \right\} \\
& + \frac{\lambda^3}{32(2+\lambda^2)} (f\pi^2) \left\{ +\frac{\lambda}{4} - \frac{2}{3} \frac{\lambda^3}{1+2\lambda^2} - \frac{1}{2} \frac{\lambda}{(1+2\lambda^2)(2+\lambda^2)} \right\} \\
& + \frac{1}{2} \left\{ \frac{\lambda^2}{4} \frac{\pi^2}{3} - \frac{2\lambda^4}{1+2\lambda^2} - \frac{1}{4} \frac{1}{(1+2\lambda^2)} \frac{1}{\sinh \sqrt{2}\lambda\pi} \left(\sqrt{2}\lambda\pi \cosh \sqrt{2}\lambda\pi - \sinh \sqrt{2}\lambda\pi \right) \right. \\
& + \frac{\lambda^6}{(1+2\lambda^2)^2} \left(\frac{\pi^2}{6} + \frac{1}{4} \right) - \frac{\lambda^4 \pi}{(1+2\lambda^2)^2 \sinh \sqrt{2}\lambda\pi} \left(-\frac{\sqrt{2}\lambda \cosh \sqrt{2}\lambda\pi}{1+2\lambda^2} + \frac{1}{\pi} \frac{(2\lambda^2-1) \sinh \sqrt{2}\lambda\pi}{(1+2\lambda^2)^2} \right) \\
& \left. + \frac{\pi^2 \lambda^2}{4(1+2\lambda^2)^2 \sinh \sqrt{2}\lambda\pi} \left(\frac{\sinh \sqrt{2}\lambda\pi}{4\sqrt{2}\lambda\pi} - \frac{1}{2} \right) \right\}
\end{aligned}$$

$$\frac{E_1}{E_{\text{abf}}} = \frac{H_1^2}{H_0^2} \left[H_1(\lambda) H_0^2 - H_2(\lambda) H_1^2 + H_3(\lambda) \right] + \frac{4}{5} \left(\frac{\sigma}{E} \right)^2$$

$$H_1(\lambda) = \frac{105}{32768} + \frac{17\lambda^4}{16384} + \frac{\lambda^4}{2048(1+\lambda^2)^2} + \frac{\lambda^4}{32768(1+2\lambda^2)^2} + \frac{\lambda^4}{512(1+2\lambda^2)^2} + \frac{\lambda^4}{2048(2+\lambda^2)^2}$$

$$+ \frac{\lambda^6}{256(1+2\lambda^2)^2} + \frac{\lambda^6}{4096(2+\lambda^2)^2} + \frac{\lambda^6}{256(1+\lambda^2)^2} + \frac{\lambda^6}{16384(1+2\lambda^2)^2}$$

$$= \frac{105}{32768} + \frac{17\lambda^4}{16384} + \frac{\lambda^4}{2048(1+\lambda^2)} + \frac{\lambda^4}{32768(1+2\lambda^2)} + \frac{\lambda^4}{512(1+2\lambda^2)} + \frac{\lambda^4}{4096(2+\lambda^2)}$$

$$H_1 = \frac{105}{32768} + \frac{17\lambda^4}{16384} + \frac{\lambda^4}{2048(1+\lambda^2)} + \frac{\lambda^4}{32768(1+2\lambda^2)} + \frac{\lambda^4}{4096(1+2\lambda^2)} + \frac{\lambda^4}{4096(2+\lambda^2)}$$

$$\begin{aligned}
 H_2(\lambda) &= \frac{\lambda^5}{48} + \frac{1}{32} \frac{\lambda^{4\nu}}{(1+2\lambda^2)^3} + \frac{1}{64} \frac{\lambda^{4\nu}}{(1+2\lambda^2)^2} + \frac{1}{16} \frac{\lambda^{4\nu}}{(1+2\lambda^2)^3} + \frac{1}{96} \frac{\lambda^4}{12\lambda^2(1+2\lambda^2)} \\
 &\quad - \frac{1}{32} \frac{\lambda^4}{(1+2\lambda^2)(2+2\lambda^2)^2} + \frac{1}{16} \frac{\lambda^4(1+2\lambda^2)^4}{(1+2\lambda^2)^3} + \frac{1}{16} \frac{\lambda^{4\nu}}{(1+2\lambda^2)^2} - \frac{1}{32} \frac{\lambda^{6\nu}}{(1+2\lambda^2)^2} - \frac{1}{16} \frac{\lambda^{4\nu}}{(1+2\lambda^2)^3} \\
 &\quad - \frac{1}{128} \frac{\lambda^{4\nu}}{(2+2\lambda^2)} + \frac{1}{48} \frac{\lambda^{6\nu}}{(2+2\lambda^2)(1+2\lambda^2)} + \frac{1}{64} \frac{\lambda^4}{(1+2\lambda^2)(2+2\lambda^2)^2}
 \end{aligned}$$

$$H_2 = \frac{\lambda^5}{48} + \frac{3}{64} \frac{\lambda^4}{(1+2\lambda^2)} + \frac{\lambda^4}{384(2+2\lambda^2)} - \frac{1}{64} \frac{\lambda^4}{(1+2\lambda^2)(2+2\lambda^2)^2}$$

$$\begin{aligned}
 H_3(\lambda) &= \frac{\lambda^7}{9} - \frac{3}{16} \frac{\lambda^6}{(1+2\lambda^2)^4} + \frac{1}{8} \frac{\lambda^4}{(1+2\lambda^2)^4} - \frac{1}{4} \frac{\lambda^2}{(1+2\lambda^2)^4} - \frac{1}{8} \frac{\lambda^2}{(1+2\lambda^2)^3} + \frac{1}{8} \frac{\lambda^4}{(1+2\lambda^2)^4} \\
 &\quad + \frac{1}{4} \left(\frac{\pi^2}{6} - \frac{1}{4} \right) \left(\frac{\lambda^2}{1+2\lambda^2} \right)^2 + \frac{1}{4} \frac{\lambda^2}{(1+2\lambda^2)^3} - \frac{\cosh 5\lambda\pi}{\left(\frac{\sinh \sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi} \right)^4} - \frac{\lambda^4}{(1+2\lambda^2)^4} \\
 &\quad + \frac{1}{16(1+2\lambda^2)^2} \left[\frac{\frac{1}{2} + \frac{1}{4\sqrt{2}\lambda\pi} \sinh 2\sqrt{2}\lambda\pi}{\left(\frac{\sinh \sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi} \right)^2} + \frac{\lambda^2(1+2\lambda^2)^2}{4(1+2\lambda^2)^4} - \frac{1}{2} \frac{\lambda^2(1+2\lambda^2)}{(1+2\lambda^2)^3} + \frac{1}{4} \frac{\lambda^4(1+2\lambda^2)}{(1+2\lambda^2)^3} \right. \\
 &\quad \left. + \frac{1}{2} \frac{\lambda^2(1+2\lambda^2)}{(1+2\lambda^2)^4} + \frac{\lambda^2\pi^2}{8} - \frac{\lambda^4}{(1+2\lambda^2)^2} - \frac{1}{8} \frac{1}{(1+2\lambda^2)^2} - \frac{\cosh \lambda\sqrt{2}\pi}{\left(\frac{\sinh \sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi} \right)} + \frac{1}{8} \frac{1}{(1+2\lambda^2)^2} + \frac{1}{2} \frac{1}{(1+2\lambda^2)^2} + \frac{\lambda^6}{2(1+2\lambda^2)^2} \left(\frac{\pi^2}{6} + \frac{1}{4} \right) \right. \\
 &\quad \left. + \frac{1}{2} \frac{\lambda^4}{(1+2\lambda^2)^2} \frac{\cosh \sqrt{2}\lambda\pi}{\left(\frac{\sinh \sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi} \right)} + \frac{1}{2} \frac{\lambda^4(1-2\lambda^2)}{(1+2\lambda^2)^4} + \frac{1}{2} \frac{\lambda^4}{(1+2\lambda^2)^4} + \frac{1}{16(1+2\lambda^2)^2} \frac{\sinh 2\sqrt{2}\lambda\pi}{\left(\frac{\sinh \sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi} \right)^2} \right]
 \end{aligned}$$

145

$$H_3(\lambda) = -\frac{1}{16(1+2\lambda)^2} \frac{\sqrt{\cosh \sqrt{2}\lambda\pi}}{\left(\frac{\sinh \sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi}\right)} + \frac{\pi^2}{8} - \frac{1}{8} + \frac{1}{4} \left(\frac{\pi^2}{6} - \frac{1}{4} \right) \left(\frac{\lambda^2}{1+2\lambda^2} \right)^2 + \frac{1}{2} \left(\frac{\pi^2}{6} - \frac{1}{4} \right) \frac{\lambda^6}{(1+2\lambda^2)^2}$$

$$+ \frac{3}{8} \frac{\lambda^2(2-\lambda^2)}{(1+2\lambda^2)^3} - \frac{1}{8} + \frac{1}{8} \frac{\lambda^4(3+2\lambda^2)}{(1+2\lambda^2)^3} - \frac{1}{2} \frac{\lambda^2(1+\lambda^2)}{(1+2\lambda^2)^2} + \frac{\lambda^2}{24} \pi^2 + \frac{1}{8} \frac{\lambda^2(1-\lambda^4)}{(1+2\lambda^2)^2}$$

$$= -\frac{1}{16(1+2\lambda^2)^2} \frac{\sqrt{\cosh \sqrt{2}\lambda\pi}}{\left(\frac{\sinh \sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi}\right)} + \frac{\pi^2}{8} - \frac{1}{4} + \frac{\pi^2}{24} \frac{\lambda^4}{(1+2\lambda^2)} + \frac{\pi^2}{24} \lambda^2 - \frac{1}{16} \frac{\lambda^4(1-2\lambda^2)}{(1+2\lambda^2)^2}$$

$$+ \frac{1}{4} \frac{\lambda^2(3+\lambda^4)}{(1+2\lambda^2)^3} - \frac{1}{2} \frac{\lambda^2(1+\lambda^2)}{(1+2\lambda^2)^2} + \frac{1}{8} - \frac{1}{4} \frac{\lambda^2(1+4\lambda^2)}{(1+2\lambda^2)}$$

$$= -\frac{1}{16(1+2\lambda^2)^2} \frac{\sqrt{\cosh \sqrt{2}\lambda\pi}}{\left(\frac{\sinh \sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi}\right)} + \frac{\pi^2}{8} \left\{ 1 + \frac{1}{3} \frac{\lambda^2(1+\lambda^2)}{1+2\lambda^2} \right\} - \frac{1}{8} - \frac{1}{16} \frac{\lambda^4}{(1+2\lambda^2)}$$

$$+ \frac{1}{4} \frac{\lambda^6}{(1+2\lambda^2)^2} - \frac{1}{2} \frac{\lambda^2(1+\lambda^2)}{(1+2\lambda^2)^2} + \frac{1}{4} \frac{\lambda^2(3+\lambda^4)}{(1+2\lambda^2)^3} - \frac{1}{4} \frac{\lambda^2(1+4\lambda^2)}{(1+2\lambda^2)}$$

$$H_3 = \frac{1}{8}(\pi^2-1) - \frac{1}{16(1+2\lambda^2)^2} \frac{\sqrt{\cosh \sqrt{2}\lambda\pi}}{\left(\frac{\sinh \sqrt{2}\lambda\pi}{\sqrt{2}\lambda\pi}\right)} + \frac{\pi^2}{24} \frac{\lambda^2(1+\lambda^2)}{(1+2\lambda^2)} - \frac{1}{16} \frac{\lambda^2(4+17\lambda^2)}{(1+2\lambda^2)} + \frac{\lambda^2(\lambda^6-2\lambda^2-2)}{4(1+2\lambda^2)^2}$$

$$+ \frac{1}{4} \frac{\lambda^2(3+\lambda^4)}{(1+2\lambda^2)^3}$$

49L

$$\frac{P}{abtE} = \left(\frac{q}{R}\right)^4 \left(\frac{f}{g}\right)^2 \left[H_1 (f\pi)^2 - f H_2 (f\pi) + H_3 \right] + \left(\frac{f}{R}\right)^2 \left(\frac{f}{g}\right)^2 \pi^4 \left[\frac{1}{32} (1+f\pi^4) + \frac{1}{48} f\pi^2 \right]$$

$$- \left(\frac{q}{R}\right)^2 \left(\frac{f}{g}\right)^2 \left(\frac{3}{8} f^2 \pi^2\right) \frac{\sigma}{E} - \frac{1}{2} \left(\frac{f}{E}\right)^2$$

$$\frac{3}{4} f^2 \pi^2 \frac{\sigma}{E} = \left(\frac{q}{R}\right)^2 \left[4 H_1 (f\pi)^2 - 3 H_2 (f\pi) + 2 H_3 \right] + \left(\frac{f}{R}\right)^2 \pi^4 \left[\frac{1}{16} (1+f\pi^4) + \frac{1}{24} f\pi^2 \right]$$

$$f^2 K = f^2 \left[\frac{16}{3} H_1 f^2 \pi^2 - 4 H_2 f + \frac{4}{3} H_3 \frac{1}{\pi} \right] + \frac{\pi^2}{f^2} \left[\frac{1}{12} (1+f\pi^4) + \frac{1}{18} f\pi^2 \right]$$

$$= \frac{\pi^2}{f^2} \left[\frac{64}{3} H_1 \left(\frac{f}{E}\right)^2 + \left\{ \frac{1}{12} (1+f\pi^4) + \frac{1}{18} f\pi^2 \right\} \right] + \frac{4}{3} \frac{\pi^2}{\pi^2} H_3 - f H_2 \left(\frac{f}{E}\right)$$

$$= 2 \left[\frac{512}{9} H_1 H_3 \left(\frac{f}{E}\right)^2 + H_3 \left\{ \frac{1}{9} (1+f\pi^4) + \frac{4}{27} f\pi^2 \right\} \right] - 8 H_2 \left(\frac{f}{E}\right)$$

$$\frac{572}{9} H_1 = \frac{105^{35}}{64 \times 8} + \frac{17}{32 \times 9} + \frac{1}{4 \times 81} + \frac{65}{64 \times 27} + \frac{1}{8 \times 27} \quad \underline{484}$$

$$= 0.1822917 + 0.0590278 + 0.0030864 + 0.0376157 + 0.0046296$$

$$= 0.2866512$$

$$8 H_2 = \frac{40}{48} + \frac{3}{8} \frac{1}{3} + \frac{1}{48} \frac{1}{3} - \frac{1}{8} \frac{1}{27}$$

$$= 0.8333333 + 0.1250000 + 0.0069444 - 0.0046296$$

$$= 0.9606481$$

$$H_3 = 1.1087006 - \frac{4.444113}{16 \times 9} + \frac{\pi^2}{24} \frac{4}{3} - \frac{1}{16} \frac{21}{3} - \frac{1}{4} \frac{3}{9} + \frac{1}{27}$$

$$= 1.1087006 - 0.0308619 + 0.5498311 - 0.4375 - 0.0833333 + 0.0370370$$

$$= 1.1438735$$

$$K = 2 \left[0.3278927 \left(\frac{f}{E} \right)^2 + 0.6778509 \right]^{\frac{1}{2}} - 0.9606481 \left(\frac{f}{E} \right)$$

$$0.655454 \left(\frac{f}{E} \right) = 0.9606481 \left[0.3278927 \left(\frac{f}{E} \right)^2 + 0.6778509 \right]^{\frac{1}{2}}$$

$$\frac{0.4300545 \left(\frac{f}{E} \right)^2}{0.3025940} = 0.6255512$$

$$\frac{0.3025940}{0.1274505}$$

$$\left(\frac{f}{E} \right)^2 = 4.908189$$

$$\left(\frac{f}{E} \right) = 2.215444$$

$$K_{min} = 0.8965$$

$$K_0 = 1.646636$$

$$\lambda = 0.5$$

485

$$\frac{572}{9} H_1 = 0.1822917 + \frac{17 \times 0.0625}{288} + \frac{0.0625}{108} + \frac{65}{864} \frac{0.0625}{864} + \frac{1}{162} \frac{0.0625}{162}$$

$$= 0.1822917 + 0.0625 (0.0593777 + 0.00925926 + 0.07523148 + 0.00617284)$$

$$= 0.1822917 + 0.0093557 = 0.1916474 \quad 0.7665896$$

$$8H_2 = 0.8333333 + 0.0625 \left(\frac{3}{8} \frac{1}{1.5} + \frac{1}{48} \frac{1}{2.25} - \frac{1}{8} \frac{1}{1.5 \times 2.25} \right)$$

$$= 0.8333333 + 0.0625 (0.25 + 0.00925926 - 0.01646091)$$

$$= 0.8485062 \quad 3.3940328$$

$$H_3 = 1.1087006 - \frac{1}{36} 2.274322 + \frac{\pi^2}{36} \frac{0.25 \times 1.25}{36} - \frac{1}{24} \frac{0.25 \times 1.25}{24}$$

$$- \frac{0.25 \times 2.4325}{9} + \frac{0.25 \times 3.0625}{13.5}$$

$$= 1.1087006 - 0.06317511 + 0.1199431 - 0.08593750 - 0.06770833 + 0.05671296$$

$$= 1.1471353 \quad 4.5905412$$

$$K = 2 \left[3.5190611 \left(\frac{1}{E} \right)^2 + 5.0155909 \right]^{\frac{1}{2}} - 3.3940328 \left(\frac{1}{E} \right)$$

$$\frac{49.5351641}{40.534787} \left(\frac{1}{E} \right)^2 = \frac{57.7768917}{6.621248}$$

$$\left(\frac{1}{E} \right) = 2.534058$$

$$K_{min} = 1.4 - -$$